



BARGE: FMT 1602
JEFFBOAT 16-2285

1 CENTER
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS FOR GAUGING WITH HERMETIC GAUGE REFERENCE GAUGE HEIGHT: 16'-01 1/2"

Table with columns for height in feet (0 FT. to 15 FT.) and corresponding capacity values in barrels. The table contains multiple rows of data for each height increment.

NOTE: GAUGE POINT: TO TOP OF HERMETIC VALVE, ON 18" DECK PIPE, USING THE HERMETIC DEVICE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

Signature of representative





### BARGE: FMT 1602

JEFFBOAT 16-2285

### 2 CENTER

INNAGE TABLE

0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	1.98	235.30	460.55	685.80	911.05	1136.30	1361.55	1586.80	1812.05	2037.30	2262.55	2487.80	2713.05	2938.30	3163.55
1	3.94	490.77	981.54	1472.31	1963.08	2453.85	2944.62	3435.39	3926.16	4416.93	4907.70	5398.47	5889.24	6379.99	6870.76
2	5.89	740.77	1481.54	2222.31	2963.08	3703.85	4444.62	5185.39	5926.16	6666.93	7407.70	8148.47	8889.24	9629.99	10370.76
3	7.85	959.50	1919.00	2878.50	3838.00	4797.50	5757.00	6716.50	7676.00	8635.50	9595.00	10554.50	11514.00	12473.50	13433.00
4	9.80	1178.24	2356.48	3534.72	4712.96	5891.20	7069.44	8247.68	9425.92	10604.16	11782.40	12960.64	14138.88	15317.12	16495.36
5	11.75	1397.00	2794.00	4191.00	5587.00	6983.00	8379.00	9775.00	11171.00	12567.00	13963.00	15359.00	16755.00	18151.00	19547.00
6	13.70	1615.75	3232.50	4845.00	6457.50	8070.00	9682.50	11295.00	12907.50	14520.00	16132.50	17745.00	19357.50	20970.00	22582.50
7	15.65	1834.50	3671.00	5502.00	7407.00	9312.00	11217.00	13122.00	15027.00	16932.00	18837.00	20742.00	22647.00	24552.00	26457.00
8	17.60	2053.25	4109.50	6217.00	8424.50	10640.00	12855.50	15071.00	17286.50	19502.00	21717.50	23933.00	26148.50	28364.00	30579.50
9	19.55	2272.00	4548.00	7026.00	9534.00	12048.00	14562.00	17076.00	19590.00	22104.00	24618.00	27132.00	29646.00	32160.00	34674.00
10	21.50	2490.75	4986.50	7935.00	10642.50	13263.00	15777.00	18291.00	20805.00	23319.00	25833.00	28347.00	30861.00	33375.00	35889.00
11	23.45	2709.50	5425.00	8944.00	11850.00	14568.00	17082.00	19596.00	22110.00	24624.00	27138.00	29652.00	32166.00	34680.00	37194.00
12	25.40	2928.25	5863.50	10053.00	13157.50	15873.00	18397.00	20921.00	23445.00	25969.00	28493.00	31017.00	33541.00	36065.00	38589.00
13	27.35	3147.00	6302.00	11262.00	14465.00	17180.00	19714.00	22238.00	24762.00	27286.00	29810.00	32334.00	34858.00	37382.00	39903.00
14	29.30	3365.75	6740.50	12471.00	15772.50	18487.00	21248.00	23772.00	26296.00	28820.00	31344.00	33868.00	36392.00	38916.00	41427.00
15	31.25	3584.50	7179.00	13680.00	17080.00	19800.00	22362.00	24886.00	27410.00	29934.00	32458.00	34982.00	37506.00	40040.00	42551.00

FOR GAUGING WITH HERMETIC GAUGE

REFERENCE GAUGE HEIGHT: 16'-00 1/2"

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK  
 NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL  
 NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 27

DATE STRAPPED: 08/18/2018 BY: JM  
 DATE COMPUTED: 08/18/2018 BY: CL  
 DATE ISSUED: 08/18/2018



THIS CHART IS CENTERED FOR THE ABOVE TANK ONLY. NO CHANGES  
 OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.



# BARGE: FMT 1602 JEFFBOAT 16-2285

# 3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE

REFERENCE GAUGE HEIGHT: 16'-01" 7/8"

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	1.97	232.80	480.39	727.88	975.44	1,223.03	1,470.64	1,718.24	1,965.84	2,213.45	2,461.05	2,708.65	2,956.25	3,203.86	3,451.46	
1	3.91	237.96	485.55	733.03	980.60	1,228.19	1,475.79	1,723.40	1,971.00	2,218.60	2,466.21	2,713.81	2,961.41	3,209.02	3,456.62	
2	5.84	243.12	490.71	738.19	985.76	1,233.35	1,480.95	1,728.56	1,976.16	2,223.76	2,471.37	2,718.97	2,966.57	3,214.17	3,461.78	
3	7.77	248.27	495.87	743.34	990.91	1,238.51	1,486.11	1,733.71	1,981.32	2,229.92	2,477.52	2,724.13	2,971.73	3,219.33	3,466.94	
4	9.71	253.43	501.03	748.50	996.07	1,243.67	1,491.27	1,738.87	1,986.48	2,234.08	2,481.68	2,729.29	2,976.89	3,224.49	3,472.09	
5	13.90	258.59	506.18	753.65	1,001.23	1,248.82	1,496.43	1,744.03	1,991.63	2,239.24	2,486.84	2,734.44	2,982.05	3,229.65	3,477.25	
6	18.09	263.75	511.34	758.81	1,006.39	1,253.98	1,501.59	1,749.19	1,996.79	2,244.40	2,492.00	2,739.60	2,987.21	3,234.81	3,482.41	
7	22.28	268.91	516.50	763.97	1,011.55	1,259.14	1,506.74	1,754.35	2,001.95	2,249.55	2,497.16	2,744.76	2,992.36	3,239.97	3,487.57	
8	26.47	274.07	521.66	769.12	1,016.70	1,264.30	1,511.90	1,759.51	2,007.11	2,254.71	2,502.32	2,749.92	2,997.52	3,245.13	3,492.73	
9	31.63	279.22	526.82	774.28	1,021.86	1,269.46	1,517.06	1,764.66	2,012.27	2,259.87	2,507.47	2,755.08	3,002.68	3,250.28	3,497.89	
10	36.79	284.38	531.98	779.43	1,027.02	1,274.62	1,522.22	1,769.82	2,017.43	2,265.03	2,512.63	2,760.24	3,007.84	3,255.44	3,503.05	
11	41.95	289.54	537.14	784.59	1,032.18	1,279.78	1,527.38	1,774.98	2,022.58	2,270.19	2,517.79	2,765.39	3,013.00	3,260.60	3,508.20	
12	47.10	294.70	542.29	789.75	1,037.34	1,284.93	1,532.54	1,780.14	2,027.74	2,275.35	2,522.95	2,770.55	3,018.16	3,265.76	3,513.36	
13	52.26	299.86	547.45	794.91	1,042.49	1,290.09	1,537.70	1,785.30	2,032.90	2,280.50	2,528.11	2,775.71	3,023.31	3,270.92	3,518.52	
14	57.42	305.01	552.61	800.06	1,047.65	1,295.25	1,542.85	1,790.46	2,038.06	2,285.66	2,533.27	2,780.87	3,028.47	3,276.08	3,523.68	
15	62.58	310.17	557.77	805.22	1,052.81	1,300.41	1,548.01	1,795.62	2,043.22	2,290.82	2,538.42	2,786.03	3,033.63	3,281.23	3,528.84	
16	67.74	315.33	562.93	810.38	1,057.97	1,305.57	1,553.17	1,800.77	2,048.38	2,295.98	2,543.58	2,791.19	3,038.79	3,286.39	3,534.00	
17	72.90	320.49	568.08	815.54	1,063.13	1,310.73	1,558.33	1,805.93	2,053.54	2,301.14	2,548.74	2,796.34	3,043.95	3,291.55	3,539.15	
18	78.05	325.65	573.24	820.70	1,068.28	1,315.88	1,563.49	1,811.09	2,058.69	2,306.30	2,553.90	2,801.50	3,049.11	3,296.71	3,544.31	
19	83.21	330.81	578.40	825.85	1,073.44	1,321.04	1,568.65	1,816.25	2,063.85	2,311.46	2,559.06	2,806.66	3,054.26	3,301.87	3,549.47	
20	89.37	335.96	583.55	831.01	1,078.60	1,326.20	1,573.80	1,821.41	2,069.01	2,316.62	2,564.22	2,811.82	3,059.42	3,307.03	3,554.63	
21	93.53	341.12	588.71	836.17	1,083.76	1,331.36	1,578.96	1,826.57	2,074.17	2,321.77	2,569.37	2,816.98	3,064.58	3,312.18	3,559.78	
22	99.69	346.28	593.86	841.33	1,088.91	1,336.52	1,584.12	1,831.72	2,079.33	2,326.93	2,574.53	2,822.14	3,069.74	3,317.34	3,564.94	
23	103.84	351.44	599.02	846.49	1,094.07	1,341.68	1,589.28	1,836.88	2,084.49	2,332.09	2,579.69	2,827.29	3,074.90	3,322.50	3,569.99	
24	109.00	356.60	604.17	851.64	1,099.23	1,346.83	1,594.44	1,842.04	2,089.64	2,337.25	2,584.85	2,832.45	3,080.06	3,327.66	3,574.99	
25	114.16	361.75	609.33	856.80	1,104.39	1,351.99	1,599.60	1,847.20	2,094.80	2,342.41	2,590.01	2,837.61	3,085.21	3,332.82	3,579.99	
26	119.32	366.91	614.48	861.96	1,109.55	1,357.15	1,604.75	1,852.36	2,099.96	2,347.56	2,595.17	2,842.77	3,090.37	3,337.98	3,584.99	
27	124.48	372.07	619.64	867.12	1,114.71	1,362.31	1,609.91	1,857.52	2,105.12	2,352.72	2,600.33	2,847.93	3,095.53	3,343.13	3,589.99	
28	129.64	377.23	624.79	872.28	1,119.86	1,367.47	1,615.07	1,862.67	2,110.28	2,357.88	2,605.48	2,853.09	3,100.69	3,348.29	3,594.99	
29	134.79	382.39	629.94	877.44	1,125.02	1,372.63	1,620.23	1,867.83	2,115.44	2,363.04	2,610.64	2,858.25	3,105.85	3,353.45	3,599.99	
30	139.95	387.55	635.10	882.59	1,130.18	1,377.78	1,625.39	1,872.99	2,120.59	2,368.20	2,615.80	2,863.40	3,111.01	3,358.61	3,604.99	
31	145.11	392.70	640.25	887.75	1,135.34	1,382.94	1,630.55	1,878.15	2,125.75	2,373.36	2,620.96	2,868.56	3,116.17	3,363.77	3,609.99	
32	150.27	397.86	645.41	892.91	1,140.50	1,388.10	1,635.70	1,883.31	2,130.91	2,378.51	2,626.12	2,873.72	3,121.32	3,368.93	3,614.99	
33	155.43	403.02	650.56	898.07	1,145.66	1,393.26	1,640.86	1,888.47	2,136.07	2,383.67	2,631.28	2,878.88	3,126.48	3,374.09	3,619.99	
34	160.58	408.18	655.72	903.23	1,150.82	1,398.42	1,646.02	1,893.62	2,141.23	2,388.83	2,636.43	2,884.04	3,131.64	3,379.24	3,624.99	
35	165.74	413.34	660.87	908.39	1,155.98	1,403.58	1,651.18	1,898.78	2,146.39	2,393.99	2,641.59	2,889.20	3,136.80	3,384.40	3,629.99	
36	170.90	418.49	666.03	913.54	1,161.13	1,408.74	1,656.34	1,903.94	2,151.54	2,399.15	2,646.75	2,894.35	3,141.96	3,389.56	3,634.99	
37	176.06	423.65	671.18	918.70	1,166.29	1,413.89	1,661.50	1,909.10	2,156.70	2,404.31	2,651.91	2,899.51	3,147.12	3,394.72	3,639.99	
38	181.22	428.81	676.33	923.86	1,171.45	1,419.05	1,666.66	1,914.26	2,161.85	2,409.46	2,657.07	2,904.67	3,152.27	3,399.88	3,644.99	
39	186.38	433.97	681.49	929.02	1,176.61	1,424.21	1,671.81	1,919.42	2,167.01	2,414.62	2,662.23	2,909.83	3,157.43	3,405.04	3,649.99	
40	191.53	439.13	686.64	934.17	1,181.77	1,429.37	1,676.97	1,924.58	2,172.16	2,419.78	2,667.38	2,914.99	3,162.59	3,410.19	3,654.99	
41	196.69	444.29	691.80	939.33	1,186.92	1,434.53	1,682.13	1,929.73	2,177.34	2,424.94	2,672.54	2,920.15	3,167.75	3,415.35	3,659.99	
42	201.85	449.44	696.95	944.49	1,192.08	1,439.69	1,687.29	1,934.89	2,182.50	2,430.10	2,677.70	2,925.30	3,172.91	3,420.51	3,664.99	
43	207.01	454.60	702.11	949.65	1,197.24	1,444.84	1,692.45	1,940.05	2,187.65	2,435.26	2,682.86	2,930.46	3,178.07	3,425.67	3,669.99	
44	212.17	459.76	707.26	954.81	1,202.40	1,450.00	1,697.61	1,945.21	2,192.81	2,440.41	2,688.02	2,935.62	3,183.22	3,430.83	3,674.99	
45	217.32	464.92	712.42	959.96	1,207.56	1,455.16	1,702.76	1,950.37	2,197.97	2,445.57	2,693.18	2,940.78	3,188.38	3,435.99	3,679.99	
46	222.48	470.08	717.57	965.12	1,212.72	1,460.32	1,707.92	1,955.53	2,203.13	2,450.73	2,698.33	2,945.94	3,193.54	3,441.14	3,684.99	
47	227.64	475.23	722.73	970.28	1,217.87	1,465.48	1,713.08	1,960.68	2,208.29	2,455.89	2,703.49	2,951.10	3,198.70	3,446.30	3,689.99	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP OF HERMETIC VALVE, ON 18" DECK PIPE, USING THE HERMETIC DEVICE.  
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK  
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL  
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 08/14/2016 BY: JM  
DATE RECOMPUTED: 08/28/2016 BY: CL  
DATE REISSUED: 08/28/2016







# BARGE: FMT 1602 JEFFBOAT 16-2285

# 1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE

REFERENCE GAUGE HEIGHT: 16'-01 1/2"

	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.
0	0	3,766.52	3,519.98	3,273.44	3,026.02	2,751.97	2,477.63	2,203.28	1,928.99	1,654.70	1,380.38	1,106.05	831.80	558.36	283.87	11.98
1	1	3,761.38	3,514.84	3,268.30	3,020.45	2,746.25	2,471.91	2,197.57	1,923.28	1,648.99	1,374.67	1,100.33	826.10	552.64	278.15	7.72
2	2	3,756.25	3,509.71	3,263.16	3,014.88	2,740.54	2,466.20	2,191.85	1,917.56	1,643.27	1,368.95	1,094.61	820.40	546.93	272.42	3.49
3	3	3,751.11	3,504.57	3,258.03	3,009.17	2,734.82	2,460.48	2,186.14	1,911.85	1,637.56	1,363.23	1,088.90	814.71	541.21	266.69	2.73
4	4	3,745.98	3,499.43	3,252.89	3,003.45	2,729.11	2,454.76	2,180.42	1,906.13	1,631.84	1,357.52	1,083.18	809.02	535.50	260.97	1.97
5	5	3,740.84	3,494.30	3,247.75	2,997.74	2,723.39	2,448.05	2,174.71	1,900.42	1,626.13	1,351.80	1,077.47	803.33	529.78	255.24	1.21
6	6	3,735.70	3,489.16	3,242.62	2,992.02	2,717.68	2,443.33	2,169.00	1,894.71	1,620.41	1,345.09	1,071.75	797.64	524.07	249.51	0.45
7	7	3,730.57	3,484.02	3,237.48	2,986.31	2,711.96	2,437.62	2,163.28	1,888.99	1,614.70	1,340.37	1,066.04	791.95	518.35	243.78	
8	8	3,725.43	3,478.89	3,232.35	2,980.59	2,706.25	2,431.90	2,157.57	1,883.28	1,608.99	1,334.66	1,060.32	786.26	512.64	238.06	
9	9	3,720.29	3,473.75	3,227.21	2,974.87	2,700.53	2,426.19	2,151.85	1,877.56	1,603.27	1,328.94	1,054.61	780.57	506.92	232.33	
10	10	3,715.16	3,468.62	3,222.07	2,969.16	2,694.82	2,420.47	2,146.14	1,871.85	1,597.56	1,323.23	1,048.89	774.88	501.21	226.60	
11	11	3,710.02	3,463.48	3,216.94	2,963.44	2,689.10	2,414.76	2,140.43	1,866.13	1,591.84	1,317.51	1,043.18	769.19	495.49	220.88	
12	12	3,704.89	3,458.34	3,211.80	2,957.73	2,683.38	2,409.04	2,134.71	1,860.42	1,586.13	1,311.80	1,037.46	763.50	489.78	215.15	
13	13	3,699.75	3,453.21	3,206.66	2,952.01	2,677.67	2,403.32	2,129.00	1,854.71	1,580.41	1,306.08	1,031.75	757.81	484.06	209.42	
14	14	3,694.61	3,448.07	3,201.53	2,946.30	2,671.95	2,397.61	2,123.28	1,848.99	1,574.70	1,300.36	1,026.03	752.12	478.35	203.70	
15	15	3,689.48	3,442.93	3,196.39	2,940.58	2,666.24	2,391.89	2,117.57	1,843.28	1,568.99	1,294.65	1,020.32	746.43	472.63	197.97	
16	16	3,684.34	3,437.80	3,191.26	2,934.87	2,660.52	2,386.18	2,111.85	1,837.56	1,563.27	1,288.93	1,014.60	740.75	466.91	192.24	
17	17	3,679.20	3,432.66	3,186.12	2,929.15	2,654.81	2,380.46	2,106.14	1,831.85	1,557.56	1,283.22	1,008.89	735.06	461.20	186.52	
18	18	3,674.07	3,427.53	3,180.98	2,923.44	2,649.09	2,374.75	2,100.42	1,826.13	1,551.84	1,277.50	1,003.17	729.37	455.48	180.79	
19	19	3,668.93	3,422.39	3,175.85	2,917.72	2,643.38	2,369.03	2,094.71	1,820.42	1,546.13	1,271.79	997.46	723.68	449.77	175.06	
20	20	3,663.80	3,417.25	3,170.71	2,912.00	2,637.66	2,363.32	2,089.00	1,814.70	1,540.41	1,266.07	991.74	717.99	444.05	169.34	
21	21	3,658.66	3,412.12	3,165.57	2,906.29	2,631.94	2,357.60	2,083.28	1,808.99	1,534.70	1,260.36	986.03	712.30	438.34	163.61	
22	22	3,653.52	3,406.98	3,160.44	2,900.57	2,626.23	2,351.89	2,077.57	1,803.28	1,529.00	1,254.64	980.31	706.61	432.62	157.88	
23	23	3,648.39	3,401.84	3,155.30	2,894.86	2,620.51	2,346.17	2,071.85	1,797.56	1,523.27	1,248.92	974.60	700.92	426.91	152.15	
24	24	3,643.25	3,396.71	3,150.16	2,889.14	2,614.80	2,340.45	2,066.14	1,791.85	1,517.55	1,243.21	968.88	695.23	421.19	146.43	
25	25	3,638.11	3,391.57	3,145.03	2,883.43	2,609.08	2,334.74	2,060.42	1,786.13	1,511.84	1,237.49	963.17	689.54	415.48	140.70	
26	26	3,632.98	3,386.43	3,139.89	2,877.71	2,603.37	2,329.02	2,054.71	1,780.42	1,506.12	1,231.78	957.45	683.86	409.76	134.97	
27	27	3,627.84	3,381.30	3,134.76	2,872.00	2,597.65	2,323.31	2,048.99	1,774.70	1,500.41	1,226.06	951.74	678.17	404.05	129.25	
28	28	3,622.70	3,376.16	3,129.62	2,866.28	2,591.94	2,317.59	2,043.28	1,768.99	1,494.69	1,220.35	946.02	672.48	398.33	123.52	
29	29	3,617.57	3,371.03	3,124.48	2,860.56	2,586.22	2,311.88	2,037.57	1,763.27	1,488.98	1,214.63	940.31	666.79	392.62	117.79	
30	30	3,612.43	3,365.89	3,119.35	2,854.85	2,580.51	2,306.16	2,031.85	1,757.56	1,483.26	1,208.92	934.59	661.10	386.90	112.07	
31	31	3,607.30	3,360.75	3,114.21	2,849.13	2,574.79	2,300.45	2,026.14	1,751.85	1,477.54	1,203.20	928.88	655.41	381.19	106.34	
32	32	3,602.16	3,355.62	3,109.07	2,843.42	2,569.07	2,294.73	2,020.42	1,746.13	1,471.83	1,197.49	923.16	649.72	375.47	100.61	
33	33	3,597.02	3,350.48	3,103.94	2,837.70	2,563.36	2,289.01	2,014.71	1,740.42	1,466.11	1,191.77	917.45	644.03	369.75	94.89	
34	34	3,591.89	3,345.34	3,098.80	2,831.99	2,557.64	2,283.30	2,008.99	1,734.70	1,460.40	1,186.05	911.73	638.34	364.04	89.16	
35	35	3,586.75	3,340.21	3,093.67	2,826.27	2,551.93	2,277.58	2,003.28	1,728.99	1,454.68	1,180.34	906.02	632.63	358.31	83.43	
36	36	3,581.61	3,335.07	3,088.53	2,820.56	2,546.21	2,271.87	1,997.57	1,723.27	1,448.97	1,174.63	900.30	626.93	352.59	77.70	
37	37	3,576.48	3,329.94	3,083.39	2,814.84	2,540.50	2,266.15	1,991.85	1,717.56	1,443.25	1,168.91	894.59	621.22	346.87	71.98	
38	38	3,571.34	3,324.80	3,078.26	2,809.13	2,534.78	2,260.44	1,986.14	1,711.85	1,437.54	1,163.20	888.87	615.51	341.14	66.25	
39	39	3,566.21	3,319.66	3,073.12	2,803.41	2,529.07	2,254.72	1,980.42	1,706.13	1,431.82	1,157.48	883.16	609.79	335.42	60.52	
40	40	3,561.07	3,314.53	3,067.98	2,797.69	2,523.35	2,249.01	1,974.71	1,700.42	1,426.11	1,151.77	877.44	604.08	329.69	54.80	
41	41	3,555.93	3,309.39	3,062.85	2,791.98	2,517.63	2,243.29	1,968.99	1,694.70	1,420.39	1,146.05	871.73	598.36	323.96	49.07	
42	42	3,550.80	3,304.25	3,057.71	2,786.26	2,511.92	2,237.58	1,963.28	1,688.99	1,414.67	1,140.34	866.01	592.65	318.23	43.34	
43	43	3,545.66	3,299.12	3,052.58	2,780.55	2,506.20	2,231.86	1,957.56	1,683.27	1,408.98	1,134.62	860.31	586.93	312.51	37.62	
44	44	3,540.52	3,293.98	3,047.44	2,774.83	2,500.49	2,226.14	1,951.85	1,677.56	1,403.24	1,128.91	854.60	581.22	306.78	31.89	
45	45	3,535.39	3,288.85	3,042.30	2,769.12	2,494.77	2,220.43	1,946.14	1,671.84	1,397.53	1,123.19	848.90	575.50	301.05	26.16	
46	46	3,530.25	3,283.71	3,037.17	2,763.40	2,489.06	2,214.71	1,940.42	1,666.13	1,391.81	1,117.48	843.20	569.79	295.33	20.44	
47	47	3,525.11	3,278.57	3,031.60	2,757.69	2,483.34	2,209.00	1,934.71	1,660.42	1,386.10	1,111.76	837.50	564.07	289.60	14.70	

NOTE: GAUGE POINT: TO TOP OF HERMETIC VALVE, ON 18" DECK PIPE, USING THE HERMETIC DEVICE.  
 NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK  
 NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL  
 NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 08/14/2016 BY: JM  
 DATE COMPUTED: 08/18/2016 BY: CL  
 DATE ISSUED: 08/18/2016

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.







**BARGE: FMT 1602**  
**JEFFBOAT 16-2285**

**3 CENTER**  
**ULLAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE

REFERENCE GAUGE HEIGHT: 16'-01 7/8"

	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.														
0	0	3,490.15	0	3,242.55	0	2,994.94	0	2,747.34	0	2,499.74	0	2,252.13	0	2,004.53	0	1,756.93	0	1,509.32	0	1,261.72	0	1,014.12	0	766.54	0	519.08	0	271.49	0	24.38
1	1	3,469.52	1	3,221.91	1	2,974.31	1	2,726.71	1	2,479.10	1	2,231.50	1	1,983.90	1	1,736.29	1	1,488.69	1	1,241.09	1	993.49	1	745.92	1	498.45	1	250.85	1	8.74
2	2	3,448.88	2	3,201.28	2	2,953.68	2	2,706.07	2	2,458.47	2	2,210.87	2	1,963.26	2	1,715.66	2	1,468.06	2	1,220.45	2	972.86	2	727.29	2	477.81	2	230.22	2	1.97
3	3	3,428.25	3	3,180.65	3	2,933.04	3	2,685.44	3	2,437.84	3	2,190.23	3	1,942.63	3	1,695.03	3	1,447.42	3	1,199.82	3	952.23	3	704.68	3	457.18	3	209.59	3	
4	4	3,407.62	4	3,160.01	4	2,912.41	4	2,664.81	4	2,417.20	4	2,169.60	4	1,922.00	4	1,674.39	4	1,426.79	4	1,179.19	4	931.60	4	684.07	4	436.55	4	188.95	4	
5	5	3,386.98	5	3,139.38	5	2,891.78	5	2,644.17	5	2,396.57	5	2,148.97	5	1,901.36	5	1,653.76	5	1,406.16	5	1,158.55	5	910.96	5	663.45	5	415.92	5	168.32	5	
6	6	3,366.35	6	3,118.74	6	2,871.14	6	2,623.54	6	2,375.94	6	2,128.33	6	1,880.73	6	1,633.13	6	1,385.52	6	1,137.92	6	890.33	6	642.83	6	395.28	6	147.69	6	
7	7	3,345.71	7	3,098.11	7	2,850.51	7	2,602.90	7	2,355.30	7	2,107.70	7	1,860.10	7	1,612.49	7	1,364.89	7	1,117.29	7	869.70	7	622.21	7	374.65	7	127.06	7	
8	8	3,325.08	8	3,077.48	8	2,829.87	8	2,582.27	8	2,334.67	8	2,087.06	8	1,839.46	8	1,591.86	8	1,344.26	8	1,096.65	8	849.07	8	601.59	8	354.02	8	106.42	8	
9	9	3,304.45	9	3,056.84	9	2,809.24	9	2,561.64	9	2,314.03	9	2,066.43	9	1,818.83	9	1,571.22	9	1,323.62	9	1,076.02	9	828.43	9	580.98	9	333.38	9	85.79	9	
10	10	3,283.81	10	3,036.21	10	2,788.61	10	2,540.01	10	2,292.40	10	2,045.80	10	1,798.19	10	1,550.59	10	1,302.99	10	1,055.39	10	807.80	10	560.35	10	312.75	10	65.16	10	
11	11	3,263.18	11	3,015.58	11	2,767.97	11	2,519.37	11	2,271.77	11	2,025.16	11	1,777.56	11	1,529.96	11	1,282.35	11	1,034.76	11	787.17	11	539.71	11	292.12	11	44.53	11	
12	12	3,242.55	12	3,004.95	12	2,747.34	12	2,499.74	12	2,252.13	12	2,004.53	12	1,756.93	12	1,509.32	12	1,261.72	12	1,014.12	12	766.54	12	519.08	12	271.49	12	24.38	12	
13	13	3,221.91	13	2,984.31	13	2,726.71	13	2,479.10	13	2,231.50	13	1,983.90	13	1,736.29	13	1,488.69	13	1,241.09	13	993.49	13	745.92	13	498.45	13	250.85	13	8.74	13	
14	14	3,201.28	14	2,963.68	14	2,706.07	14	2,458.47	14	2,210.87	14	1,963.26	14	1,715.66	14	1,468.06	14	1,220.45	14	972.86	14	727.29	14	477.81	14	230.22	14	1.97	14	
15	15	3,180.65	15	2,943.04	15	2,685.44	15	2,437.84	15	2,190.23	15	1,942.63	15	1,695.03	15	1,447.42	15	1,199.82	15	952.23	15	704.68	15	457.18	15	209.59	15		15	
16	16	3,160.01	16	2,922.41	16	2,664.81	16	2,417.20	16	2,169.60	16	1,922.00	16	1,674.39	16	1,426.79	16	1,179.19	16	931.60	16	684.07	16	436.55	16	188.95	16		16	
17	17	3,139.38	17	2,912.41	17	2,644.17	17	2,396.57	17	2,148.97	17	1,901.36	17	1,653.76	17	1,406.16	17	1,158.55	17	910.96	17	663.45	17	415.92	17	168.32	17		17	
18	18	3,118.74	18	2,891.78	18	2,623.54	18	2,375.94	18	2,128.33	18	1,880.73	18	1,633.13	18	1,385.52	18	1,137.92	18	890.33	18	642.83	18	395.28	18	147.69	18		18	
19	19	3,098.11	19	2,871.14	19	2,602.90	19	2,355.30	19	2,107.70	19	1,860.10	19	1,612.49	19	1,364.89	19	1,117.29	19	869.70	19	622.21	19	374.65	19	127.06	19		19	
20	20	3,077.48	20	2,850.51	20	2,582.27	20	2,334.67	20	2,087.06	20	1,839.46	20	1,591.86	20	1,344.26	20	1,096.65	20	849.07	20	601.59	20	354.02	20	106.42	20		20	
21	21	3,056.84	21	2,829.87	21	2,561.64	21	2,314.03	21	2,066.43	21	1,818.83	21	1,571.22	21	1,323.62	21	1,076.02	21	828.43	21	580.98	21	333.38	21	85.79	21		21	
22	22	3,036.21	22	2,809.24	22	2,540.01	22	2,292.40	22	2,045.80	22	1,798.19	22	1,550.59	22	1,302.99	22	1,055.39	22	807.80	22	560.35	22	312.75	22	65.16	22		22	
23	23	3,015.58	23	2,788.61	23	2,519.37	23	2,271.77	23	2,025.16	23	1,777.56	23	1,529.96	23	1,282.35	23	1,034.76	23	787.17	23	539.71	23	292.12	23	44.53	23		23	
24	24	3,004.95	24	2,767.97	24	2,499.74	24	2,252.13	24	2,004.53	24	1,756.93	24	1,509.32	24	1,261.72	24	1,014.12	24	766.54	24	519.08	24	271.49	24	24.38	24		24	
25	25	3,000.10	25	2,752.50	25	2,485.90	25	2,238.30	25	1,990.70	25	1,743.10	25	1,495.50	25	1,247.90	25	998.30	25	750.70	25	502.50	25	254.90	25	25.90	25		25	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ULLS. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP OF HERMETIC VALVE, ON 18" DECK PIPE, USING THE HERMETIC DEVICE.  
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK  
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL  
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 08/14/2016 BY: JM  
DATE RECOMPUTED: 08/28/2016 BY: CL  
DATE REISSUED: 08/29/2016

