



INSPECTORATE

**BARGE "FMT-6003"
FLORIDA MARINE
OUTAGE TABLE**

BARGE SHOULD BE ON EVEN KEEL WHEN GAUGES ARE TAKEN

CAPACITIES GIVEN BY BARNER'S OF 12.15 GALLONS		CAPACITIES GIVEN BY BARNER'S OF 12.15 GALLONS		CAPACITIES GIVEN BY BARNER'S OF 12.15 GALLONS		CAPACITIES GIVEN BY BARNER'S OF 12.15 GALLONS		CAPACITIES GIVEN BY BARNER'S OF 12.15 GALLONS		CAPACITIES GIVEN BY BARNER'S OF 12.15 GALLONS		CAPACITIES GIVEN BY BARNER'S OF 12.15 GALLONS		CAPACITIES GIVEN BY BARNER'S OF 12.15 GALLONS		CAPACITIES GIVEN BY BARNER'S OF 12.15 GALLONS		CAPACITIES GIVEN BY BARNER'S OF 12.15 GALLONS		CAPACITIES GIVEN BY BARNER'S OF 12.15 GALLONS		CAPACITIES GIVEN BY BARNER'S OF 12.15 GALLONS		
0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.	20 FT.	21 FT.	22 FT.	23 FT.	
0	5,682.44	5,289.26	4,915.78	4,532.13	4,148.52	3,764.90	3,381.28	2,997.67	2,614.05	2,230.44	1,846.82	1,463.20	1,079.59	695.97	312.36									
1	5,580.42	5,203.38	4,839.76	4,456.15	4,072.54	3,688.92	3,305.30	2,921.68	2,538.07	2,154.45	1,770.83	1,387.21	1,003.59	620.00	236.39									
2	5,480.00	5,108.00	4,738.00	4,354.00	3,970.00	3,586.00	3,202.00	2,818.00	2,434.00	2,050.00	1,666.00	1,282.00	898.00	514.00	130.00									
3	5,380.00	5,000.00	4,620.00	4,236.00	3,852.00	3,468.00	3,084.00	2,700.00	2,316.00	1,932.00	1,548.00	1,164.00	780.00	396.00										
4	5,280.00	4,900.00	4,520.00	4,136.00	3,752.00	3,368.00	2,984.00	2,600.00	2,216.00	1,832.00	1,448.00	1,064.00	680.00											
5	5,180.00	4,800.00	4,420.00	4,036.00	3,652.00	3,268.00	2,884.00	2,500.00	2,116.00	1,732.00	1,348.00	964.00												
6	5,080.00	4,700.00	4,320.00	3,936.00	3,552.00	3,168.00	2,784.00	2,400.00	2,016.00	1,632.00	1,248.00	864.00												
7	4,980.00	4,600.00	4,220.00	3,836.00	3,452.00	3,068.00	2,684.00	2,300.00	1,916.00	1,532.00	1,148.00	760.00												
8	4,880.00	4,500.00	4,120.00	3,736.00	3,352.00	2,968.00	2,584.00	2,200.00	1,816.00	1,432.00	1,048.00	664.00												
9	4,780.00	4,400.00	4,020.00	3,636.00	3,252.00	2,868.00	2,484.00	2,100.00	1,716.00	1,332.00	948.00													
10	4,680.00	4,300.00	3,920.00	3,536.00	3,152.00	2,768.00	2,384.00	2,000.00	1,616.00	1,232.00	848.00													
11	4,580.00	4,200.00	3,820.00	3,436.00	3,052.00	2,668.00	2,284.00	1,900.00	1,516.00	1,132.00	744.00													
12	4,480.00	4,100.00	3,720.00	3,336.00	2,952.00	2,568.00	2,184.00	1,800.00	1,416.00	1,032.00	648.00													
13	4,380.00	4,000.00	3,620.00	3,236.00	2,852.00	2,468.00	2,084.00	1,700.00	1,316.00	932.00	552.00													
14	4,280.00	3,900.00	3,520.00	3,136.00	2,752.00	2,368.00	1,984.00	1,600.00	1,216.00	832.00	452.00													
15	4,180.00	3,800.00	3,420.00	3,036.00	2,652.00	2,268.00	1,884.00	1,500.00	1,116.00	732.00	352.00													
16	4,080.00	3,700.00	3,320.00	2,936.00	2,552.00	2,168.00	1,784.00	1,400.00	1,016.00	632.00	252.00													
17	3,980.00	3,600.00	3,220.00	2,836.00	2,452.00	2,068.00	1,684.00	1,300.00	916.00	532.00	152.00													
18	3,880.00	3,500.00	3,120.00	2,736.00	2,352.00	1,968.00	1,584.00	1,200.00	816.00	432.00	52.00													
19	3,780.00	3,400.00	3,020.00	2,636.00	2,252.00	1,868.00	1,484.00	1,100.00	716.00	332.00														
20	3,680.00	3,300.00	2,920.00	2,536.00	2,152.00	1,768.00	1,384.00	1,000.00	616.00	232.00														
21	3,580.00	3,200.00	2,820.00	2,436.00	2,052.00	1,668.00	1,284.00	896.00	516.00	132.00														
22	3,480.00	3,100.00	2,720.00	2,336.00	1,952.00	1,568.00	1,184.00	796.00	416.00	32.00														
23	3,380.00	3,000.00	2,620.00	2,236.00	1,852.00	1,472.00	1,088.00	704.00	320.00															
24	3,280.00	2,900.00	2,520.00	2,136.00	1,752.00	1,372.00	992.00	608.00	224.00															
25	3,180.00	2,800.00	2,420.00	2,036.00	1,652.00	1,272.00	896.00	504.00	128.00															
26	3,080.00	2,700.00	2,320.00	1,936.00	1,552.00	1,172.00	796.00	400.00	28.00															
27	2,980.00	2,600.00	2,220.00	1,836.00	1,452.00	1,072.00	696.00	296.00																
28	2,880.00	2,500.00	2,120.00	1,736.00	1,352.00	992.00	608.00	200.00																
29	2,780.00	2,400.00	2,020.00	1,636.00	1,252.00	896.00	504.00	104.00																
30	2,680.00	2,300.00	1,920.00	1,536.00	1,152.00	796.00	400.00	8.00																

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT 15.9 1/4" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

Inspector
INSPECTORATE AMERICA CORPORATION

HULL NO. 10192

1 PORT OR STAR



INSPECTORATE

FLORIDA MARINE OUTAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 10102

Table with columns for Gauge Height (2 FT to 17 FT) and Capacity Below Strike Point. Includes a 'STRAIPPED' section at the bottom.

CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT

17' 3.94" (GAUGE POINT LOCATED NEAR CENTER OF TANK)

GAUGE WITH HERMETIC GAUGE TAPE ONLY. WE CERTIFY ALL MEASUREMENTS AND CORRECTIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.



Solvix INSPECTORATE AMERICA CORPORATION



INSPECTORATE

HULL NO. 10102

FLORIDA MARINE INNAGE TABLE

Table with columns for Gauge Number, Gauge Type, and various numerical readings (0 FT. to 14 FT.). Includes a note: 'BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN'.

INSPECTORATE CAPACITY BELOW STRIKE POINT REFERENCE GAUGE HEIGHT 15'-0" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)



INSPECTORATE AMERICA CORPORATION

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

STP&P&P-020602015



INSPECTORATE

BARGE "FMT-6003"
FLORIDA MARINE
OUTAGE TABLE

BARGE SHOULD BE ON EVEN LEVEL, KEEL WHEN GAUGES ARE TAKEN

Table with columns for gauge height (0 FT to 15 FT) and corresponding capacity values. Includes a 'CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS' section at the bottom.

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

REFERENCE GAUGE HEIGHT 15'-9" (TO RIM OF 2" DIA BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION

HULL NO 10102

2 PORT OR STAR



INSPECTORATE

FLORIDA MARINE INNAGE TABLE

3 PORT OR STAR

HULL NO. 10102

Table with columns for gauge height (0 FT to 14 FT) and corresponding innage values. Includes a note: 'BARGE SHOULD BE ON EVEN LEVEL, KEEL WHEN GAUGES ARE TAKEN'.

CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT - 1'-9" 1/4" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE



INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "FMT-6003" FLORIDA MARINE OUTAGE TABLE

3 PORT OR STAR

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS		0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.			
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT		
0	0	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09
1	1	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09
2	2	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09
3	3	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09
4	4	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09
5	5	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09
6	6	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09
7	7	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09
8	8	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09
9	9	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09
10	10	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09
11	11	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09
12	12	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09
13	13	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09
14	14	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09
15	15	4390.89	4390.89	4640.84	4640.84	4890.79	4890.79	5140.74	5140.74	5390.69	5390.69	5640.64	5640.64	5890.59	5890.59	6140.54	6140.54	6390.49	6390.49	6640.44	6640.44	6890.39	6890.39	7140.34	7140.34	7390.29	7390.29	7640.24	7640.24	7890.19	7890.19	8140.14	8140.14	8390.09	8390.09

* CAPACITY BELOW STRIKE POINT REFERENCE GAUGE HEIGHT 18'-9 1/4" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION

20240015

STRAPPED 2020015

HULL NO. 10102



INSPECTOR DATE

**FLORIDA MARINE
OUTAGE TABLE**

3 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0102

INCHES	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.
0	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
1	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
2	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
3	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
4	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
5	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
6	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
7	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
8	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
9	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
10	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
11	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
12	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
13	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
14	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
15	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
16	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41
17	1.784.13	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41	4.520.41

CAPACITY BELOW STRIKE POINT REFERENCE GAUGE HEIGHT 17'-3 3/4" GAUGE POINT LOCATED NEAR CENTER OF TANK GAUGE WITH HERMETIC GAUGE TAPE ONLY.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

**BARGE "FMT-6003"
FLORIDA MARINE
INNAGE TABLE**

**SLOP TANK
PORT**

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO T0102

0 FT	1 FT	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT	11 FT	12 FT	13 FT	14 FT	15 FT
0.00	29.65	53.50	79.65	106.50											
0.56	27.70	51.41	76.96	102.71											
1.11	25.75	49.32	74.87	98.92											
1.67	23.80	47.23	72.78	95.13											
2.22	21.85	45.14	70.69	91.34											
2.78	19.90	43.05	68.60	87.55											
3.33	17.95	40.96	66.51	83.76											
3.89	16.00	38.87	64.42	79.97											
4.44	14.05	36.78	62.33	76.18											
5.00	12.10	34.69	60.24	72.39											
5.55	10.15	32.60	58.15	68.60											
6.11	8.20	30.51	56.06	64.81											
6.66	6.25	28.42	53.97	61.02											
7.22	4.30	26.33	52.08	57.23											
7.77	2.35	24.24	50.19	53.44											
8.33	0.40	22.15	48.30	49.65											
8.88	1.55	20.06	46.41	45.86											
9.44	3.60	17.97	44.52	42.07											
9.99	5.65	15.88	42.63	38.28											
10.55	7.70	13.79	40.74	34.49											
11.10	9.75	11.70	38.85	30.70											
11.66	11.80	9.61	36.96	26.91											
12.21	13.85	7.52	35.07	23.12											
12.77	15.90	5.43	33.18	19.33											
13.32	17.95	3.34	31.29	15.54											
13.88	19.00	1.25	29.40	11.75											
14.44	21.05	0.80	27.51	7.96											
14.99	23.10	1.25	25.62	4.17											
15.55	25.15	1.70	23.73	0.38											
16.10	27.20	2.15	21.84												
16.66	29.25	2.60	19.95												
17.21	31.30	3.05	18.06												
17.77	33.35	3.50	16.17												
18.32	35.40	3.95	14.28												
18.88	37.45	4.40	12.39												
19.43	39.50	4.85	10.50												
19.99	41.55	5.30	8.61												
20.54	43.60	5.75	6.72												
21.09	45.65	6.20	4.83												
21.65	47.70	6.65	2.94												
22.20	49.75	7.10	1.05												
22.76	51.80	7.55	0.16												
23.32	53.85	8.00	1.27												
23.87	55.90	8.45	2.38												
24.43	57.95	8.90	3.49												
24.98	60.00	9.35	4.60												
25.54	62.05	9.80	5.71												
26.09	64.10	10.25	6.82												
26.65	66.15	10.70	7.93												

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 2/28/2015

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "FMT-6003"
FLORIDA MARINE
INNAGE TABLE

SLOP TANK
STAR

BARGE SHOULD BE ON EVEN LEVEL. KEEL WHEN GAUGES ARE TAKEN

HULL NO. 10102

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
1	0.00	25.97	51.95	77.92	103.89											
2	0.34	26.51	52.48	78.46	104.43											
3	1.09	27.06	53.03	79.00	104.97											
4	2.71	28.58	54.17	80.08	106.06											
5	3.25	29.22	54.85	80.52	106.50											
6	4.33	30.30	55.22	81.17	107.14											
7	4.87	30.84	55.82	82.79	108.22											
8	5.96	31.38	57.36	83.33	109.30											
9	6.49	32.47	58.44	84.41	110.38											
10	7.03	33.01	58.98	84.95	110.83											
11	7.58	33.55	59.52	85.49	111.47											
12	8.12	34.09	60.06	86.03	112.01											
13	8.66	34.63	60.60	86.58	112.55											
14	9.20	35.17	61.14	87.12	113.09											
15	9.74	35.71	61.69	87.66	113.63											
16	10.28	36.25	62.23	88.20	114.17											
17	10.82	36.79	62.77	88.74	114.71											
18	11.36	37.34	63.31	89.28	115.25											
19	11.90	37.88	63.85	89.82	115.80											
20	12.45	38.42	64.39	90.36	116.34											
21	12.99	38.96	64.93	90.90	116.88											
22	13.53	39.50	65.47	91.45	117.42											
23	14.07	40.04	66.01	91.99	117.96											
24	14.61	40.58	66.55	92.53	118.50											
25	15.15	41.12	67.10	93.07	119.04											
26	15.69	41.66	67.64	93.61	119.58											
27	16.23	42.20	68.18	94.15	120.12											
28	16.77	42.75	68.72	94.69	120.66											
29	17.31	43.29	69.26	95.23	121.20											
30	17.85	43.83	69.80	95.77	121.74											
31	18.40	44.37	70.34	96.32	122.28											
32	18.94	44.91	70.88	96.86	122.83											
33	19.48	45.45	71.43	97.40	123.37											
34	20.02	45.99	71.97	97.94	123.91											
35	20.56	46.53	72.51	98.48	124.46											
36	21.10	47.08	73.05	99.02	124.99											
37	21.64	47.62	73.59	99.56	125.54											
38	22.19	48.16	74.13	100.10	126.08											
39	22.73	48.70	74.67	100.64	126.62											
40	23.27	49.24	75.21	101.19	127.16											
41	23.81	49.78	75.75	101.73												
42	24.35	50.32	76.30	102.27												
43	24.89	50.86	76.84	102.81												
44	25.43	51.40	77.38	103.35												

STRAPPED: 2/26/2015

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION