

Input	Barge Name	FMT 3118	6/01/05
	Reading Date	9/23/2003	
	Barge Length - ft	297.50	6.000 in
	Barge Width - ft	54.00	6.375 in
	Barge Depth - ft	12.00	5.875 in
	Main Deck Plate - in	0.44	6.625 in
	Headlog Height - ft	12.00	
	Rake Tan. Aft Bow - ft	50.00	
	Aft Freeb'd Stbd		10.00 ft
	Aft Freeb'd Port		10.00 ft
	Aft Freeb'd Location		12.00 ft fwd stern
	Fwd Freeb'd Stbd		9.00 ft
	Fwd Freeb'd Port		9.00 ft
	Fwd Freeb'd Location		246.00 ft fwd stern
	Water Den - cu.ft./ton		32.103 fresh water

Output	Displacement	873.80 Tons
	WL Length	271.04 ft
	LCF Draft	1.988 ft

FEET INCHES	1	2	3	4	5	6	7	8	9	10	11
	0	6	461	924	1393	1867	2346	2829	3317	3809	4304
	1	43	500	963	1432	1906	2386	2870	3358	3850	4345
	2	81	538	1002	1471	1946	2426	2910	3399	3891	4387
	3	119	576	1041	1511	1986	2466	2951	3439	3932	4428
	4	157	615	1079	1550	2026	2506	2991	3480	3973	4470
	5	195	653	1119	1590	2066	2547	3032	3521	4014	4511
	6	233	692	1158	1629	2106	2587	3073	3562	4056	4553
	7	271	730	1197	1669	2146	2627	3113	3603	4097	4594
	8	309	769	1236	1708	2186	2668	3154	3644	4138	4636
	9	347	808	1275	1748	2226	2708	3195	3685	4180	4678
	10	385	846	1314	1787	2266	2748	3235	3726	4221	4719
	11	423	885	1353	1827	2306	2789	3276	3767	4262	4761

Table for barge afloat on even keel in FRESH water and based on 874 short tons barge weight
 JEFFBOAT hulls 03-2984 to 03-2989 FMT 3118 FMT 3120 FMT 3122 FMT 3124 FMT 3126 FMT 3128
 JEFFBOAT hulls 03-2995 and 03-2996 FMT 3130 and FMT 3132
 JEFFBOAT hulls 04-2198 and 04-2199 FMT 3158 and FMT 3160

**FORM OF CERTIFICATE
OF DELIVERY AND ACCEPTANCE**

In accordance with that certain Vessel Construction Contract, dated July 2, 2004, by and between J. Russell Flowers, Inc. ("Owner") and Jeffboat LLC ("Builder");

On this **7TH** day of **JUNE, 2005**, Builder hereby tenders the Vessel, Hull Number **'04-2198'** Official Number **1170149**, the **"FMT 3158"** for delivery to Owner, complete in accordance with the Contract Documents, and free and clear of all liens, claims or encumbrances;

Owner, through its duly authorized undersigned agent, hereby accepts delivery of the Vessel, and all of its equipment, material and components as complete in accordance with the Contract Documents as of the date above written, except as to any exceptions noted hereon; and

Owner has tendered to Builder in immediately available funds all amounts due Builder in immediately available funds all amounts due Builder under the above referenced Vessel Construction Contract, the receipt and sufficiency of which are hereby acknowledged by Builder.

Exceptions:

Builder:
Jeffboat LLC

Owner:
FMT INDUSTRIES L.L.C.

Through its duly
authorized V.P. Business Development

Through its duly
authorized agent Norman C. Anisimien





FOR: FMT Ind., LLC

JEFFBOAT LLC
A Unit of American Commercial Lines Holdings LLC

FINAL RELEASE NOTICE

Date: 06/07/2005

Customer: Flowers
Vessel Name: FMT 3158
Official No: 1170149
Hull No: 04-2198
Type of Barge: LEAD RAKE TYPE TANK BARGE - CLEAN SERVICE
Dimensions: 297'-6"x54'x12'
Type of Cover: NONE
Job: 5198
Keel Date: 3/4/2005
Launch Date: 4/20/2005
Release Date: 6/7/2005
ABS Certificate: N/A
USCG Certificate: GRADE A AND

Quality Control Representative: DLPfister

Customer Representative: Norman Antrainer

Distribution:

- Sales
 - Secretary
 - VP Sales
 - Contract Coordinator
- Engineering
 - Quality Control (Original Form)
 - Planning
 - Eng Secretary
 - Mold Loft
 - IE
- Accounting Analyst
- ACL Accounting
- Marine Repair
- Jeff Fleet
- Production WASHNOCK

FMT 3158

500 Gallon fuel Oil Tank Strapping

Slop Tank Strapping

Cargo Tank Strappings

FMT 3158

Job 5198-04

500 GALLON FUEL OIL TANK STRAPPINGS

Hull 04-2198

0 FEET		1 FEET		2 FEET		3 FEET	
INCHES	U.S. GALLONS	INCHES	U.S. GALLONS	INCHES	U.S. GALLONS	INCHES	U.S. GALLONS
0	0	0	117	0	294	0	912
1/4	0	1/4	121	1/4	298	1/4	920
1/2	1	1/2	124	1/2	301	1/2	928
3/4	2	3/4	128	3/4	305	3/4	935
1	3	1	131	1	309	1	943
1 1/4	4	1 1/4	135	1 1/4	313	1 1/4	950
1 1/2	6	1 1/2	138	1 1/2	316	1 1/2	958
1 3/4	7	1 3/4	142	1 3/4	320	1 3/4	471
2	9	2	145	2	324	2	474
2 1/4	10	2 1/4	149	2 1/4	327	2 1/4	476
2 1/2	12	2 1/2	152	2 1/2	331	2 1/2	478
2 3/4	14	2 3/4	156	2 3/4	335	2 3/4	480
3	16	3	160	3	338	3	482
3 1/4	18	3 1/4	163	3 1/4	342	3 1/4	484
3 1/2	20	3 1/2	167	3 1/2	345	3 1/2	486
3 3/4	22	3 3/4	171	3 3/4	349	3 3/4	487
4	24	4	174	4	353	4	489
4 1/4	26	4 1/4	178	4 1/4	356	4 1/4	491
4 1/2	29	4 1/2	182	4 1/2	360	4 1/2	492
4 3/4	31	4 3/4	185	4 3/4	363	4 3/4	493
5	33	5	189	5	367	5	495
5 1/4	36	5 1/4	193	5 1/4	370	5 1/4	496
5 1/2	38	5 1/2	196	5 1/2	374	5 1/2	497
5 3/4	41	5 3/4	200	5 3/4	377	5 3/4	497
6	44	6	204	6	380	6	498
6 1/4	46	6 1/4	208	6 1/4	384	-----	-----
6 1/2	49	6 1/2	211	6 1/2	387	-----	-----
6 3/4	52	6 3/4	215	6 3/4	391	-----	-----
7	55	7	219	7	394	-----	-----
7 1/4	57	7 1/4	223	7 1/4	397	-----	-----
7 1/2	60	7 1/2	226	7 1/2	400	-----	-----
7 3/4	63	7 3/4	230	7 3/4	404	-----	-----
8	66	8	234	8	407	-----	-----
8 1/4	69	8 1/4	238	8 1/4	410	-----	-----
8 1/2	72	8 1/2	241	8 1/2	413	-----	-----
8 3/4	75	8 3/4	245	8 3/4	416	-----	-----
9	78	9	249	9	420	-----	-----
9 1/4	81	9 1/4	253	9 1/4	423	-----	-----
9 1/2	84	9 1/2	256	9 1/2	426	-----	-----
9 3/4	88	9 3/4	260	9 3/4	429	-----	-----
10	91	10	264	10	432	-----	-----
10 1/4	94	10 1/4	268	10 1/4	435	-----	-----
10 1/2	97	10 1/2	272	10 1/2	438	-----	-----
10 3/4	101	10 3/4	275	10 3/4	440	-----	-----
11	104	11	279	11	443	-----	-----
11 1/4	107	11 1/4	283	11 1/4	446	-----	-----
11 1/2	111	11 1/2	287	11 1/2	449	-----	-----
11 3/4	114	11 3/4	290	11 3/4	452	-----	-----

**BARGE "FMT - 3158"
HULL NO. 04-2197**

PORT/STBD SLOP TANK

CAPACITIES GIVEN IN WHOLE GALLONS

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0	0	1,008	0	2,017	0	3,025	0	4,034	0	5,042	0	6,050	0	7,058	0	8,066	0	9,074	0
1/4	21	1,029	1/4	2,038	1/4	3,046	1/4	4,055	1/4	5,063	1/4	6,071	1/4	7,079	1/4	8,087	1/4	9,095	1/4
1/2	42	1,050	1/2	2,059	1/2	3,067	1/2	4,076	1/2	5,084	1/2	6,092	1/2	7,100	1/2	8,108	1/2	9,116	1/2
3/4	63	1,071	3/4	2,080	3/4	3,088	3/4	4,097	3/4	5,105	3/4	6,113	3/4	7,121	3/4	8,129	3/4	9,137	3/4
1	84	1,092	1	2,101	1	3,109	1	4,118	1	5,126	1	6,134	1	7,142	1	8,150	1	9,158	1
1/4	105	1,113	1/4	2,122	1/4	3,130	1/4	4,139	1/4	5,147	1/4	6,155	1/4	7,163	1/4	8,171	1/4	9,179	1/4
1/2	126	1,134	1/2	2,143	1/2	3,151	1/2	4,160	1/2	5,168	1/2	6,176	1/2	7,184	1/2	8,192	1/2	9,200	1/2
3/4	147	1,156	3/4	2,164	3/4	3,172	3/4	4,181	3/4	5,189	3/4	6,197	3/4	7,205	3/4	8,213	3/4	9,221	3/4
2	168	1,177	2	2,185	2	3,193	2	4,202	2	5,210	2	6,218	2	7,226	2	8,234	2	9,242	2
1/4	189	1,198	1/4	2,206	1/4	3,214	1/4	4,223	1/4	5,231	1/4	6,239	1/4	7,247	1/4	8,255	1/4	9,263	1/4
1/2	210	1,219	1/2	2,227	1/2	3,235	1/2	4,244	1/2	5,252	1/2	6,260	1/2	7,268	1/2	8,276	1/2	9,284	1/2
3/4	231	1,240	3/4	2,248	3/4	3,256	3/4	4,265	3/4	5,273	3/4	6,281	3/4	7,289	3/4	8,297	3/4	9,305	3/4
3	252	1,261	3	2,269	3	3,277	3	4,286	3	5,294	3	6,302	3	7,310	3	8,318	3	9,326	3
1/4	273	1,282	1/4	2,290	1/4	3,298	1/4	4,307	1/4	5,315	1/4	6,323	1/4	7,331	1/4	8,339	1/4	9,347	1/4
1/2	294	1,303	1/2	2,311	1/2	3,319	1/2	4,328	1/2	5,336	1/2	6,344	1/2	7,352	1/2	8,360	1/2	9,368	1/2
3/4	315	1,324	3/4	2,332	3/4	3,340	3/4	4,349	3/4	5,357	3/4	6,365	3/4	7,373	3/4	8,381	3/4	9,389	3/4
4	336	1,345	4	2,353	4	3,361	4	4,370	4	5,378	4	6,386	4	7,394	4	8,402	4	9,410	4
1/4	357	1,366	1/4	2,374	1/4	3,382	1/4	4,391	1/4	5,400	1/4	6,408	1/4	7,416	1/4	8,424	1/4	9,432	1/4
1/2	378	1,387	1/2	2,395	1/2	3,403	1/2	4,412	1/2	5,421	1/2	6,429	1/2	7,437	1/2	8,445	1/2	9,453	1/2
3/4	399	1,408	3/4	2,416	3/4	3,424	3/4	4,433	3/4	5,442	3/4	6,450	3/4	7,458	3/4	8,466	3/4	9,474	3/4
5	420	1,429	5	2,437	5	3,446	5	4,454	5	5,463	5	6,471	5	7,479	5	8,487	5	9,495	5
1/4	441	1,450	1/4	2,458	1/4	3,467	1/4	4,475	1/4	5,484	1/4	6,492	1/4	7,500	1/4	8,508	1/4	9,516	1/4
1/2	462	1,471	1/2	2,479	1/2	3,488	1/2	4,496	1/2	5,505	1/2	6,513	1/2	7,521	1/2	8,529	1/2	9,537	1/2
3/4	483	1,492	3/4	2,500	3/4	3,509	3/4	4,517	3/4	5,526	3/4	6,534	3/4	7,542	3/4	8,550	3/4	9,558	3/4
6	504	1,513	6	2,521	6	3,530	6	4,538	6	5,547	6	6,555	6	7,563	6	8,571	6	9,579	6
1/4	525	1,534	1/4	2,542	1/4	3,551	1/4	4,559	1/4	5,568	1/4	6,576	1/4	7,584	1/4	8,592	1/4	9,600	1/4
1/2	546	1,555	1/2	2,563	1/2	3,572	1/2	4,580	1/2	5,589	1/2	6,597	1/2	7,605	1/2	8,613	1/2	9,621	1/2
3/4	567	1,576	3/4	2,584	3/4	3,593	3/4	4,601	3/4	5,610	3/4	6,618	3/4	7,626	3/4	8,634	3/4	9,642	3/4
7	588	1,597	7	2,605	7	3,614	7	4,622	7	5,632	7	6,640	7	7,648	7	8,656	7	9,664	7
1/4	609	1,618	1/4	2,626	1/4	3,635	1/4	4,643	1/4	5,652	1/4	6,660	1/4	7,668	1/4	8,676	1/4	9,684	1/4
1/2	630	1,639	1/2	2,647	1/2	3,656	1/2	4,664	1/2	5,673	1/2	6,681	1/2	7,689	1/2	8,697	1/2	9,705	1/2
3/4	651	1,660	3/4	2,668	3/4	3,677	3/4	4,685	3/4	5,694	3/4	6,702	3/4	7,710	3/4	8,718	3/4	9,726	3/4
8	672	1,681	8	2,689	8	3,698	8	4,706	8	5,715	8	6,723	8	7,731	8	8,739	8	9,747	8
1/4	693	1,702	1/4	2,710	1/4	3,719	1/4	4,727	1/4	5,736	1/4	6,744	1/4	7,752	1/4	8,760	1/4	9,768	1/4
1/2	714	1,723	1/2	2,731	1/2	3,740	1/2	4,748	1/2	5,757	1/2	6,765	1/2	7,773	1/2	8,781	1/2	9,789	1/2
3/4	735	1,744	3/4	2,752	3/4	3,761	3/4	4,769	3/4	5,778	3/4	6,786	3/4	7,794	3/4	8,802	3/4	9,810	3/4
9	756	1,765	9	2,773	9	3,782	9	4,790	9	5,800	9	6,808	9	7,816	9	8,824	9	9,832	9
1/4	777	1,786	1/4	2,794	1/4	3,803	1/4	4,811	1/4	5,819	1/4	6,827	1/4	7,835	1/4	8,843	1/4	9,851	1/4
1/2	798	1,807	1/2	2,815	1/2	3,824	1/2	4,832	1/2	5,840	1/2	6,848	1/2	7,856	1/2	8,864	1/2	9,872	1/2
3/4	819	1,828	3/4	2,836	3/4	3,845	3/4	4,853	3/4	5,861	3/4	6,869	3/4	7,877	3/4	8,885	3/4	9,893	3/4
10	840	1,849	10	2,857	10	3,866	10	4,874	10	5,882	10	6,890	10	7,898	10	8,906	10	9,914	10
1/4	861	1,870	1/4	2,878	1/4	3,887	1/4	4,895	1/4	5,903	1/4	6,911	1/4	7,919	1/4	8,927	1/4	9,935	1/4
1/2	882	1,891	1/2	2,899	1/2	3,908	1/2	4,916	1/2	5,924	1/2	6,932	1/2	7,940	1/2	8,948	1/2	9,956	1/2
3/4	903	1,912	3/4	2,920	3/4	3,929	3/4	4,937	3/4	5,945	3/4	6,953	3/4	7,961	3/4	8,969	3/4	9,977	3/4
11	924	1,933	11	2,941	11	3,950	11	4,958	11	5,966	11	6,974	11	7,982	11	8,990	11	9,998	11
1/4	945	1,954	1/4	2,962	1/4	3,971	1/4	4,979	1/4	5,987	1/4	6,995	1/4	8,003	1/4	9,011	1/4	10,019	1/4
1/2	966	1,975	1/2	2,983	1/2	3,992	1/2	4,999	1/2	6,007	1/2	7,015	1/2	8,023	1/2	9,031	1/2	10,039	1/2
3/4	987	1,996	3/4	3,004	3/4	4,013	3/4	5,021	3/4	6,029	3/4	7,037	3/4	8,045	3/4	9,053	3/4	10,061	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 08/20/05 BY: BB
DATE COMPUTED: 08/27/05 BY: WHF
DATE ISSUED: 06/31/05





BARGE "FMT - 3158" FLORIDA MARINE

1 PORT ULLAGE TABLE

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS			FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK												HULL No. 04-2198																																														
IN 0 FT.	IN 1 FT.		IN 2 FT.		IN 3 FT.		IN 4 FT.		IN 5 FT.		IN 6 FT.		IN 7 FT.		IN 8 FT.		IN 9 FT.		IN 10 FT.		IN 11 FT.		IN 12 FT.		IN 13 FT.		IN 14 FT.		IN 15 FT.																																
	0	1/4	1/2	3/4	0	1/4	1/2	3/4	0	1/4	1/2	3/4	0	1/4	1/2	3/4	0	1/4	1/2	3/4	0	1/4	1/2	3/4	0	1/4	1/2	3/4	0	1/4	1/2	3/4																													
0	4,509.35	0	4,233.07	0	3,956.79	0	3,680.51	0	3,404.23	0	3,127.95	0	2,851.67	0	2,575.39	0	2,299.11	0	2,022.83	0	1,746.55	0	1,470.27	0	1,193.99	0	917.71	0	641.43	0	365.15	0	87.00	0																											
1	4,507.19	1/4	4,230.81	1/4	3,954.53	1/4	3,678.25	1/4	3,401.97	1/4	3,125.69	1/4	2,849.41	1/4	2,573.13	1/4	2,296.85	1/4	2,020.57	1/4	1,744.29	1/4	1,468.01	1/4	1,191.73	1/4	915.45	1/4	639.17	1/4	362.89	1/4	84.81	1/4																											
2	4,505.03	1/2	4,228.65	1/2	3,952.37	1/2	3,676.09	1/2	3,399.81	1/2	3,123.53	1/2	2,847.25	1/2	2,570.97	1/2	2,294.69	1/2	2,018.41	1/2	1,742.13	1/2	1,465.85	1/2	1,189.57	1/2	913.29	1/2	637.01	1/2	360.73	1/2	82.65	1/2																											
3	4,502.87	3/4	4,226.50	3/4	3,950.22	3/4	3,673.94	3/4	3,397.66	3/4	3,121.38	3/4	2,845.10	3/4	2,568.82	3/4	2,292.54	3/4	2,016.26	3/4	1,739.98	3/4	1,463.70	3/4	1,187.42	3/4	911.14	3/4	634.96	3/4	358.57	3/4	80.50	3/4																											

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. 15" HIGHER POINT TO TOP OF BALL VALVE ONLY IN FEET. THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES.

DATE COMPUTED: 05/27/08 BY: WMF
DATE ISSUED: 05/15/08

INTERTEK - CALEB BRETT





BARGE "FMT - 3158" FLORIDA MARINE

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OR 42 U.S. GALLONS
FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

IN	0 FT.	1 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	0.25	0.50	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.25	6.50
2	0.50	1.00	1.50	2.00	2.50	3.00	3.50	4.00	4.50	5.00	5.50	6.00	6.50	7.00	7.50	8.00	8.50	9.00	9.50	10.00	10.50	11.00	11.50	12.00	12.50	13.00
3	0.75	1.50	2.25	3.00	3.75	4.50	5.25	6.00	6.75	7.50	8.25	9.00	9.75	10.50	11.25	12.00	12.75	13.50	14.25	15.00	15.75	16.50	17.25	18.00	18.75	19.50
4	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00	12.00	13.00	14.00	15.00	16.00	17.00	18.00	19.00	20.00	21.00	22.00	23.00	24.00	25.00	26.00
5	1.25	2.50	3.75	5.00	6.25	7.50	8.75	10.00	11.25	12.50	13.75	15.00	16.25	17.50	18.75	20.00	21.25	22.50	23.75	25.00	26.25	27.50	28.75	30.00	31.25	32.50
6	1.50	3.00	4.50	6.00	7.50	9.00	10.50	12.00	13.50	15.00	16.50	18.00	19.50	21.00	22.50	24.00	25.50	27.00	28.50	30.00	31.50	33.00	34.50	36.00	37.50	39.00
7	1.75	3.50	5.25	7.00	8.75	10.50	12.25	14.00	15.75	17.50	19.25	21.00	22.75	24.50	26.25	28.00	29.75	31.50	33.25	35.00	36.75	38.50	40.25	42.00	43.75	45.50
8	2.00	4.00	6.00	8.00	10.00	12.00	14.00	16.00	18.00	20.00	22.00	24.00	26.00	28.00	30.00	32.00	34.00	36.00	38.00	40.00	42.00	44.00	46.00	48.00	50.00	52.00
9	2.25	4.50	6.75	9.00	11.25	13.50	15.75	18.00	20.25	22.50	24.75	27.00	29.25	31.50	33.75	36.00	38.25	40.50	42.75	45.00	47.25	49.50	51.75	54.00	56.25	58.50
10	2.50	5.00	7.50	10.00	12.50	15.00	17.50	20.00	22.50	25.00	27.50	30.00	32.50	35.00	37.50	40.00	42.50	45.00	47.50	50.00	52.50	55.00	57.50	60.00	62.50	65.00
11	2.75	5.50	8.25	11.00	13.75	16.50	19.25	22.00	24.75	27.50	30.25	33.00	35.75	38.50	41.25	44.00	46.75	49.50	52.25	55.00	57.75	60.50	63.25	66.00	68.75	71.50
12	3.00	6.00	9.00	12.00	15.00	18.00	21.00	24.00	27.00	30.00	33.00	36.00	39.00	42.00	45.00	48.00	51.00	54.00	57.00	60.00	63.00	66.00	69.00	72.00	75.00	78.00
13	3.25	6.50	9.75	13.00	16.25	19.50	22.75	26.00	29.25	32.50	35.75	39.00	42.25	45.50	48.75	52.00	55.25	58.50	61.75	65.00	68.25	71.50	74.75	78.00	81.25	84.50
14	3.50	7.00	10.50	14.00	17.50	21.00	24.50	28.00	31.50	35.00	38.50	42.00	45.50	49.00	52.50	56.00	59.50	63.00	66.50	70.00	73.50	77.00	80.50	84.00	87.50	91.00
15	3.75	7.50	11.25	15.00	18.75	22.50	26.25	30.00	33.75	37.50	41.25	45.00	48.75	52.50	56.25	60.00	63.75	67.50	71.25	75.00	78.75	82.50	86.25	90.00	93.75	97.50
16	4.00	8.00	12.00	16.00	20.00	24.00	28.00	32.00	36.00	40.00	44.00	48.00	52.00	56.00	60.00	64.00	68.00	72.00	76.00	80.00	84.00	88.00	92.00	96.00	100.00	104.00
17	4.25	8.50	12.75	17.00	21.25	25.50	29.75	34.00	38.25	42.50	46.75	51.00	55.25	59.50	63.75	68.00	72.25	76.50	80.75	85.00	89.25	93.50	97.75	102.00	106.25	110.50
18	4.50	9.00	13.50	18.00	22.50	27.00	31.50	36.00	40.50	45.00	49.50	54.00	58.50	63.00	67.50	72.00	76.50	81.00	85.50	90.00	94.50	99.00	103.50	108.00	112.50	117.00
19	4.75	9.50	14.25	19.00	23.75	28.50	33.25	38.00	42.75	47.50	52.25	57.00	61.75	66.50	71.25	76.00	80.75	85.50	90.25	95.00	99.75	104.50	109.25	114.00	118.75	123.50
20	5.00	10.00	15.00	20.00	25.00	30.00	35.00	40.00	45.00	50.00	55.00	60.00	65.00	70.00	75.00	80.00	85.00	90.00	95.00	100.00	105.00	110.00	115.00	120.00	125.00	130.00

DATE SHIPPED: 05/20/08 BY: WBF
DATE ISSUED: 05/20/08

DATE SHIPPED: 05/20/08 BY: WBF
DATE ISSUED: 05/20/08

DATE SHIPPED: 05/20/08 BY: WBF
DATE ISSUED: 05/20/08

DATE SHIPPED: 05/20/08 BY: WBF
DATE ISSUED: 05/20/08

DATE SHIPPED: 05/20/08 BY: WBF
DATE ISSUED: 05/20/08

DATE SHIPPED: 05/20/08 BY: WBF
DATE ISSUED: 05/20/08

INTERTEK - CALEB BRETT

INTERTEK - CALEB BRETT

INTERTEK - CALEB BRETT

INTERTEK - CALEB BRETT

INTERTEK - CALEB BRETT

INTERTEK - CALEB BRETT

INTERTEK - CALEB BRETT

Intertek Caleb Brett

3 STBD ULLAGE TABLE

HULL No. 04-2188

BARGE "FMT - 3158" FLORIDA MARINE

FOR MANUAL GAUGING AT 1" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

Table with columns for height (0 FT. to 15 FT.) and corresponding capacity values in U.S. gallons. Includes a 'STARBORD' label at the bottom right of the table area.

DATE STRAPPED: 02/05/09 BY: BW DATE ISSUED: 02/05/09

INTERTEK - CALEB BRETT

NOTE: GAUGE POINT TO TOP OF BALL VALVE ON TANK ONLY. NO TANKS TO BE USED FOR ANY OTHER PURPOSE. THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO TANKS TO BE USED FOR ANY OTHER PURPOSE.

BARGE "FMT - 3158" FLORIDA MARINE

2 PORT OR STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

Table with 14 columns for height intervals (0 FT. to 14 FT.) and 14 columns for corresponding capacity values. Includes hull No. 04-2175B and various numerical data points.

NOTE: GAUGE POINT TO TOP OF BALL VALVE OR 1" DECK PIPE. REFERENCE GAUGE HEIGHT: 15' 3" PORT 15' 9" STARBORD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES. ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 03/05/08 BY: BT DATE ISSUED: 05/31/08

INTERTEK - CALEB BRETT





Caleb Brett

BARGE "FMT - 3158" FLORIDA MARINE

3 PORT OR STBD INNAGE TABLE

Table with columns for height (0 FT. to 15 FT. 9 IN.) and corresponding innage values for various tank capacities. Includes headers for 'FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK' and 'DATE STRAPPED: 05/20/05 BY: WB'.

DATE STRAPPED: 05/20/05 BY: WB DATE COMPUTED: 05/20/05 BY: WB DATE ISSUED: 05/21/05

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: CHANGE POINT TO TOP OF BALL VALVE ON 15' DECK. REFERENCE GAUGE HEIGHT: 15' 9" STABBOARD

DATE: CHANGE POINT TO TOP OF BALL VALVE ON 15' DECK. REFERENCE GAUGE HEIGHT: 15' 9" STABBOARD

DATE: CHANGE POINT TO TOP OF BALL VALVE ON 15' DECK. REFERENCE GAUGE HEIGHT: 15' 9" STABBOARD

INTERTEK - CALEB BRETT

Table with 25 columns representing ullage measurements from 2 FT to 17 FT. It includes columns for height, capacity, and gauge reading. The table is titled 'CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS' and contains multiple rows of data for each height.


HULL NO. 04-2188

DATE COMPLETED 03/20/05 BY: WHF DATE ISSUED: 06/15/05

Page 3 of 6

NOTE: GAUGE POINT TO REFERENCE MARK ON HEMISPHERICAL GAUGING UNIT REFERENCE GAUGE HEIGHT: 17-1/2" PORT

INTERTEK - CALEB BRETT



Caleb Brett

BARGE "FMT - 3158"
FLORIDA MARINE

Capacities given in barrels of 42 U.S. gallons

1 PORT ULLAGE TABLE

HULL No. 04-2198

Table with 15 columns for height intervals (0 FT. to 15 FT.) and 15 rows for diameter intervals (0 to 15 1/2 inches). Each cell contains numerical capacity data.

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK
THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES.

DATE COMPILED: 03/20/18 DATE ISSUED: 03/18/18

INTERTEK - CALEB BRETT

NOTE: GAUGE POINT LOCATED NEAR BALL VALVE OR TIE ROD
REFERENCE GAUGE HEIGHT: 15 9/16" PORT



Caleb Brett

3 PORT OR STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

Table with columns for height (0 FT. to 19 FT.) and diameter (IN). Rows contain numerical data for each measurement. Includes sub-headers for 'FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK' and 'FOR GAUGE POINT TO TOP OF BALL VALVE ON 1/2" DECK PIPE'.

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 15' 3 3/4" PORT. STARBOARD. DATE ISSUED: 05/01/05. DATE COMPUTED: 05/01/05 BY: WHF. INTERTEK - CALEB BRETT

BARGE "FMT - 3158" FLORIDA MARINE

1 PORT ULLAGE TABLE

Table with 17 columns for gauge height (2 FT to 17 FT) and 17 columns for capacity (O to IN). Includes title 'BARGE "FMT - 3158" FLORIDA MARINE', '1 PORT ULLAGE TABLE', and 'HULL No. 04-2188'. The table contains detailed capacity data for various gauge heights.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY - NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE ISSUED: 02/03/10 BY: WFB

DATE REVISION: 02/03/10 BY: WFB

DATE REVISION: 02/03/10 BY: WFB

DATE REVISION: 02/03/10 BY: WFB

DATE REVISION: 02/03/10 BY: WFB

DATE REVISION: 02/03/10 BY: WFB

DATE REVISION: 02/03/10 BY: WFB

INTERTEK - CALEB BRETT



Caleb Brett

BARGE "FMT - 3158" FLORIDA MARINE

2 STBD ULLAGE TABLE

Table with columns for height (2 FT. to 17 FT.) and corresponding ullage measurements. Includes a note: 'CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS'.

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 17.03 3/4" STABOARD. DATE COMPUTED: 06/09/04 BY: NW

INTERTEK - CALEB BRETT

Page 6 of 6



Caleb Brett

BARGE "FMT - 3158" FLORIDA MARINE

3 STBD ULLAGE TABLE

Table with columns for ULLAGE (2 FT to 17 FT) and HULL NO. (042186). Rows list capacities in barrels and gallons for various ullage heights.

INTERTEK - CALEB BRETT

DATE COMPUTED: 02/27/05 BY: WAF

DATE ISSUED: 02/03/05

Page 6 of 6

NOTE: GAUGE POINT - TO REFERENCE MARK ON HERMETIC GAUGING UNIT. REFERENCE GAUGE POINT: 1' 3" 1/2" STBD

