



# BARGE "FMT-6000" FLORIDA MARINE

INNAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T093

H	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	14.13	331.16	661.99	992.80	1,323.60	1,654.76	1,986.00	2,317.24	2,648.48	2,979.74	3,310.99	3,642.24	3,973.48	4,304.73	4,635.98	4,967.23
0.05	18.44	338.06	668.87	999.69	1,330.47	1,661.65	1,992.90	2,324.15	2,655.39	2,986.64	3,317.89	3,649.14	3,980.38	4,311.63	4,642.88	4,974.13
0.1	22.74	344.95	675.76	1,006.58	1,337.36	1,668.55	1,999.80	2,331.05	2,662.29	2,993.54	3,324.79	3,656.04	3,987.28	4,318.53	4,649.78	4,981.03
0.15	27.05	351.84	682.66	1,013.47	1,344.25	1,675.45	2,006.70	2,337.95	2,669.20	3,000.44	3,331.69	3,662.94	3,994.19	4,325.44	4,656.69	4,987.94
0.2	31.36	358.73	689.55	1,020.36	1,351.14	1,682.35	2,013.60	2,344.85	2,676.10	3,007.34	3,338.59	3,669.84	4,001.09	4,332.34	4,663.59	4,994.84
0.25	37.39	365.62	696.44	1,027.26	1,358.04	1,689.25	2,020.50	2,351.75	2,683.00	3,014.24	3,345.49	3,676.74	4,007.99	4,339.14	4,670.39	4,999.94
0.3	43.42	372.52	703.33	1,034.15	1,364.93	1,696.15	2,027.40	2,358.60	2,690.85	3,021.15	3,352.39	3,683.64	4,014.89	4,341.14	4,672.39	4,999.94
0.35	49.46	379.41	710.22	1,041.04	1,371.82	1,703.06	2,034.30	2,365.55	2,698.80	3,028.05	3,359.29	3,690.54	4,021.79	4,352.89	4,684.14	4,999.94
0.4	55.48	386.30	717.12	1,047.93	1,378.71	1,709.96	2,041.20	2,372.45	2,705.70	3,034.95	3,366.20	3,697.44	4,028.69	4,359.74	4,691.14	4,999.94
0.45	62.38	393.19	724.01	1,054.82	1,385.61	1,716.86	2,048.11	2,379.35	2,712.60	3,041.85	3,373.10	3,704.34	4,035.59	4,366.59	4,698.09	4,999.94
0.5	69.27	400.00	730.90	1,061.72	1,392.51	1,723.76	2,055.01	2,386.25	2,719.50	3,048.75	3,380.00	3,711.25	4,042.49	4,373.49	4,704.89	4,999.94
0.55	76.16	406.90	737.79	1,068.61	1,399.41	1,730.86	2,061.91	2,393.15	2,726.40	3,055.65	3,386.90	3,718.15	4,049.39	4,380.39	4,711.79	4,999.94
0.6	83.05	413.80	744.68	1,075.50	1,406.31	1,737.96	2,068.81	2,400.05	2,733.30	3,062.55	3,393.80	3,725.05	4,056.29	4,387.29	4,718.69	4,999.94
0.65	89.94	420.70	751.58	1,082.39	1,413.21	1,745.06	2,075.71	2,407.15	2,740.20	3,069.45	3,400.70	3,731.95	4,063.20	4,394.10	4,725.50	4,999.94
0.7	96.84	427.60	758.47	1,089.28	1,420.11	1,752.16	2,082.61	2,414.25	2,747.10	3,076.35	3,407.60	3,738.85	4,070.10	4,400.90	4,732.30	4,999.94
0.75	103.73	434.50	765.36	1,096.18	1,427.02	1,759.26	2,089.51	2,421.30	2,754.05	3,083.25	3,414.50	3,745.75	4,077.00	4,407.70	4,739.20	4,999.94
0.8	110.62	441.40	772.26	1,103.07	1,433.92	1,766.36	2,096.41	2,428.40	2,761.00	3,090.15	3,421.40	3,752.65	4,083.90	4,414.40	4,746.10	4,999.94
0.85	117.51	448.30	779.14	1,109.96	1,440.82	1,773.46	2,103.31	2,435.50	2,767.90	3,097.05	3,428.30	3,759.55	4,090.80	4,421.30	4,752.90	4,999.94
0.9	124.40	455.22	786.04	1,116.86	1,447.72	1,780.56	2,110.21	2,442.60	2,774.80	3,103.95	3,435.20	3,766.45	4,097.70	4,428.20	4,759.80	4,999.94
0.95	131.30	462.11	792.93	1,123.74	1,454.62	1,787.67	2,117.12	2,449.70	2,781.70	3,110.85	3,442.10	3,773.35	4,104.60	4,435.10	4,766.70	4,999.94
1.0	138.19	469.00	799.82	1,130.63	1,461.52	1,794.77	2,124.02	2,456.80	2,788.60	3,117.75	3,449.00	3,780.25	4,111.50	4,442.00	4,773.60	4,999.94
1.05	145.08	475.90	806.71	1,137.52	1,468.42	1,801.87	2,130.92	2,463.90	2,795.50	3,124.65	3,455.90	3,787.15	4,118.40	4,448.90	4,780.50	4,999.94
1.1	151.97	482.79	813.60	1,144.41	1,475.32	1,808.97	2,137.82	2,471.00	2,802.40	3,131.55	3,462.80	3,794.05	4,125.30	4,455.80	4,787.40	4,999.94
1.15	158.86	489.68	820.50	1,151.31	1,482.22	1,816.07	2,144.72	2,478.10	2,809.30	3,138.45	3,469.70	3,800.95	4,132.20	4,462.70	4,794.30	4,999.94
1.2	165.76	496.57	827.39	1,158.20	1,489.12	1,823.17	2,151.62	2,485.20	2,816.20	3,145.35	3,476.60	3,807.85	4,139.10	4,469.60	4,801.20	4,999.94
1.25	172.65	503.46	834.28	1,165.09	1,496.02	1,830.27	2,158.52	2,492.30	2,823.10	3,152.25	3,483.50	3,814.75	4,146.00	4,476.50	4,808.10	4,999.94
1.3	179.54	510.36	841.17	1,171.98	1,502.92	1,837.37	2,165.42	2,499.40	2,830.00	3,159.15	3,490.40	3,821.85	4,152.90	4,483.40	4,815.00	4,999.94
1.35	186.43	517.25	848.06	1,178.87	1,509.82	1,844.47	2,172.32	2,506.50	2,836.90	3,166.05	3,497.30	3,828.95	4,159.80	4,490.30	4,821.90	4,999.94
1.4	193.32	524.14	854.96	1,185.76	1,516.71	1,851.57	2,179.22	2,513.60	2,843.80	3,172.95	3,504.20	3,836.05	4,166.70	4,497.20	4,828.80	4,999.94
1.45	200.22	531.03	861.85	1,192.65	1,523.61	1,858.67	2,186.13	2,520.70	2,850.70	3,179.85	3,511.10	3,843.20	4,173.60	4,504.10	4,835.70	4,999.94
1.5	207.11	537.92	868.74	1,199.54	1,530.51	1,865.77	2,193.03	2,527.80	2,857.60	3,186.75	3,517.95	3,850.35	4,180.50	4,511.00	4,842.60	4,999.94
1.55	214.00	544.82	875.63	1,206.43	1,537.41	1,872.87	2,199.93	2,534.90	2,864.50	3,193.65	3,524.80	3,857.50	4,187.40	4,517.90	4,849.50	4,999.94
1.6	220.89	551.71	882.52	1,213.32	1,544.31	1,879.97	2,206.83	2,542.00	2,871.40	3,200.55	3,531.65	3,864.65	4,194.30	4,524.80	4,856.40	4,999.94
1.65	227.78	558.60	889.42	1,220.22	1,551.21	1,887.07	2,213.73	2,549.10	2,878.30	3,207.45	3,538.55	3,871.80	4,201.20	4,531.70	4,863.30	4,999.94
1.7	234.68	565.49	896.31	1,227.11	1,558.11	1,894.17	2,220.63	2,556.20	2,885.20	3,214.35	3,545.45	3,878.95	4,208.10	4,538.60	4,870.20	4,999.94
1.75	241.57	572.38	903.20	1,234.00	1,565.01	1,901.27	2,227.53	2,563.30	2,892.10	3,221.25	3,552.35	3,886.10	4,215.00	4,545.50	4,877.10	4,999.94
1.8	248.46	579.28	910.09	1,240.89	1,571.91	1,908.37	2,234.43	2,570.40	2,899.00	3,228.15	3,559.25	3,893.25	4,221.90	4,552.40	4,884.00	4,999.94
1.85	255.35	586.17	916.98	1,247.78	1,578.81	1,915.47	2,241.33	2,577.50	2,905.90	3,235.05	3,566.15	3,899.40	4,228.80	4,559.30	4,890.90	4,999.94
1.9	262.24	593.06	923.87	1,254.67	1,585.71	1,922.57	2,248.23	2,584.60	2,912.80	3,241.95	3,573.05	3,906.55	4,235.70	4,566.20	4,897.80	4,999.94
1.95	269.13	599.95	930.77	1,261.56	1,592.61	1,929.67	2,255.13	2,591.70	2,919.70	3,248.85	3,580.00	3,913.70	4,242.60	4,573.10	4,904.70	4,999.94
2.0	276.02	606.84	937.66	1,268.45	1,599.51	1,936.77	2,262.03	2,598.80	2,926.60	3,255.75	3,586.90	3,920.85	4,249.50	4,579.90	4,911.60	4,999.94
2.05	282.92	613.74	944.55	1,275.34	1,606.41	1,943.87	2,268.93	2,605.90	2,933.50	3,262.65	3,593.80	3,928.00	4,256.40	4,586.80	4,918.50	4,999.94
2.1	289.81	620.63	951.44	1,282.23	1,613.31	1,950.97	2,275.83	2,613.00	2,940.40	3,269.55	3,600.70	3,935.10	4,263.30	4,593.70	4,925.40	4,999.94
2.15	296.70	627.52	958.34	1,289.12	1,620.21	1,958.07	2,282.73	2,620.10	2,947.30	3,276.45	3,607.60	3,942.20	4,270.20	4,600.60	4,932.30	4,999.94
2.2	303.60	634.41	965.23	1,296.02	1,627.11	1,965.17	2,289.63	2,627.20	2,954.20	3,283.35	3,614.50	3,949.30	4,277.10	4,607.50	4,939.20	4,999.94
2.25	310.49	641.30	972.12	1,302.91	1,634.01	1,972.27	2,296.53	2,634.30	2,961.10	3,290.25	3,621.40	3,956.40	4,284.00	4,614.40	4,946.10	4,999.94
2.3	317.38	648.20	979.01	1,309.80	1,640.91	1,979.37	2,303.43	2,641.40	2,968.00	3,297.15	3,628.30	3,963.50	4,290.90	4,621.30	4,953.00	4,999.94
2.35	324.27	655.09	985.90	1,316.69	1,647.81	1,986.47	2,310.53	2,648.50	2,974.90	3,304.05	3,635.35	3,970.60	4,297.80	4,628.20	4,960.00	4,999.94

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 05/31/2014

\* CAPACITY BELOW S/RIKE POINT

PORT REFERENCE GAUGE HEIGHT: 15'-9 1/2" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STAR REFERENCE GAUGE HEIGHT: 15'-10" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION





# BARGE "FMT-6000" FLORIDA MARINE

## INNAGE TABLE

## 3 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T93

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
0	15.92	0	369.96	0	733.54	0	1,100.11	0	1,466.66	0	1,835.62	0	2,205.08	0	2,574.54	0	2,943.99	0	3,313.45	0	3,682.91	0	3,991.33	0	4,150.05	0	4,408.77	0	4,666.02	0	4,871.24
1/4	20.40	1/4	374.60	1/4	741.17	1/4	1,107.75	1/4	1,474.29	1/4	1,843.32	1/4	2,212.78	1/4	2,582.23	1/4	2,951.69	1/4	3,321.15	1/4	3,690.60	1/4	3,898.72	1/4	4,155.44	1/4	4,414.16	1/4	4,671.38	1/4	4,871.96
1/2	25.18	1/2	382.23	1/2	748.81	1/2	1,116.39	1/2	1,481.93	1/2	1,851.02	1/2	2,220.47	1/2	2,589.93	1/2	2,959.39	1/2	3,328.84	1/2	3,698.30	1/2	3,902.11	1/2	4,160.83	1/2	4,419.55	1/2	4,676.74	1/2	4,871.97
3/4	29.96	3/4	389.07	3/4	756.45	3/4	1,123.02	3/4	1,489.66	3/4	1,858.71	3/4	2,228.17	3/4	2,597.63	3/4	2,967.08	3/4	3,336.54	3/4	3,706.00	3/4	3,870.50	3/4	4,166.22	3/4	4,424.91	3/4	4,682.09	3/4	4,877.00
1	34.73	1	397.51	1	764.09	1	1,130.68	1	1,497.20	1	1,866.41	1	2,235.87	1	2,605.32	1	2,974.78	1	3,344.24	1	3,713.70	1	3,912.89	1	4,171.61	1	4,430.27	1	4,687.45	1	4,877.00
1 1/4	41.42	1 1/4	405.15	1 1/4	771.72	1 1/4	1,139.30	1 1/4	1,504.84	1 1/4	1,874.11	1 1/4	2,243.56	1 1/4	2,613.02	1 1/4	2,982.48	1 1/4	3,351.93	1 1/4	3,721.39	1 1/4	3,919.28	1 1/4	4,177.00	1 1/4	4,435.63	1 1/4	4,691.11	1 1/4	4,877.00
1 1/2	48.11	1 1/2	412.79	1 1/2	779.38	1 1/2	1,146.93	1 1/2	1,512.47	1 1/2	1,881.81	1 1/2	2,251.26	1 1/2	2,620.72	1 1/2	2,990.17	1 1/2	3,359.63	1 1/2	3,729.09	1 1/2	3,926.38	1 1/2	4,183.39	1 1/2	4,440.98	1 1/2	4,696.17	1 1/2	4,877.00
1 3/4	54.79	1 3/4	420.42	1 3/4	786.99	1 3/4	1,153.57	1 3/4	1,519.11	1 3/4	1,888.50	1 3/4	2,257.95	1 3/4	2,627.41	1 3/4	2,996.87	1 3/4	3,366.33	1 3/4	3,735.79	1 3/4	3,932.08	1 3/4	4,188.78	1 3/4	4,446.34	1 3/4	4,701.63	1 3/4	4,877.00
2	61.48	2	428.06	2	794.63	2	1,161.21	2	1,526.74	2	1,897.20	2	2,266.66	2	2,636.11	2	2,995.57	2	3,365.03	2	3,734.49	2	3,930.45	2	4,186.75	2	4,444.31	2	4,698.88	2	4,877.00
2 1/4	69.12	2 1/4	435.69	2 1/4	802.27	2 1/4	1,168.85	2 1/4	1,534.38	2 1/4	1,904.90	2 1/4	2,274.35	2 1/4	2,643.81	2 1/4	3,013.27	2 1/4	3,382.72	2 1/4	3,681.12	2 1/4	3,938.84	2 1/4	4,194.58	2 1/4	4,452.06	2 1/4	4,714.24	2 1/4	4,877.00
2 1/2	76.75	2 1/2	443.33	2 1/2	809.91	2 1/2	1,176.48	2 1/2	1,543.14	2 1/2	1,912.59	2 1/2	2,282.05	2 1/2	2,651.51	2 1/2	3,020.96	2 1/2	3,390.42	2 1/2	3,688.51	2 1/2	3,945.23	2 1/2	4,203.95	2 1/2	4,462.42	2 1/2	4,719.80	2 1/2	4,877.00
2 3/4	84.39	2 3/4	450.97	2 3/4	817.54	2 3/4	1,184.12	2 3/4	1,550.83	2 3/4	1,920.29	2 3/4	2,289.75	2 3/4	2,659.20	2 3/4	3,028.66	2 3/4	3,398.12	2 3/4	3,696.34	2 3/4	3,950.62	2 3/4	4,209.34	2 3/4	4,467.77	2 3/4	4,724.96	2 3/4	4,877.00
3	92.03	3	458.60	3	825.18	3	1,191.76	3	1,558.53	3	1,927.99	3	2,297.44	3	2,666.90	3	3,036.36	3	3,405.81	3	3,697.28	3	3,951.01	3	4,214.73	3	4,473.33	3	4,730.32	3	4,877.00
3 1/4	99.67	3 1/4	466.24	3 1/4	832.82	3 1/4	1,199.39	3 1/4	1,566.23	3 1/4	1,933.68	3 1/4	2,305.14	3 1/4	2,674.60	3 1/4	3,044.05	3 1/4	3,413.51	3 1/4	3,702.68	3 1/4	3,961.40	3 1/4	4,220.12	3 1/4	4,478.48	3 1/4	4,735.67	3 1/4	4,877.00
3 1/2	107.30	3 1/2	473.88	3 1/2	840.45	3 1/2	1,207.03	3 1/2	1,573.93	3 1/2	1,943.38	3 1/2	2,314.84	3 1/2	2,684.29	3 1/2	3,053.74	3 1/2	3,423.20	3 1/2	3,711.37	3 1/2	3,969.78	3 1/2	4,228.51	3 1/2	4,485.85	3 1/2	4,741.03	3 1/2	4,877.00
3 3/4	114.94	3 3/4	481.62	3 3/4	848.09	3 3/4	1,214.67	3 3/4	1,581.62	3 3/4	1,951.08	3 3/4	2,320.53	3 3/4	2,690.99	3 3/4	3,060.44	3 3/4	3,429.90	3 3/4	3,717.36	3 3/4	3,975.18	3 3/4	4,232.90	3 3/4	4,489.21	3 3/4	4,746.39	3 3/4	4,877.00
4	122.58	4	489.15	4	855.73	4	1,222.30	4	1,589.32	4	1,958.78	4	2,328.23	4	2,697.69	4	3,067.14	4	3,436.59	4	3,724.24	4	3,977.67	4	4,236.29	4	4,493.26	4	4,748.64	4	4,877.00
4 1/4	130.21	4 1/4	496.79	4 1/4	863.36	4 1/4	1,229.94	4 1/4	1,596.97	4 1/4	1,966.42	4 1/4	2,335.93	4 1/4	2,705.38	4 1/4	3,074.84	4 1/4	3,444.29	4 1/4	3,731.86	4 1/4	3,982.96	4 1/4	4,241.68	4 1/4	4,498.82	4 1/4	4,753.11	4 1/4	4,877.00
4 1/2	137.85	4 1/2	504.43	4 1/2	871.00	4 1/2	1,237.58	4 1/2	1,604.71	4 1/2	1,974.17	4 1/2	2,343.63	4 1/2	2,713.08	4 1/2	3,082.54	4 1/2	3,451.99	4 1/2	3,738.63	4 1/2	3,989.35	4 1/2	4,247.07	4 1/2	4,504.28	4 1/2	4,758.46	4 1/2	4,877.00
4 3/4	145.49	4 3/4	512.06	4 3/4	878.64	4 3/4	1,245.21	4 3/4	1,612.41	4 3/4	1,981.87	4 3/4	2,351.32	4 3/4	2,720.78	4 3/4	3,090.24	4 3/4	3,459.69	4 3/4	3,745.32	4 3/4	3,995.74	4 3/4	4,253.46	4 3/4	4,510.64	4 3/4	4,761.82	4 3/4	4,877.00
5	153.12	5	519.70	5	886.26	5	1,252.85	5	1,620.11	5	1,988.58	5	2,359.02	5	2,728.48	5	3,097.93	5	3,467.38	5	3,752.41	5	3,997.13	5	4,256.95	5	4,514.16	5	4,769.33	5	4,877.00
5 1/4	160.76	5 1/4	527.34	5 1/4	893.91	5 1/4	1,260.48	5 1/4	1,627.80	5 1/4	1,997.26	5 1/4	2,366.72	5 1/4	2,736.17	5 1/4	3,105.63	5 1/4	3,475.08	5 1/4	3,759.51	5 1/4	3,999.58	5 1/4	4,258.24	5 1/4	4,515.36	5 1/4	4,770.54	5 1/4	4,877.00
5 1/2	168.40	5 1/2	534.97	5 1/2	901.55	5 1/2	1,268.12	5 1/2	1,635.50	5 1/2	2,004.96	5 1/2	2,374.41	5 1/2	2,743.87	5 1/2	3,113.33	5 1/2	3,482.78	5 1/2	3,767.19	5 1/2	4,009.81	5 1/2	4,268.63	5 1/2	4,525.71	5 1/2	4,783.90	5 1/2	4,877.00
5 3/4	176.04	5 3/4	542.61	5 3/4	909.19	5 3/4	1,275.76	5 3/4	1,643.20	5 3/4	2,012.66	5 3/4	2,382.11	5 3/4	2,751.57	5 3/4	3,121.02	5 3/4	3,490.43	5 3/4	3,774.84	5 3/4	3,999.74	5 3/4	4,262.48	5 3/4	4,519.64	5 3/4	4,776.82	5 3/4	4,877.00
6	183.67	6	550.25	6	916.82	6	1,283.39	6	1,650.90	6	2,020.35	6	2,389.81	6	2,759.26	6	3,128.72	6	3,498.17	6	3,781.87	6	4,020.69	6	4,279.41	6	4,536.59	6	4,791.43	6	4,877.00
6 1/4	191.31	6 1/4	557.89	6 1/4	924.46	6 1/4	1,291.03	6 1/4	1,658.59	6 1/4	2,028.05	6 1/4	2,397.50	6 1/4	2,767.95	6 1/4	3,136.42	6 1/4	3,504.87	6 1/4	3,788.38	6 1/4	4,026.08	6 1/4	4,284.80	6 1/4	4,542.79	6 1/4	4,798.97	6 1/4	4,877.00
6 1/2	198.95	6 1/2	565.52	6 1/2	932.10	6 1/2	1,298.66	6 1/2	1,666.29	6 1/2	2,035.75	6 1/2	2,405.20	6 1/2	2,774.66	6 1/2	3,144.11	6 1/2	3,509.86	6 1/2	3,792.75	6 1/2	4,031.47	6 1/2	4,290.19	6 1/2	4,548.14	6 1/2	4,806.33	6 1/2	4,877.00
6 3/4	206.58	6 3/4	573.16	6 3/4	939.73	6 3/4	1,306.30	6 3/4	1,673.99	6 3/4	2,043.44	6 3/4	2,412.90	6 3/4	2,782.36	6 3/4	3,151.81	6 3/4	3,517.52	6 3/4	3,799.44	6 3/4	4,038.88	6 3/4	4,295.88	6 3/4	4,553.50	6 3/4	4,810.69	6 3/4	4,877.00
7	214.22	7	580.90	7	947.37	7	1,313.94	7	1,681.55	7	2,051.14	7	2,420.60	7	2,790.06	7	3,159.51	7	3,519.78	7	3,799.55	7	4,042.25	7	4,300.87	7	4,558.88	7	4,815.67	7	4,877.00
7 1/4	221.86	7 1/4	588.43	7 1/4	955.01	7 1/4	1,321.67	7 1/4	1,689.38	7 1/4	2,058.84	7 1/4	2,428.29	7 1/4	2,797.76	7 1/4	3,167.21	7 1/4	3,527.48	7 1/4	3,807.31	7 1/4	4,049.84	7 1/4	4,308.38	7 1/4	4,566.22	7 1/4	4,820.46	7 1/4	4,877.00
7 1/2	229.49	7 1/2	596.07	7 1/2	962.65	7 1/2	1,329.21	7 1/2	1,697.08	7 1/2	2,066.53	7 1/2	2,435.99	7 1/2	2,805.46	7 1/2	3,174.90	7 1/2	3,534.73	7 1/2	3,814.31	7 1/2	4,056.84	7 1/2	4,315.77	7 1/2	4,572.61	7 1/2	4,826.35	7 1/2	4,877.00
7 3/4	237.13	7 3/4	603.71	7 3/4	970.28	7 3/4	1,336.84	7 3/4	1,704.77	7 3/4	2,074.23	7 3/4	2,443.69	7 3/4	2,813.14	7 3/4	3,182.60	7 3/4	3,542.38	7 3/4	3,821.99	7 3/4	4,064.52	7 3/4	4,323.44	7 3/4	4,580.28	7 3/4	4,830.24	7 3/4	4,877.00
8	244.77	8	611.34	8	977.92	8	1,344.48	8	1,712.47	8	2,081.83	8	2,451.38	8	2,820.84	8	3,190.30	8	3,549.77	8	3,829.09	8	4,070.81	8	4,329.63	8	4,588.88	8	4,845.19	8	4,877.00
8 1/4	252.41	8 1/4	618.98	8 1/4	985.56	8 1/4	1,352.12	8 1/4	1,720.17	8 1/4	2,089.62	8 1/4	2,459.08	8 1/4	2,828.54	8 1/4	3,197.89	8 1/4	3,557.35	8 1/4	3,836.48	8 1/4	4,077.58	8 1/4	4,336.40	8 1/4	4,596.56	8 1/4	4,851.14		





INSPECTORATE

# BARGE "FMT-6000" FLORIDA MARINE

## OUTAGE TABLE

# 1 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO T93

	0 FT	1 FT	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT	11 FT	12 FT	13 FT	14 FT	15 FT
0	0	0.883.07	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	1	1.868.80	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	2	2.849.73	2	2	2	2	2	2	2	2	2	2	2	2	2	2
3	3	3.825.67	3	3	3	3	3	3	3	3	3	3	3	3	3	3
4	4	4.799.91	4	4	4	4	4	4	4	4	4	4	4	4	4	4
5	5	5.771.56	5	5	5	5	5	5	5	5	5	5	5	5	5	5
6	6	6.744.10	6	6	6	6	6	6	6	6	6	6	6	6	6	6
7	7	7.716.65	7	7	7	7	7	7	7	7	7	7	7	7	7	7
8	8	8.689.19	8	8	8	8	8	8	8	8	8	8	8	8	8	8
9	9	9.661.73	9	9	9	9	9	9	9	9	9	9	9	9	9	9
10	10	10.634.28	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	11	11.606.82	11	11	11	11	11	11	11	11	11	11	11	11	11	11
12	12	12.579.37	12	12	12	12	12	12	12	12	12	12	12	12	12	12
13	13	13.551.91	13	13	13	13	13	13	13	13	13	13	13	13	13	13
14	14	14.524.46	14	14	14	14	14	14	14	14	14	14	14	14	14	14
15	15	15.496.99	15	15	15	15	15	15	15	15	15	15	15	15	15	15
16	16	16.469.54	16	16	16	16	16	16	16	16	16	16	16	16	16	16
17	17	17.442.08	17	17	17	17	17	17	17	17	17	17	17	17	17	17
18	18	18.414.63	18	18	18	18	18	18	18	18	18	18	18	18	18	18
19	19	19.387.17	19	19	19	19	19	19	19	19	19	19	19	19	19	19
20	20	20.359.72	20	20	20	20	20	20	20	20	20	20	20	20	20	20
21	21	21.332.26	21	21	21	21	21	21	21	21	21	21	21	21	21	21
22	22	22.304.81	22	22	22	22	22	22	22	22	22	22	22	22	22	22
23	23	23.277.35	23	23	23	23	23	23	23	23	23	23	23	23	23	23
24	24	24.249.90	24	24	24	24	24	24	24	24	24	24	24	24	24	24
25	25	25.222.44	25	25	25	25	25	25	25	25	25	25	25	25	25	25
26	26	26.194.99	26	26	26	26	26	26	26	26	26	26	26	26	26	26
27	27	27.167.53	27	27	27	27	27	27	27	27	27	27	27	27	27	27
28	28	28.140.08	28	28	28	28	28	28	28	28	28	28	28	28	28	28
29	29	29.112.62	29	29	29	29	29	29	29	29	29	29	29	29	29	29
30	30	30.085.17	30	30	30	30	30	30	30	30	30	30	30	30	30	30
31	31	31.057.71	31	31	31	31	31	31	31	31	31	31	31	31	31	31
32	32	32.030.26	32	32	32	32	32	32	32	32	32	32	32	32	32	32
33	33	33.002.80	33	33	33	33	33	33	33	33	33	33	33	33	33	33
34	34	34.000.00	34	34	34	34	34	34	34	34	34	34	34	34	34	34

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 05/31/2014

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT \* 15'-10" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

  
INSPECTORATE AMERICA CORPORATION





# BARGE "FMT-6000" FLORIDA MARINE

## OUTAGE TABLE

## 2 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T093

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	0	5,452.93	5,105.28	4,736.33	4,365.99	3,995.60	3,625.23	3,254.86	2,884.49	2,514.12	2,143.76	1,773.39	1,403.02	1,032.65	662.28	291.91
1/4	1/4	5,448.61	5,097.09	4,728.62	4,358.26	3,987.89	3,617.51	3,247.14	2,876.78	2,506.41	2,136.04	1,765.67	1,395.30	1,024.93	654.56	285.54
1/2	1/2	5,444.28	5,089.91	4,720.90	4,350.63	3,980.18	3,609.80	3,239.43	2,869.06	2,498.69	2,128.32	1,757.95	1,387.58	1,017.21	647.82	277.84
3/4	3/4	5,439.96	5,082.23	4,713.18	4,342.82	3,972.45	3,602.08	3,231.71	2,861.34	2,490.97	2,120.60	1,750.23	1,379.86	1,009.49	641.11	270.13
1	1	5,434.29	5,074.56	4,705.47	4,335.10	3,964.73	3,594.36	3,224.00	2,853.63	2,483.26	2,112.89	1,742.52	1,372.15	1,001.78	634.40	262.42
1 1/4	1 1/4	5,428.63	5,068.88	4,697.75	4,327.38	3,957.02	3,586.65	3,216.28	2,845.91	2,475.54	2,105.18	1,734.81	1,364.45	994.68	627.70	254.71
1 1/2	1 1/2	5,422.96	5,063.20	4,690.04	4,319.67	3,949.30	3,578.93	3,208.56	2,838.20	2,467.83	2,097.46	1,727.09	1,356.94	987.97	621.00	247.00
1 3/4	1 3/4	5,417.30	5,057.53	4,682.22	4,311.85	3,941.58	3,571.22	3,200.85	2,830.48	2,459.11	2,089.74	1,719.38	1,349.23	981.26	614.30	239.30
2	2	5,410.28	5,049.85	4,674.60	4,304.24	3,933.87	3,563.50	3,193.13	2,822.76	2,452.40	2,082.03	1,711.66	1,341.53	974.56	607.57	231.59
2 1/4	2 1/4	5,403.28	5,042.18	4,666.89	4,296.52	3,926.15	3,555.78	3,185.42	2,815.05	2,444.68	2,074.31	1,703.94	1,333.82	967.85	600.85	223.88
2 1/2	2 1/2	5,398.24	5,038.50	4,659.17	4,288.80	3,918.44	3,548.07	3,177.70	2,807.33	2,434.96	2,066.50	1,696.23	1,326.11	961.14	594.14	216.17
2 3/4	2 3/4	5,389.27	5,029.82	4,651.46	4,281.09	3,910.72	3,540.35	3,169.98	2,799.62	2,428.26	2,058.88	1,688.51	1,318.40	954.43	587.45	208.46
3	3	5,381.60	5,023.15	4,643.74	4,273.37	3,903.00	3,532.64	3,162.27	2,791.90	2,421.63	2,051.16	1,680.80	1,310.70	947.72	580.74	200.76
3 1/4	3 1/4	5,373.92	5,015.47	4,636.02	4,265.66	3,895.29	3,524.92	3,154.65	2,784.16	2,413.82	2,043.45	1,673.08	1,302.99	941.02	574.04	193.05
3 1/2	3 1/2	5,366.24	4,997.80	4,628.31	4,257.94	3,887.67	3,517.20	3,146.84	2,776.47	2,406.10	2,036.73	1,665.38	1,295.28	934.32	567.34	185.34
3 3/4	3 3/4	5,358.57	4,990.12	4,620.59	4,250.22	3,879.96	3,509.49	3,139.12	2,768.75	2,398.38	2,028.02	1,657.65	1,287.58	927.62	560.64	177.63
4	4	5,350.89	4,982.44	4,612.88	4,242.51	3,872.14	3,501.77	3,131.40	2,761.04	2,390.67	2,020.30	1,649.93	1,279.87	920.92	553.94	169.92
4 1/4	4 1/4	5,343.22	4,974.77	4,605.16	4,234.79	3,864.42	3,494.08	3,123.69	2,753.32	2,382.95	2,012.68	1,642.22	1,272.18	914.22	547.24	162.22
4 1/2	4 1/2	5,335.54	4,967.09	4,597.44	4,227.08	3,856.71	3,486.34	3,115.87	2,745.60	2,375.24	2,004.87	1,634.60	1,264.48	907.52	540.54	154.51
4 3/4	4 3/4	5,327.86	4,959.42	4,589.73	4,219.36	3,848.99	3,478.62	3,107.89	2,737.89	2,367.52	1,997.15	1,626.78	1,256.76	900.82	533.84	146.80
5	5	5,320.19	4,951.74	4,582.01	4,211.64	3,841.28	3,470.91	3,100.64	2,730.17	2,359.80	1,989.44	1,619.07	1,249.04	894.12	527.14	139.09
5 1/4	5 1/4	5,312.51	4,944.06	4,574.30	4,203.93	3,833.68	3,463.19	3,092.82	2,722.48	2,350.19	1,981.72	1,611.35	1,241.33	887.42	520.44	131.38
5 1/2	5 1/2	5,304.84	4,936.39	4,566.58	4,196.21	3,826.84	3,455.48	3,085.11	2,714.74	2,342.37	1,974.00	1,603.64	1,233.61	880.72	513.74	123.67
5 3/4	5 3/4	5,297.16	4,928.71	4,558.86	4,188.50	3,819.13	3,447.78	3,077.38	2,707.02	2,334.66	1,966.29	1,595.92	1,225.89	874.02	507.04	115.97
6	6	5,289.49	4,921.04	4,551.15	4,180.78	3,811.41	3,440.04	3,069.68	2,699.31	2,326.84	1,958.57	1,588.20	1,218.11	867.32	500.34	108.26
6 1/4	6 1/4	5,281.81	4,913.36	4,543.43	4,173.08	3,802.70	3,432.33	3,061.96	2,691.59	2,321.22	1,950.86	1,580.49	1,210.50	860.62	493.64	100.55
6 1/2	6 1/2	5,274.13	4,905.68	4,535.72	4,165.36	3,794.98	3,424.61	3,054.24	2,683.86	2,313.61	1,943.14	1,572.77	1,202.80	853.92	486.94	92.84
6 3/4	6 3/4	5,266.46	4,898.01	4,528.00	4,157.63	3,787.26	3,416.90	3,046.53	2,676.16	2,305.70	1,935.42	1,565.08	1,195.09	847.22	480.24	85.14
7	7	5,258.78	4,890.33	4,520.28	4,149.92	3,779.55	3,409.18	3,038.81	2,668.44	2,298.08	1,927.71	1,557.34	1,187.38	840.52	473.54	77.43
7 1/4	7 1/4	5,251.10	4,882.66	4,512.67	4,142.20	3,771.83	3,401.48	3,031.10	2,660.73	2,290.38	1,919.98	1,549.62	1,179.67	833.82	466.84	69.72
7 1/2	7 1/2	5,243.43	4,874.98	4,504.86	4,134.48	3,764.12	3,393.76	3,023.38	2,653.01	2,282.64	1,912.28	1,541.91	1,171.96	827.12	460.14	62.01
7 3/4	7 3/4	5,235.75	4,867.30	4,497.14	4,126.77	3,756.40	3,386.03	3,015.66	2,645.30	2,274.93	1,904.56	1,534.20	1,164.26	820.42	453.44	54.30
8	8	5,228.08	4,859.63	4,489.42	4,119.05	3,748.68	3,378.32	3,007.95	2,637.68	2,267.21	1,896.84	1,526.49	1,156.55	813.72	446.74	46.59
8 1/4	8 1/4	5,220.40	4,851.96	4,481.70	4,111.34	3,740.97	3,370.80	3,000.23	2,629.88	2,259.50	1,889.13	1,518.79	1,148.84	807.02	440.04	38.88
8 1/2	8 1/2	5,212.72	4,844.28	4,473.99	4,103.62	3,733.25	3,363.12	2,992.52	2,622.15	2,251.78	1,881.41	1,511.08	1,141.13	800.32	433.34	31.17
8 3/4	8 3/4	5,205.05	4,836.60	4,466.27	4,095.90	3,725.54	3,355.45	2,984.80	2,614.43	2,244.08	1,873.70	1,503.37	1,133.42	793.62	426.64	23.46
9	9	5,197.37	4,828.92	4,458.58	4,088.19	3,717.82	3,347.78	2,977.09	2,606.72	2,236.35	1,866.03	1,495.67	1,125.72	786.92	420.00	15.75
9 1/4	9 1/4	5,189.70	4,821.21	4,450.84	4,080.47	3,710.10	3,339.74	2,969.37	2,599.00	2,228.63	1,858.25	1,487.96	1,118.01	780.22	413.30	8.04
9 1/2	9 1/2	5,182.02	4,813.49	4,443.12	4,072.76	3,702.39	3,332.02	2,961.65	2,591.28	2,220.92	1,850.55	1,480.25	1,110.30	773.52	406.60	0.33
9 3/4	9 3/4	5,174.34	4,805.78	4,435.41	4,065.04	3,694.67	3,324.30	2,953.94	2,583.57	2,213.20	1,842.83	1,472.54	1,102.59	766.82	399.90	
10	10	5,166.67	4,798.06	4,427.69	4,057.32	3,686.96	3,316.59	2,946.22	2,575.85	2,205.48	1,835.12	1,464.84	1,094.88	760.18	393.20	
10 1/4	10 1/4	5,159.00	4,790.34	4,419.98	4,049.61	3,679.24	3,308.87	2,938.50	2,568.14	2,197.77	1,827.40	1,457.13	1,087.18	753.48	386.50	
10 1/2	10 1/2	5,151.32	4,782.63	4,412.28	4,041.89	3,671.52	3,301.16	2,930.79	2,560.42	2,190.05	1,819.68	1,449.42	1,079.47	746.78	379.80	
10 3/4	10 3/4	5,143.65	4,774.91	4,404.54	4,034.18	3,663.81	3,293.44	2,923.07	2,552.70	2,182.34	1,811.97	1,441.72	1,071.76	740.00	373.10	
11	11	5,136.00	4,767.20	4,396.83	4,026.46	3,656.09	3,285.72	2,915.36	2,544.99	2,174.62	1,804.25	1,434.01	1,064.05	734.30	366.40	
11 1/4	11 1/4	5,128.32	4,759.49	4,389.11	4,018.74	3,648.38	3,278.01	2,907.64	2,537.27	2,166.90	1,796.54	1,426.30	1,056.34	727.60	359.70	
11 1/2	11 1/2	5,120.61	4,751.76	4,381.40	4,011.03	3,640.66	3,270.29	2,900.92	2,529.56	2,159.19	1,788.82	1,418.60	1,048.64	720.90	353.00	
11 3/4	11 3/4	5,112.94	4,744.05	4,373.68	4,003.31	3,632.94	3,262.58	2,893.21	2,521.84	2,151.47	1,781.10	1,410.89	1,040.93	714.20	346.30	

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 05/31/2014

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT 15'-9 1/2" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

*Inspectorate America Corporation*  
INSPECTORATE AMERICA CORPORATION



INSPECTORATE

# BARGE "FMT-6000" FLORIDA MARINE

## OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

GAUGE	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.
1	4,855.08	4,811.44	4,767.80	4,724.16	4,680.52	4,636.88	4,593.24	4,549.60	4,505.96	4,462.32	4,418.68	4,375.04	4,331.40
2	4,855.08	4,811.44	4,767.80	4,724.16	4,680.52	4,636.88	4,593.24	4,549.60	4,505.96	4,462.32	4,418.68	4,375.04	4,331.40
3	4,855.08	4,811.44	4,767.80	4,724.16	4,680.52	4,636.88	4,593.24	4,549.60	4,505.96	4,462.32	4,418.68	4,375.04	4,331.40
4	4,855.08	4,811.44	4,767.80	4,724.16	4,680.52	4,636.88	4,593.24	4,549.60	4,505.96	4,462.32	4,418.68	4,375.04	4,331.40
5	4,855.08	4,811.44	4,767.80	4,724.16	4,680.52	4,636.88	4,593.24	4,549.60	4,505.96	4,462.32	4,418.68	4,375.04	4,331.40
6	4,855.08	4,811.44	4,767.80	4,724.16	4,680.52	4,636.88	4,593.24	4,549.60	4,505.96	4,462.32	4,418.68	4,375.04	4,331.40
7	4,855.08	4,811.44	4,767.80	4,724.16	4,680.52	4,636.88	4,593.24	4,549.60	4,505.96	4,462.32	4,418.68	4,375.04	4,331.40
8	4,855.08	4,811.44	4,767.80	4,724.16	4,680.52	4,636.88	4,593.24	4,549.60	4,505.96	4,462.32	4,418.68	4,375.04	4,331.40
9	4,855.08	4,811.44	4,767.80	4,724.16	4,680.52	4,636.88	4,593.24	4,549.60	4,505.96	4,462.32	4,418.68	4,375.04	4,331.40
10	4,855.08	4,811.44	4,767.80	4,724.16	4,680.52	4,636.88	4,593.24	4,549.60	4,505.96	4,462.32	4,418.68	4,375.04	4,331.40
11	4,855.08	4,811.44	4,767.80	4,724.16	4,680.52	4,636.88	4,593.24	4,549.60	4,505.96	4,462.32	4,418.68	4,375.04	4,331.40
12	4,855.08	4,811.44	4,767.80	4,724.16	4,680.52	4,636.88	4,593.24	4,549.60	4,505.96	4,462.32	4,418.68	4,375.04	4,331.40
13	4,855.08	4,811.44	4,767.80	4,724.16	4,680.52	4,636.88	4,593.24	4,549.60	4,505.96	4,462.32	4,418.68	4,375.04	4,331.40
14	4,855.08	4,811.44	4,767.80	4,724.16	4,680.52	4,636.88	4,593.24	4,549.60	4,505.96	4,462.32	4,418.68	4,375.04	4,331.40
15	4,855.08	4,811.44	4,767.80	4,724.16	4,680.52	4,636.88	4,593.24	4,549.60	4,505.96	4,462.32	4,418.68	4,375.04	4,331.40

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION

*[Signature]*

HULL NO 193

3 PORT

NEAR CENTER OF DIA BALL VALVE LOCATED  
REFERENCE GAUGE HEIGHT  
15'-9 1/2" (TO RIM OF 2" DIA BALL VALVE LOCATED)

CAPACITY BELOW STRIKE POINT  
CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS





INSPECTORATE

BARGE "FMT-6000"
FLORIDA MARINE

OUTAGE TABLE

3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T09

Table with columns for gauge height (0 FT. to 15 FT.) and corresponding capacity values. Includes a section for capacities given in barrels of 42 U.S. gallons.

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT 15'-9 1/4" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 05/31/2014

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

Inspectorate America Corporation logo and name





INSPECTORATE

# BARGE "FMT-6000" FLORIDA MARINE

OUTAGE TABLE

1 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T93

	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.
0	0	4,757.03	4,428.36	4,097.70	3,766.46	3,435.21	3,103.96	2,772.71	2,441.46	2,110.21	1,778.97	1,447.72	1,116.48	785.24	454.00	122.76
1/4	1/4	4,760.97	4,421.49	4,090.80	3,769.65	3,428.31	3,097.06	2,765.81	2,434.56	2,103.31	1,772.07	1,440.82	1,109.56	778.31	447.07	117.61
1/2	1/2	4,744.10	4,414.63	4,083.90	3,752.65	3,421.40	3,090.16	2,758.91	2,427.66	2,096.41	1,765.16	1,433.92	1,102.67	771.26	444.44	110.62
3/4	3/4	4,737.24	4,407.77	4,077.00	3,745.75	3,414.50	3,083.26	2,752.01	2,420.76	2,089.51	1,758.26	1,427.02	1,095.77	764.50	437.00	103.73
1	1	4,730.37	4,400.80	4,070.10	3,736.86	3,405.60	3,074.35	2,743.11	2,411.86	2,080.61	1,749.36	1,418.11	1,086.86	757.64	430.07	96.84
1 1/4	1 1/4	4,723.51	4,394.04	4,063.20	3,727.95	3,400.70	3,069.45	2,738.21	2,406.96	2,075.71	1,744.46	1,413.21	1,081.96	750.78	423.11	88.94
1 1/2	1 1/2	4,716.65	4,385.17	4,056.30	3,720.05	3,393.80	3,062.65	2,731.30	2,400.06	2,068.81	1,737.56	1,408.31	1,077.06	743.92	416.15	81.05
1 3/4	1 3/4	4,709.78	4,376.31	4,047.40	3,711.15	3,386.90	3,055.65	2,724.40	2,393.16	2,061.91	1,730.66	1,399.41	1,066.16	737.07	409.20	73.16
2	2	4,702.92	4,367.45	4,042.49	3,702.25	3,380.00	3,046.75	2,717.50	2,386.25	2,055.01	1,723.76	1,392.51	1,061.26	730.20	402.24	65.27
2 1/4	2 1/4	4,696.05	4,358.58	4,035.59	3,700.35	3,373.10	3,041.85	2,710.60	2,379.35	2,048.11	1,716.86	1,385.61	1,054.82	723.34	395.29	57.38
2 1/2	2 1/2	4,689.18	4,350.72	4,028.59	3,692.45	3,366.20	3,033.00	2,703.70	2,372.45	2,041.20	1,709.96	1,378.71	1,047.93	716.48	388.33	49.49
2 3/4	2 3/4	4,682.33	4,342.85	4,021.79	3,683.55	3,359.30	3,024.15	2,696.80	2,365.55	2,034.30	1,703.06	1,371.82	1,041.04	709.62	381.38	41.60
3	3	4,675.46	4,334.99	4,014.09	3,674.65	3,352.39	3,015.25	2,689.90	2,358.65	2,027.40	1,696.15	1,364.93	1,034.15	702.76	374.43	33.71
3 1/4	3 1/4	4,668.60	4,327.13	4,007.99	3,665.75	3,345.49	3,006.35	2,683.00	2,351.75	2,020.50	1,689.26	1,358.04	1,027.26	697.90	367.48	25.82
3 1/2	3 1/2	4,661.74	4,319.26	4,001.09	3,656.85	3,338.59	3,000.45	2,676.10	2,344.85	2,013.60	1,682.36	1,351.14	1,020.36	691.04	360.53	17.93
3 3/4	3 3/4	4,654.87	4,311.40	3,994.19	3,647.95	3,331.69	3,000.44	2,669.20	2,337.95	2,006.70	1,675.46	1,344.25	1,013.47	684.18	353.58	10.04
4	4	4,648.01	4,303.53	3,987.29	3,639.05	3,324.79	2,993.54	2,662.29	2,331.05	1,999.80	1,668.55	1,337.30	1,006.05	677.32	346.63	2.15
4 1/4	4 1/4	4,641.14	4,295.67	3,980.39	3,630.15	3,317.89	2,984.64	2,655.39	2,324.15	1,992.90	1,661.65	1,330.47	1,000.15	670.46	339.68	14.26
4 1/2	4 1/2	4,634.28	4,287.81	3,973.48	3,621.25	3,310.99	2,975.74	2,648.49	2,317.25	1,986.00	1,654.75	1,323.58	993.20	663.62	332.73	6.37
4 3/4	4 3/4	4,627.41	4,280.95	3,966.58	3,612.35	3,304.09	2,966.84	2,641.59	2,310.35	1,979.10	1,647.85	1,316.69	986.30	656.76	325.78	18.48
5	5	4,620.55	4,273.09	3,959.68	3,603.45	3,297.19	2,957.94	2,634.69	2,303.45	1,972.19	1,640.95	1,309.80	979.01	649.90	318.83	10.59
5 1/4	5 1/4	4,613.69	4,265.23	3,952.80	3,594.55	3,290.29	2,949.04	2,627.79	2,296.64	1,965.29	1,634.06	1,302.91	972.12	643.04	311.88	2.70
5 1/2	5 1/2	4,606.82	4,257.37	3,945.88	3,585.65	3,283.38	2,940.14	2,620.89	2,289.64	1,958.38	1,627.14	1,296.02	965.23	636.19	304.93	14.81
5 3/4	5 3/4	4,599.96	4,249.51	3,938.98	3,576.75	3,276.48	2,931.24	2,612.99	2,282.74	1,951.49	1,620.24	1,289.13	958.34	629.28	297.98	26.92
6	6	4,593.09	4,241.65	3,932.08	3,567.85	3,269.58	2,922.33	2,604.94	2,275.84	1,944.59	1,613.34	1,282.23	951.44	622.33	291.03	19.03
6 1/4	6 1/4	4,586.23	4,233.79	3,925.18	3,558.95	3,262.68	2,913.43	2,600.19	2,268.94	1,937.68	1,606.44	1,275.34	944.55	615.44	284.08	31.14
6 1/2	6 1/2	4,579.37	4,225.93	3,918.20	3,550.05	3,255.78	2,904.53	2,593.28	2,262.04	1,930.78	1,599.64	1,268.46	937.66	608.54	277.13	43.25
6 3/4	6 3/4	4,572.50	4,218.07	3,911.38	3,541.15	3,248.88	2,895.63	2,586.38	2,255.14	1,923.89	1,592.64	1,261.56	930.77	601.63	270.18	55.36
7	7	4,565.64	4,210.21	3,904.47	3,532.25	3,241.98	2,886.73	2,579.48	2,248.23	1,916.99	1,585.74	1,254.67	923.88	594.72	263.23	67.47
7 1/4	7 1/4	4,558.77	4,202.35	3,897.57	3,523.35	3,235.08	2,877.83	2,572.58	2,241.33	1,910.09	1,578.84	1,247.78	916.98	587.81	256.28	79.58
7 1/2	7 1/2	4,551.91	4,194.49	3,890.67	3,514.45	3,228.18	2,868.93	2,565.68	2,234.43	1,903.18	1,571.94	1,240.89	910.09	580.90	249.33	91.69
7 3/4	7 3/4	4,545.05	4,186.63	3,883.77	3,505.55	3,221.28	2,860.03	2,558.78	2,227.53	1,896.28	1,565.04	1,234.00	903.20	574.00	242.38	103.80
8	8	4,538.18	4,178.77	3,876.87	3,496.65	3,214.37	2,851.13	2,551.88	2,220.63	1,889.38	1,558.13	1,227.11	896.31	567.09	235.43	115.91
8 1/4	8 1/4	4,531.32	4,170.91	3,869.97	3,487.75	3,207.47	2,842.23	2,544.98	2,213.73	1,882.48	1,551.23	1,220.22	889.42	560.18	228.48	128.02
8 1/2	8 1/2	4,524.45	4,163.05	3,863.07	3,478.85	3,200.57	2,833.33	2,538.08	2,206.83	1,875.58	1,544.33	1,213.32	882.52	553.27	221.53	140.13
8 3/4	8 3/4	4,517.59	4,155.19	3,856.17	3,469.95	3,193.67	2,824.38	2,531.18	2,199.93	1,868.68	1,537.43	1,206.43	875.63	546.36	214.64	152.24
9	9	4,510.73	4,147.33	3,849.27	3,461.05	3,186.77	2,815.43	2,524.27	2,193.03	1,861.78	1,530.53	1,199.54	868.74	539.45	207.75	164.35
9 1/4	9 1/4	4,503.86	4,139.47	3,842.37	3,452.15	3,179.87	2,806.48	2,517.37	2,186.13	1,854.88	1,523.63	1,192.65	861.85	532.54	200.86	176.46
9 1/2	9 1/2	4,496.99	4,131.61	3,835.46	3,443.25	3,172.97	2,797.53	2,510.47	2,179.22	1,847.98	1,516.73	1,185.76	854.96	525.63	193.97	188.57
9 3/4	9 3/4	4,490.13	4,123.75	3,828.56	3,434.35	3,166.07	2,788.58	2,503.57	2,172.32	1,841.08	1,509.83	1,178.87	848.07	518.72	187.08	200.68
10	10	4,483.27	4,115.89	3,821.66	3,425.45	3,159.17	2,779.63	2,496.67	2,165.42	1,834.17	1,502.93	1,171.98	841.17	511.81	180.19	212.79
10 1/4	10 1/4	4,476.40	4,108.03	3,814.76	3,416.55	3,152.27	2,770.68	2,489.77	2,158.52	1,827.27	1,496.03	1,165.09	834.27	504.90	173.30	224.90
10 1/2	10 1/2	4,469.54	4,100.17	3,807.86	3,407.65	3,145.36	2,761.73	2,482.87	2,151.62	1,820.37	1,489.12	1,158.20	827.39	498.00	166.41	237.01
10 3/4	10 3/4	4,462.68	4,092.31	3,800.96	3,398.75	3,138.46	2,752.78	2,475.97	2,144.72	1,813.47	1,482.22	1,151.31	820.50	491.09	159.52	249.12
11	11	4,455.81	4,084.45	3,794.06	3,389.85	3,131.56	2,743.83	2,469.07	2,137.82	1,806.57	1,475.32	1,144.41	813.60	484.18	152.63	261.23
11 1/4	11 1/4	4,448.95	4,076.59	3,787.16	3,380.95	3,124.66	2,734.88	2,462.17	2,130.92	1,799.67	1,468.42	1,137.52	806.71	477.27	145.74	273.34
11 1/2	11 1/2	4,442.09	4,068.73	3,780.26	3,372.05	3,117.76	2,725.93	2,455.26	2,124.02	1,792.77	1,461.52	1,130.63	799.82	470.36	138.85	285.45
11 3/4	11 3/4	4,435.23	4,060.87	3,773.36	3,363.15	3,110.86	2,717.03	2,448.36	2,117.12	1,785.87	1,454.62	1,123.74	792.93	463.45	131.96	297.56

CAPACITIES GIVEN IN BARRELS OR 42 U.S. GALLONS

STRAPPED: 05/31/2014

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT 17'-4 1/2" (GAUGE POINT LOCATED NEAR CENTER OF TANK)  
GAUGE WITH HERMETIC GAUGE TAPE ONLY.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

*[Signature]*  
INSPECTORATE AMERICA CORPORATION





# BARGE "FMT-6000" FLORIDA MARINE

OUTAGE TABLE

2 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T093

		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.	
0		0	5,304.84	0	4,938.39	0	4,566.68	0	4,198.21	0	3,825.84	0	3,455.48	0	3,085.11	0	2,714.74	0	2,344.37	0	1,974.00	0	1,603.64	0	1,233.63	0	863.64	0	493.66	0	123.68		
1/4		1/4	5,297.16	1/4	4,928.71	1/4	4,558.88	1/4	4,188.50	1/4	3,818.13	1/4	3,447.76	1/4	3,077.39	1/4	2,707.02	1/4	2,336.68	1/4	1,966.29	1/4	1,595.82	1/4	1,225.92	1/4	856.84	1/4	485.95	1/4	115.97		
1/2		1/2	5,289.48	1/2	4,921.04	1/2	4,551.16	1/2	4,180.78	1/2	3,810.41	1/2	3,440.04	1/2	3,069.68	1/2	2,699.31	1/2	2,328.94	1/2	1,958.57	1/2	1,588.20	1/2	1,218.21	1/2	848.23	1/2	478.24	1/2	108.26		
3/4		3/4	5,281.81	3/4	4,913.38	3/4	4,543.43	3/4	4,173.06	3/4	3,802.70	3/4	3,432.33	3/4	3,061.98	3/4	2,691.63	3/4	2,321.22	3/4	1,950.86	3/4	1,580.49	3/4	1,210.50	3/4	840.52	3/4	470.54	3/4	100.55		
1		1	5,274.13	1	4,905.68	1	4,535.72	1	4,165.36	1	3,794.99	1	3,424.61	1	3,054.24	1	2,683.88	1	2,313.51	1	1,943.14	1	1,572.77	1	1,202.80	1	832.81	1	462.83	1	92.84		
1/4		1/4	5,266.46	1/4	4,898.01	1/4	4,528.05	1/4	4,157.53	1/4	3,787.26	1/4	3,416.90	1/4	3,046.53	1/4	2,676.18	1/4	2,305.79	1/4	1,935.42	1/4	1,565.06	1/4	1,195.09	1/4	826.10	1/4	455.12	1/4	85.14		
1/2		1/2	5,258.70	1/2	4,890.33	1/2	4,520.28	1/2	4,149.82	1/2	3,779.55	1/2	3,409.19	1/2	3,038.81	1/2	2,668.44	1/2	2,298.08	1/2	1,927.71	1/2	1,557.34	1/2	1,187.38	1/2	817.40	1/2	447.41	1/2	77.43		
3/4		3/4	5,251.10	3/4	4,882.66	3/4	4,512.57	3/4	4,142.20	3/4	3,771.83	3/4	3,401.46	3/4	3,031.10	3/4	2,660.73	3/4	2,290.39	3/4	1,919.99	3/4	1,549.62	3/4	1,179.67	3/4	809.89	3/4	439.70	3/4	69.72		
2		2	5,243.43	2	4,874.98	2	4,504.85	2	4,134.48	2	3,764.12	2	3,393.75	2	3,023.38	2	2,653.01	2	2,282.64	2	1,912.28	2	1,541.91	2	1,171.56	2	801.98	2	432.00	2	62.01		
1/4		1/4	5,236.76	1/4	4,867.30	1/4	4,497.14	1/4	4,126.77	1/4	3,756.40	1/4	3,386.03	1/4	3,015.66	1/4	2,645.30	1/4	2,274.93	1/4	1,904.56	1/4	1,534.20	1/4	1,163.85	1/4	794.27	1/4	424.29	1/4	56.27		
1/2		1/2	5,229.08	1/2	4,859.63	1/2	4,489.42	1/2	4,119.05	1/2	3,748.68	1/2	3,378.32	1/2	3,007.95	1/2	2,637.58	1/2	2,267.21	1/2	1,896.84	1/2	1,526.49	1/2	1,156.55	1/2	786.56	1/2	416.58	1/2	40.52		
3/4		3/4	5,220.40	3/4	4,851.95	3/4	4,481.70	3/4	4,111.34	3/4	3,740.97	3/4	3,370.60	3/4	3,000.23	3/4	2,629.86	3/4	2,259.50	3/4	1,889.13	3/4	1,518.79	3/4	1,148.84	3/4	778.86	3/4	408.87	3/4	41.78		
3		3	5,212.72	3	4,844.28	3	4,473.99	3	4,103.62	3	3,733.25	3	3,362.88	3	2,992.52	3	2,622.15	3	2,251.78	3	1,881.41	3	1,511.08	3	1,141.13	3	771.15	3	401.18	3	36.03		
1/4		1/4	5,205.05	1/4	4,836.60	1/4	4,466.27	1/4	4,095.90	1/4	3,725.54	1/4	3,355.17	1/4	2,984.80	1/4	2,614.43	1/4	2,244.06	1/4	1,873.70	1/4	1,503.37	1/4	1,133.42	1/4	763.44	1/4	383.46	1/4	30.21		
1/2		1/2	5,197.37	1/2	4,828.92	1/2	4,458.58	1/2	4,088.19	1/2	3,717.82	1/2	3,347.45	1/2	2,977.08	1/2	2,606.72	1/2	2,236.35	1/2	1,865.98	1/2	1,495.57	1/2	1,125.72	1/2	753.73	1/2	365.75	1/2	25.40		
3/4		3/4	5,189.71	3/4	4,821.21	3/4	4,450.84	3/4	4,080.47	3/4	3,710.10	3/4	3,339.74	3/4	2,969.37	3/4	2,598.99	3/4	2,228.63	3/4	1,858.26	3/4	1,487.96	3/4	1,118.01	3/4	748.02	3/4	378.04	3/4	20.58		
4		4	5,182.02	4	4,813.49	4	4,443.12	4	4,072.76	4	3,702.39	4	3,332.02	4	2,961.66	4	2,591.28	4	2,220.92	4	1,850.55	4	1,480.25	4	1,110.30	4	740.32	4	370.33	4	15.76		
1/4		1/4	5,174.34	1/4	4,805.79	1/4	4,435.41	1/4	4,065.04	1/4	3,694.67	1/4	3,324.30	1/4	2,953.94	1/4	2,583.57	1/4	2,213.20	1/4	1,842.83	1/4	1,472.54	1/4	1,102.69	1/4	732.61	1/4	362.82	1/4			
1/2		1/2	5,174.72	1/2	4,806.17	1/2	4,436.80	1/2	4,066.43	1/2	3,696.06	1/2	3,325.69	1/2	2,955.32	1/2	2,584.95	1/2	2,214.61	1/2	1,844.12	1/2	1,473.83	1/2	1,103.22	1/2	733.00	1/2	363.24	1/2			
3/4		3/4	5,172.49	3/4	4,804.99	3/4	4,435.62	3/4	4,065.25	3/4	3,694.88	3/4	3,324.51	3/4	2,954.14	3/4	2,583.77	3/4	2,213.43	3/4	1,843.04	3/4	1,472.75	3/4	1,102.51	3/4	732.49	3/4	363.24	3/4			
5		5	5,170.84	5	4,803.32	5	4,432.95	5	4,062.58	5	3,692.21	5	3,321.84	5	2,951.47	5	2,581.10	5	2,210.73	5	1,840.36	5	1,470.01	5	1,100.00	5	731.15	5	362.82	5			
1/4		1/4	5,163.19	1/4	4,795.84	1/4	4,425.47	1/4	4,055.10	1/4	3,684.73	1/4	3,314.36	1/4	2,943.99	1/4	2,573.62	1/4	2,203.25	1/4	1,832.90	1/4	1,462.55	1/4	1,092.10	1/4	729.00	1/4	362.82	1/4			
1/2		1/2	5,163.19	1/2	4,795.84	1/2	4,425.47	1/2	4,055.10	1/2	3,684.73	1/2	3,314.36	1/2	2,943.99	1/2	2,573.62	1/2	2,203.25	1/2	1,832.90	1/2	1,462.55	1/2	1,092.10	1/2	729.00	1/2	362.82	1/2			
3/4		3/4	5,163.22	3/4	4,795.87	3/4	4,425.50	3/4	4,055.13	3/4	3,684.76	3/4	3,314.39	3/4	2,944.02	3/4	2,573.65	3/4	2,203.28	3/4	1,832.93	3/4	1,462.58	3/4	1,092.13	3/4	729.03	3/4	362.82	3/4			
6		6	5,160.24	6	4,792.76	6	4,422.39	6	4,051.92	6	3,681.45	6	3,310.98	6	2,940.51	6	2,570.04	6	2,199.67	6	1,829.20	6	1,458.73	6	1,088.26	6	727.15	6	362.82	6			
1/4		1/4	5,152.56	1/4	4,785.28	1/4	4,414.91	1/4	4,044.44	1/4	3,673.97	1/4	3,303.50	1/4	2,933.03	1/4	2,562.56	1/4	2,198.78	1/4	1,827.31	1/4	1,456.84	1/4	1,086.37	1/4	725.26	1/4	362.82	1/4			
1/2		1/2	5,152.56	1/2	4,785.28	1/2	4,414.91	1/2	4,044.44	1/2	3,673.97	1/2	3,303.50	1/2	2,933.03	1/2	2,562.56	1/2	2,198.78	1/2	1,827.31	1/2	1,456.84	1/2	1,086.37	1/2	725.26	1/2	362.82	1/2			
3/4		3/4	5,148.61	3/4	4,781.13	3/4	4,370.66	3/4	3,999.19	3/4	3,628.72	3/4	3,258.25	3/4	2,887.78	3/4	2,517.31	3/4	2,146.84	3/4	1,776.37	3/4	1,405.90	3/4	1,084.40	3/4	723.37	3/4	362.82	3/4			
7		7	5,144.28	7	4,777.80	7	4,407.33	7	4,036.86	7	3,666.39	7	3,295.92	7	2,925.45	7	2,554.98	7	2,184.51	7	1,814.04	7	1,443.57	7	1,073.10	7	721.41	7	362.82	7			
1/4		1/4	5,139.96	1/4	4,773.48	1/4	4,402.01	1/4	4,031.54	1/4	3,661.07	1/4	3,290.60	1/4	2,920.13	1/4	2,549.66	1/4	2,180.19	1/4	1,809.72	1/4	1,439.25	1/4	1,071.17	1/4	721.41	1/4	362.82	1/4			
1/2		1/2	5,139.96	1/2	4,773.48	1/2	4,402.01	1/2	4,031.54	1/2	3,661.07	1/2	3,290.60	1/2	2,920.13	1/2	2,549.66	1/2	2,180.19	1/2	1,809.72	1/2	1,439.25	1/2	1,071.17	1/2	721.41	1/2	362.82	1/2			
3/4		3/4	5,138.23	3/4	4,771.75	3/4	4,399.28	3/4	4,029.81	3/4	3,659.34	3/4	3,288.87	3/4	2,918.40	3/4	2,547.93	3/4	2,178.46	3/4	1,807.79	3/4	1,437.26	3/4	1,069.18	3/4	721.41	3/4	362.82	3/4			
8		8	5,140.24	8	4,774.76	8	4,405.29	8	4,034.82	8	3,664.35	8	3,293.88	8	2,923.41	8	2,552.94	8	2,185.47	8	1,816.00	8	1,445.53	8	1,075.16	8	721.41	8	362.82	8			
1/4		1/4	5,130.24	1/4	4,764.76	1/4	4,395.29	1/4	4,025.82	1/4	3,654.35	1/4	3,283.88	1/4	2,913.41	1/4	2,542.94	1/4	2,175.47	1/4	1,804.00	1/4	1,433.53	1/4	1,063.16	1/4	719.41	1/4	362.82	1/4			
1/2		1/2																															



**FLORIDA MARINE  
BARGE "FMT-6000"**

**OUTGATE TABLE**

BARGE SHOULD BE ON EVEN LEVEL, KEEL WHEN GAUGES ARE TAKEN

**3 PORT**

HULL NO 193

STATION	17 FT.	14 FT.	11 FT.	8 FT.	5 FT.	2 FT.	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17 FT.
1	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
2	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
3	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
4	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
5	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
6	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
7	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
8	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
9	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
10	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
11	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
12	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
13	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
14	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
15	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
16	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750
17	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750	1.750

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

**INSPECTORATE AMERICA CORPORATION**

17'-4" (GAUGE POINT LOCATED NEAR CENTER OF TANK)  
GAUGE WITH HERMETIC GAUGE TAPE ONLY.

\* CAPACITY BELOW STRIKE POINT

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS



INSPECTORATE

# BARGE "FMT-6000" FLORIDA MARINE

## OUTAGE TABLE

### 3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO T03

	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT	11 FT	12 FT	13 FT	14 FT	15 FT	16 FT	17 FT
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 05/31/2014

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT 17'-3 3/4" (GAUGE POINT LOCATED NEAR CENTER OF TANK)  
GAUGE WITH HERMETIC GAUGE TAPE ONLY.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

  
INSPECTORATE AMERICA CORPORATION



**INSPECTORATE**  
**FLORIDA MARINE**  
**INNAGE TABLE**

**SLOP TANK**  
**PORT**

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.
0.00	20.74	62.47	80.21	106.94	108.06	107.50	107.00	106.50	106.00	105.50	105.00	104.50	104.00	103.50
0.56	27.29	54.03	80.77	107.50	108.62	108.06	107.56	107.06	106.56	106.06	105.56	105.06	104.56	104.06
1.11	28.41	55.14	81.32	108.06	109.17	108.62	108.12	107.62	107.12	106.62	106.12	105.62	105.12	104.62
1.67	28.81	55.70	81.81	108.62	109.73	109.17	108.67	108.17	107.67	107.17	106.67	106.17	105.67	105.17
2.23	29.08	56.08	82.29	109.17	110.28	109.73	109.23	108.73	108.23	107.73	107.23	106.73	106.23	105.73
2.79	30.08	56.81	82.99	109.73	110.89	110.33	109.83	109.33	108.83	108.33	107.83	107.33	106.83	106.33
3.34	30.84	57.37	83.56	110.28	111.40	110.84	110.34	109.84	109.34	108.84	108.34	107.84	107.34	106.84
3.90	30.64	57.37	84.11	110.84	111.40	110.84	110.34	109.84	109.34	108.84	108.34	107.84	107.34	106.84
4.46	31.19	57.93	84.66	111.40	111.80	111.24	110.74	110.24	109.74	109.24	108.74	108.24	107.74	107.24
5.01	31.76	58.48	85.22	111.80	112.61	112.05	111.55	111.05	110.55	110.05	109.55	109.05	108.55	108.05
5.57	32.31	59.04	85.78	112.61	113.07	112.51	112.01	111.51	111.01	110.51	110.01	109.51	109.01	108.51
6.13	32.86	59.60	86.34	113.07	113.63	113.07	112.57	112.07	111.57	111.07	110.57	110.07	109.57	109.07
6.68	33.42	60.16	86.89	113.63	114.19	113.63	113.13	112.63	112.13	111.63	111.13	110.63	110.13	109.63
7.24	33.98	60.71	87.46	114.19	114.74	114.19	113.69	113.19	112.69	112.19	111.69	111.19	110.69	110.19
7.80	34.53	61.27	88.01	114.74	115.29	114.74	114.24	113.74	113.24	112.74	112.24	111.74	111.24	110.74
8.36	35.09	61.83	88.56	115.29	115.85	115.30	114.80	114.30	113.80	113.30	112.80	112.30	111.80	111.30
8.91	35.65	62.38	89.12	115.85	116.41	115.86	115.36	114.86	114.36	113.86	113.36	112.86	112.36	111.86
9.47	36.21	62.94	89.68	116.41	116.97	116.42	115.92	115.42	114.92	114.42	113.92	113.42	112.92	112.42
10.03	36.76	63.50	90.23	116.97	117.53	117.03	116.53	116.03	115.53	115.03	114.53	114.03	113.53	113.03
10.58	37.32	64.06	90.79	117.53	118.08	117.58	117.08	116.58	116.08	115.58	115.08	114.58	114.08	113.58
11.14	37.88	64.61	91.35	118.08	118.64	118.14	117.64	117.14	116.64	116.14	115.64	115.14	114.64	114.14
11.70	38.43	65.17	91.91	118.64	119.20	118.70	118.20	117.70	117.20	116.70	116.20	115.70	115.20	114.70
12.26	38.98	65.73	92.46	119.20	119.76	119.26	118.76	118.26	117.76	117.26	116.76	116.26	115.76	115.26
12.81	39.55	66.28	93.02	119.76	120.31	120.31	119.81	119.31	118.81	118.31	117.81	117.31	116.81	116.31
13.37	40.10	66.84	93.58	120.31	120.87	120.87	120.37	119.87	119.37	118.87	118.37	117.87	117.37	116.87
13.93	40.66	67.40	94.13	120.87	121.43	121.43	120.93	120.43	119.93	119.43	118.93	118.43	117.93	117.43
14.48	41.22	67.95	94.69	121.43	122.00	122.00	121.50	121.00	120.50	120.00	119.50	119.00	118.50	118.00
15.04	41.78	68.51	95.25	122.00	122.56	122.56	122.06	121.56	121.06	120.56	120.06	119.56	119.06	118.56
15.60	42.33	69.07	95.80	122.56	123.12	123.12	122.62	122.12	121.62	121.12	120.62	120.12	119.62	119.12
16.15	42.89	69.63	96.36	123.12	123.68	123.68	123.18	122.68	122.18	121.68	121.18	120.68	120.18	119.68
16.71	43.45	70.18	96.92	123.68	124.24	124.24	123.74	123.24	122.74	122.24	121.74	121.24	120.74	120.24
17.27	44.00	70.74	97.48	124.24	124.80	124.80	124.30	123.80	123.30	122.80	122.30	121.80	121.30	120.80
17.82	44.56	71.30	98.03	124.80	125.36	125.36	124.86	124.36	123.86	123.36	122.86	122.36	121.86	121.36
18.38	45.12	71.85	98.59	125.36	125.92	125.92	125.42	124.92	124.42	123.92	123.42	122.92	122.42	121.92
18.94	45.67	72.41	99.15	125.92	126.48	126.48	125.98	125.48	124.98	124.48	123.98	123.48	122.98	122.48
19.50	46.23	72.97	99.70	126.48	127.04	127.04	126.54	126.04	125.54	125.04	124.54	124.04	123.54	123.04
20.05	46.79	73.52	100.26	127.04	127.60	127.60	127.10	126.60	126.10	125.60	125.10	124.60	124.10	123.60
20.61	47.35	74.08	100.82	127.60	128.16	128.16	127.66	127.16	126.66	126.16	125.66	125.16	124.66	124.16
21.17	47.90	74.64	101.37	128.16	128.72	128.72	128.22	127.72	127.22	126.72	126.22	125.72	125.22	124.72
21.72	48.46	75.20	101.93	128.72	129.28	129.28	128.78	128.28	127.78	127.28	126.78	126.28	125.78	125.28
22.28	49.02	75.75	102.49	129.28	129.84	129.84	129.34	128.84	128.34	127.84	127.34	126.84	126.34	125.84
22.84	49.57	76.31	103.05	129.84	130.40	130.40	129.90	129.40	128.90	128.40	127.90	127.40	126.90	126.40
23.39	50.13	76.87	103.60	130.40	130.96	130.96	130.46	129.96	129.46	128.96	128.46	127.96	127.46	126.96
23.95	50.69	77.42	104.16	130.96	131.52	131.52	131.02	130.52	130.02	129.52	129.02	128.52	128.02	127.52
24.51	51.24	77.98	104.72	131.52	132.08	132.08	131.58	131.08	130.58	130.08	129.58	129.08	128.58	128.08
25.07	51.80	78.54	105.27	132.08	132.64	132.64	132.14	131.64	131.14	130.64	130.14	129.64	129.14	128.64
25.62	52.36	79.09	105.83	132.64	133.20	133.20	132.70	132.20	131.70	131.20	130.70	130.20	129.70	129.20
26.18	52.92	79.65	106.39	133.20	133.76	133.76	133.26	132.76	132.26	131.76	131.26	130.76	130.26	129.76

CAPACITIES GIVEN IN BARGE'S OF 42 U.S. GALLONS

STAPPED: 06/31/2014

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION





**BARGE "FMT-6000"**  
**FLORIDA MARINE**  
 INNAGE TABLE

**SLOP TANK**  
**STAR**

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T093

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.
0	0.00	26.81	51.62	77.43	103.24										
1/4	0.64	28.36	52.16	77.97	103.78										
1/2	1.08	28.89	52.69	78.50	104.31										
3/4	1.61	27.42	53.23	78.04	104.85										
1	2.15	27.96	53.77	79.58	105.39										
1 1/4	2.69	28.50	54.31	80.12	105.93										
1 1/2	3.23	29.04	54.85	80.66	106.46										
1 3/4	3.76	29.57	55.38	81.19	107.00										
2	4.30	30.11	55.92	81.73	107.54										
2 1/4	4.84	30.65	56.46	82.27	108.08										
2 1/2	5.38	31.19	57.00	82.81	108.62										
2 3/4	5.91	31.72	57.53	83.34	109.16										
3	6.45	32.26	58.07	83.88	109.69										
3 1/4	6.99	32.80	58.61	84.42	110.23										
3 1/2	7.53	33.34	59.15	84.96	110.77										
3 3/4	8.07	33.88	59.68	85.49	111.30										
4	8.60	34.41	60.22	86.03	111.84										
4 1/4	9.14	34.95	60.76	86.57	112.38										
4 1/2	9.68	35.49	61.30	87.11	112.92										
4 3/4	10.22	36.03	61.84	87.65	113.45										
5	10.75	36.56	62.37	88.18	113.99										
5 1/4	11.29	37.10	62.91	88.72	114.53										
5 1/2	11.83	37.64	63.45	89.26	115.07										
5 3/4	12.37	38.18	63.99	89.80	115.61										
6	12.90	38.71	64.52	90.33	116.14										
6 1/4	13.44	39.26	65.06	90.87	116.68										
6 1/2	13.98	39.79	65.60	91.41	117.22										
6 3/4	14.52	40.33	66.14	91.95	117.76										
7	15.06	40.87	66.67	92.48	118.29										
7 1/4	15.59	41.40	67.21	93.02	118.83										
7 1/2	16.13	41.94	67.75	93.56	119.37										
7 3/4	16.67	42.48	68.29	94.10	119.91										
8	17.21	43.02	68.83	94.64	120.44										
8 1/4	17.74	43.56	69.36	95.17	120.98										
8 1/2	18.28	44.09	69.90	95.71	121.52										
8 3/4	18.82	44.63	70.44	96.25	122.06										
9	19.36	45.17	70.98	96.79	122.60										
9 1/4	19.89	45.70	71.51	97.32	123.13										
9 1/2	20.43	46.24	72.05	97.86	123.67										
9 3/4	20.97	46.78	72.59	98.40	124.21										
10	21.51	47.32	73.13	98.94	124.75										
10 1/4	22.05	47.86	73.66	99.47	125.28										
10 1/2	22.59	48.39	74.20	100.01	125.82										
10 3/4	23.12	48.93	74.74	100.55											
11	23.66	49.47	75.28	101.09											
11 1/4	24.20	50.01	75.82	101.63											
11 1/2	24.73	50.54	76.35	102.16											
11 3/4	25.27	51.08	76.89	102.70											

STRAPPED: 05/31/2014

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

*Inspectorate America*  
 INSPECTORATE AMERICA CORPORATION

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

