



BARGE "FMT-6004"
FLORIDA MARINE

OUTAGE TABLE

1 PORT

INSPECTORATE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

Table with columns for depth (0 FT. to 15 FT.) and rows for gauge height (0, 1/4, 1/2, 3/4). Each cell contains capacity values in barrels.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 8/4/14

* CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT : 15'-9 1/2" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector's signature and Inspectorate America Corporation logo.



BARGE "FMT-6004" FLORIDA MARINE

OUTAGE TABLE

1 STAR

INSPECTORATE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
	0	4,876.07	4,562.18	4,232.13	3,900.49	3,568.86	3,237.23	2,905.60	2,573.97	2,242.33	1,910.70	1,579.07	1,247.78	916.98	586.17	255.35
1/4	1/4	4,872.21	4,555.32	4,225.22	3,893.58	3,561.95	3,230.32	2,898.69	2,567.06	2,235.42	1,903.79	1,572.16	1,240.89	910.09	579.28	248.46
1/2	1/2	4,868.34	4,548.45	4,218.31	3,886.68	3,555.04	3,223.41	2,891.78	2,560.15	2,228.52	1,896.88	1,565.25	1,234.00	903.20	572.38	241.57
3/4	3/4	4,863.27	4,541.59	4,211.40	3,879.77	3,548.13	3,216.50	2,884.87	2,553.24	2,221.61	1,889.97	1,558.34	1,227.11	896.31	565.49	234.68
1	1	4,858.21	4,534.73	4,204.49	3,872.86	3,541.23	3,209.59	2,877.96	2,546.33	2,214.70	1,883.07	1,551.43	1,220.22	889.42	568.60	227.78
1/4	1/4	4,853.14	4,527.86	4,197.58	3,865.95	3,534.32	3,202.68	2,871.05	2,539.42	2,207.79	1,876.16	1,544.52	1,213.32	882.52	551.71	220.89
1/2	1/2	4,848.07	4,521.00	4,190.67	3,859.04	3,527.41	3,195.78	2,864.14	2,532.51	2,200.88	1,869.25	1,537.62	1,206.43	875.63	544.82	214.00
3/4	3/4	4,841.81	4,514.13	4,183.76	3,852.13	3,520.50	3,188.87	2,857.23	2,525.60	2,193.97	1,862.34	1,530.71	1,199.54	868.74	537.92	207.11
2	2	4,835.54	4,507.27	4,176.85	3,845.22	3,513.59	3,181.96	2,850.33	2,518.69	2,187.06	1,855.43	1,523.80	1,192.65	861.85	531.03	200.22
1/4	1/4	4,829.28	4,500.41	4,169.94	3,838.31	3,506.68	3,175.05	2,843.42	2,511.78	2,180.15	1,848.52	1,516.89	1,185.76	854.96	524.14	193.32
1/2	1/2	4,823.01	4,493.54	4,163.04	3,831.40	3,499.77	3,168.14	2,836.51	2,504.88	2,173.24	1,841.61	1,509.98	1,178.87	848.06	517.25	186.43
3/4	3/4	4,816.15	4,486.68	4,156.13	3,824.49	3,492.86	3,161.23	2,829.60	2,497.97	2,166.33	1,834.70	1,503.07	1,171.98	841.17	510.36	179.54
3	3	4,809.29	4,479.81	4,149.22	3,817.59	3,485.95	3,154.32	2,822.69	2,491.06	2,159.43	1,827.79	1,496.16	1,165.09	834.28	503.46	172.65
1/4	1/4	4,802.42	4,472.95	4,142.31	3,810.68	3,479.04	3,147.41	2,815.78	2,484.15	2,152.52	1,820.88	1,489.25	1,158.20	827.39	496.57	165.76
1/2	1/2	4,795.56	4,466.09	4,135.40	3,803.77	3,472.14	3,140.50	2,808.87	2,477.24	2,145.61	1,813.98	1,482.34	1,151.31	820.50	489.68	158.86
3/4	3/4	4,788.69	4,459.22	4,128.49	3,796.86	3,465.23	3,133.59	2,801.96	2,470.33	2,138.70	1,807.07	1,475.43	1,144.41	813.60	482.79	151.97
4	4	4,781.83	4,452.36	4,121.58	3,789.95	3,458.32	3,126.69	2,795.05	2,463.42	2,131.79	1,800.16	1,468.53	1,137.52	806.71	475.90	145.08
1/4	1/4	4,774.97	4,445.49	4,114.67	3,783.04	3,451.41	3,119.78	2,788.14	2,456.51	2,124.88	1,793.25	1,461.62	1,130.63	799.82	469.00	138.19
1/2	1/2	4,768.10	4,438.63	4,107.76	3,776.13	3,444.50	3,112.87	2,781.24	2,449.60	2,117.97	1,786.34	1,454.71	1,123.74	792.93	462.11	131.30
3/4	3/4	4,761.24	4,431.77	4,100.85	3,770.22	3,437.59	3,105.96	2,774.33	2,442.69	2,111.06	1,779.43	1,447.80	1,116.85	786.04	455.22	124.40
5	5	4,754.37	4,424.90	4,093.95	3,762.31	3,430.68	3,099.05	2,767.42	2,435.79	2,104.15	1,772.52	1,440.89	1,109.96	779.14	448.33	117.51
1/4	1/4	4,747.51	4,418.04	4,087.04	3,755.40	3,423.77	3,092.14	2,760.51	2,428.88	2,097.24	1,765.61	1,433.98	1,103.07	772.25	441.44	110.62
1/2	1/2	4,740.65	4,411.17	4,080.13	3,748.50	3,416.86	3,085.23	2,753.60	2,421.97	2,090.34	1,758.70	1,427.07	1,096.18	765.36	434.54	103.73
3/4	3/4	4,733.78	4,404.31	4,073.22	3,741.59	3,409.95	3,078.32	2,746.69	2,415.06	2,083.43	1,751.79	1,420.16	1,089.28	758.47	427.65	96.84
6	6	4,726.92	4,397.45	4,066.31	3,734.68	3,403.05	3,071.41	2,739.78	2,408.15	2,076.52	1,744.89	1,413.25	1,082.39	751.58	420.76	89.94
1/4	1/4	4,720.05	4,390.58	4,059.40	3,727.77	3,396.14	3,064.50	2,732.87	2,401.24	2,069.61	1,737.98	1,406.34	1,075.50	744.68	413.87	83.05
1/2	1/2	4,713.19	4,383.72	4,052.49	3,720.86	3,389.23	3,057.60	2,725.96	2,394.33	2,062.70	1,731.07	1,399.44	1,068.61	737.79	406.98	76.16
3/4	3/4	4,706.33	4,376.85	4,045.58	3,713.95	3,382.32	3,050.69	2,719.05	2,387.42	2,055.79	1,724.16	1,392.53	1,061.72	730.90	400.08	69.27
7	7	4,699.46	4,369.99	4,038.67	3,707.04	3,375.41	3,043.78	2,712.15	2,380.51	2,048.88	1,717.25	1,385.62	1,054.82	724.01	393.19	62.38
1/4	1/4	4,692.60	4,363.13	4,031.76	3,700.13	3,368.50	3,036.87	2,705.24	2,373.60	2,041.97	1,710.34	1,378.71	1,047.93	717.12	386.30	55.48
1/2	1/2	4,685.73	4,356.26	4,024.86	3,693.22	3,361.59	3,029.96	2,698.33	2,366.70	2,035.06	1,703.43	1,371.82	1,041.04	710.22	379.41	49.45
3/4	3/4	4,678.87	4,349.40	4,017.95	3,686.31	3,354.68	3,023.05	2,691.42	2,359.79	2,028.15	1,696.52	1,364.93	1,034.15	703.33	372.52	43.42
8	8	4,672.01	4,342.53	4,011.04	3,679.41	3,347.77	3,016.14	2,684.51	2,352.88	2,021.25	1,689.61	1,358.04	1,027.26	696.44	365.62	37.39
1/4	1/4	4,665.14	4,335.67	4,004.13	3,672.50	3,340.86	3,009.23	2,677.60	2,345.97	2,014.34	1,682.70	1,351.14	1,020.36	689.55	358.73	31.36
1/2	1/2	4,658.28	4,328.81	3,997.22	3,665.59	3,333.96	3,002.32	2,670.69	2,339.06	2,007.43	1,675.80	1,344.25	1,013.47	682.66	351.84	27.05
3/4	3/4	4,651.41	4,321.94	3,990.31	3,658.68	3,327.05	2,995.41	2,663.78	2,332.15	2,000.52	1,668.89	1,337.36	1,006.58	675.76	344.95	22.74
9	9	4,644.55	4,315.03	3,983.40	3,651.77	3,320.14	2,988.51	2,656.87	2,325.24	1,993.61	1,661.98	1,330.47	1,000.00	668.87	338.06	18.44
1/4	1/4	4,637.69	4,308.12	3,976.49	3,644.86	3,313.23	2,981.60	2,649.96	2,318.33	1,986.70	1,655.07	1,323.58	999.89	661.98	331.16	* 14.13
1/2	1/2	4,630.82	4,301.22	3,969.58	3,637.95	3,306.32	2,974.69	2,643.06	2,311.42	1,979.79	1,648.16	1,316.69	995.90	655.09	324.27	
3/4	3/4	4,623.96	4,294.31	3,962.67	3,631.04	3,299.41	2,967.78	2,636.15	2,304.51	1,972.88	1,641.25	1,309.80	979.01	648.20	317.38	
10	10	4,617.09	4,287.40	3,955.77	3,624.13	3,292.50	2,960.87	2,629.24	2,297.61	1,965.97	1,634.34	1,302.91	972.12	641.30	310.49	
1/4	1/4	4,610.23	4,280.49	3,948.86	3,617.22	3,285.59	2,953.96	2,622.33	2,290.70	1,959.06	1,627.43	1,296.02	965.23	634.41	303.60	
1/2	1/2	4,603.37	4,273.58	3,941.95	3,610.32	3,278.68	2,947.05	2,615.42	2,283.79	1,952.16	1,620.52	1,289.13	958.34	627.52	296.70	
3/4	3/4	4,596.50	4,266.67	3,935.04	3,603.41	3,271.77	2,940.14	2,608.51	2,276.88	1,945.25	1,613.61	1,282.23	951.44	620.63	289.81	
11	11	4,589.64	4,259.76	3,928.13	3,596.50	3,264.87	2,933.23	2,601.60	2,269.97	1,938.34	1,606.71	1,275.34	944.55	613.74	282.92	
1/4	1/4	4,582.77	4,252.85	3,921.22	3,589.59	3,257.96	2,926.32	2,594.69	2,263.06	1,931.43	1,599.80	1,268.45	937.66	606.84	276.03	
1/2	1/2	4,575.91	4,245.94	3,914.31	3,582.68	3,251.05	2,919.42	2,587.78	2,256.15	1,924.52	1,592.89	1,261.56	930.77	599.95	269.14	
3/4	3/4	4,569.05	4,239.03	3,907.40	3,575.77	3,244.14	2,912.51	2,580.87	2,249.24	1,917.61	1,585.98	1,254.67	923.88	593.06	262.24	

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 8/4/14

* CAPACITY BELOW STRIKE POINT

STAR REFERENCE GAUGE HEIGHT : 15'-9 1/4" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-6004" FLORIDA MARINE

OUTAGE TABLE

2 PORT

INSPECTORATE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	0	5,446.48	0	5,095.45	0	4,726.55	0	4,356.42	0	3,986.29	0	3,616.17	0	3,246.04	0	2,875.91	0	2,505.78	0	2,135.66	0	1,765.53	0	1,395.48	0	1,025.51	0	655.53	0	285.54	
1/4	1/4	5,442.15	1/4	5,087.78	1/4	4,718.84	1/4	4,348.71	1/4	3,978.58	1/4	3,608.46	1/4	3,238.33	1/4	2,868.20	1/4	2,498.07	1/4	2,127.94	1/4	1,757.82	1/4	1,387.77	1/4	1,017.80	1/4	647.82	1/4	277.84	
1/2	1/2	5,437.83	1/2	5,080.10	1/2	4,711.13	1/2	4,341.00	1/2	3,970.87	1/2	3,600.74	1/2	3,230.62	1/2	2,860.49	1/2	2,490.36	1/2	2,120.23	1/2	1,750.11	1/2	1,380.06	1/2	1,010.10	1/2	640.11	1/2	270.13	
3/4	3/4	5,432.16	3/4	5,072.43	3/4	4,703.42	3/4	4,333.29	3/4	3,963.16	3/4	3,593.03	3/4	3,222.91	3/4	2,852.78	3/4	2,482.65	3/4	2,112.52	3/4	1,742.39	3/4	1,372.35	3/4	1,002.39	3/4	632.40	3/4	262.42	
1	1	5,426.50	1	5,064.75	1	4,695.71	1	4,325.58	1	3,955.45	1	3,585.32	1	3,215.19	1	2,845.07	1	2,474.94	1	2,104.81	1	1,734.68	1	1,364.65	1	994.68	1	624.70	1	254.71	
1/4	1/4	5,420.83	1/4	5,057.07	1/4	4,688.00	1/4	4,317.87	1/4	3,947.74	1/4	3,577.61	1/4	3,207.48	1/4	2,837.36	1/4	2,467.23	1/4	2,097.10	1/4	1,726.97	1/4	1,356.94	1/4	986.97	1/4	616.99	1/4	247.00	
1/2	1/2	5,415.17	1/2	5,049.40	1/2	4,680.28	1/2	4,310.16	1/2	3,940.03	1/2	3,569.90	1/2	3,199.77	1/2	2,829.64	1/2	2,459.52	1/2	2,089.39	1/2	1,719.26	1/2	1,349.23	1/2	979.26	1/2	609.28	1/2	239.30	
3/4	3/4	5,408.16	3/4	5,041.72	3/4	4,672.57	3/4	4,302.45	3/4	3,932.32	3/4	3,562.19	3/4	3,192.06	3/4	2,821.93	3/4	2,451.81	3/4	2,081.68	3/4	1,711.55	3/4	1,341.53	3/4	971.56	3/4	601.57	3/4	231.59	
2	2	5,401.15	2	5,034.05	2	4,664.86	2	4,294.73	2	3,924.61	2	3,554.48	2	3,184.35	2	2,814.22	2	2,444.09	2	2,073.97	2	1,703.84	2	1,333.82	2	963.85	2	593.86	2	223.88	
1/4	1/4	5,394.15	1/4	5,026.37	1/4	4,657.15	1/4	4,287.02	1/4	3,916.90	1/4	3,546.77	1/4	3,176.64	1/4	2,806.51	1/4	2,436.38	1/4	2,066.26	1/4	1,696.13	1/4	1,326.11	1/4	956.14	1/4	586.16	1/4	216.17	
1/2	1/2	5,387.14	1/2	5,018.69	1/2	4,649.44	1/2	4,279.31	1/2	3,909.18	1/2	3,539.06	1/2	3,168.93	1/2	2,798.80	1/2	2,428.67	1/2	2,058.55	1/2	1,688.42	1/2	1,318.41	1/2	948.43	1/2	578.45	1/2	208.46	
3/4	3/4	5,379.47	3/4	5,011.02	3/4	4,641.73	3/4	4,271.60	3/4	3,901.47	3/4	3,531.35	3/4	3,161.22	3/4	2,791.09	3/4	2,420.96	3/4	2,050.83	3/4	1,680.71	3/4	1,310.70	3/4	940.72	3/4	570.74	3/4	200.76	
3	3	5,371.79	3	5,003.34	3	4,634.02	3	4,263.89	3	3,893.76	3	3,523.63	3	3,153.51	3	2,783.38	3	2,413.25	3	2,043.12	3	1,673.00	3	1,302.99	3	933.02	3	563.03	3	193.05	
1/4	1/4	5,364.11	1/4	4,995.67	1/4	4,626.31	1/4	4,256.18	1/4	3,886.05	1/4	3,515.92	1/4	3,145.80	1/4	2,775.67	1/4	2,405.54	1/4	2,035.41	1/4	1,665.28	1/4	1,295.28	1/4	925.31	1/4	555.32	1/4	185.34	
1/2	1/2	5,356.44	1/2	4,987.99	1/2	4,618.60	1/2	4,248.47	1/2	3,878.34	1/2	3,508.21	1/2	3,138.08	1/2	2,767.96	1/2	2,397.83	1/2	2,027.70	1/2	1,657.57	1/2	1,287.58	1/2	917.60	1/2	547.62	1/2	177.63	
3/4	3/4	5,348.76	3/4	4,980.31	3/4	4,610.89	3/4	4,240.76	3/4	3,870.63	3/4	3,500.50	3/4	3,130.37	3/4	2,760.25	3/4	2,390.12	3/4	2,019.99	3/4	1,649.86	3/4	1,279.87	3/4	909.89	3/4	539.91	3/4	169.92	
4	4	5,341.09	4	4,972.64	4	4,603.17	4	4,233.05	4	3,862.92	4	3,492.79	4	3,122.66	4	2,752.53	4	2,382.41	4	2,012.28	4	1,642.15	4	1,272.16	4	902.18	4	532.20	4	162.22	
1/4	1/4	5,333.41	1/4	4,964.96	1/4	4,595.46	1/4	4,225.34	1/4	3,855.21	1/4	3,485.08	1/4	3,114.95	1/4	2,744.82	1/4	2,374.70	1/4	2,004.57	1/4	1,634.44	1/4	1,264.46	1/4	894.48	1/4	524.49	1/4	154.51	
1/2	1/2	5,325.73	1/2	4,957.29	1/2	4,587.75	1/2	4,217.62	1/2	3,847.50	1/2	3,477.37	1/2	3,107.24	1/2	2,737.11	1/2	2,366.99	1/2	1,996.86	1/2	1,626.73	1/2	1,256.75	1/2	886.77	1/2	516.78	1/2	146.80	
3/4	3/4	5,318.06	3/4	4,949.61	3/4	4,580.04	3/4	4,209.91	3/4	3,839.79	3/4	3,469.66	3/4	3,099.53	3/4	2,729.40	3/4	2,359.27	3/4	1,989.15	3/4	1,619.02	3/4	1,249.04	3/4	879.06	3/4	509.08	3/4	139.09	
5	5	5,310.38	5	4,941.93	5	4,572.33	5	4,202.20	5	3,832.07	5	3,461.95	5	3,091.82	5	2,721.69	5	2,351.56	5	1,981.44	5	1,611.31	5	1,241.34	5	871.35	5	501.37	5	131.38	
1/4	1/4	5,302.71	1/4	4,934.26	1/4	4,564.62	1/4	4,194.49	1/4	3,824.36	1/4	3,454.24	1/4	3,084.11	1/4	2,713.98	1/4	2,343.85	1/4	1,973.72	1/4	1,603.60	1/4	1,233.63	1/4	863.64	1/4	493.66	1/4	123.68	
1/2	1/2	5,295.03	1/2	4,926.58	1/2	4,556.91	1/2	4,186.78	1/2	3,816.65	1/2	3,446.52	1/2	3,076.40	1/2	2,706.27	1/2	2,336.14	1/2	1,966.01	1/2	1,595.89	1/2	1,225.92	1/2	855.96	1/2	485.95	1/2	115.97	
3/4	3/4	5,287.35	3/4	4,918.91	3/4	4,549.20	3/4	4,179.07	3/4	3,808.94	3/4	3,438.81	3/4	3,068.69	3/4	2,698.56	3/4	2,328.43	3/4	1,958.30	3/4	1,588.17	3/4	1,218.21	3/4	848.23	3/4	478.24	3/4	108.26	
6	6	5,279.68	6	4,911.23	6	4,541.49	6	4,171.36	6	3,801.23	6	3,431.10	6	3,060.97	6	2,690.85	6	2,320.72	6	1,950.59	6	1,580.46	6	1,210.50	6	840.52	6	470.54	6	100.55	
1/4	1/4	5,272.00	1/4	4,903.55	1/4	4,533.78	1/4	4,163.65	1/4	3,793.52	1/4	3,423.39	1/4	3,053.26	1/4	2,683.14	1/4	2,313.01	1/4	1,942.88	1/4	1,572.75	1/4	1,202.80	1/4	832.81	1/4	462.83	1/4	92.84	
1/2	1/2	5,264.33	1/2	4,895.88	1/2	4,526.06	1/2	4,155.94	1/2	3,785.81	1/2	3,415.68	1/2	3,045.55	1/2	2,675.42	1/2	2,305.30	1/2	1,935.17	1/2	1,565.04	1/2	1,195.09	1/2	825.10	1/2	455.12	1/2	85.14	
3/4	3/4	5,256.65	3/4	4,888.20	3/4	4,518.35	3/4	4,148.23	3/4	3,778.10	3/4	3,407.97	3/4	3,037.84	3/4	2,667.71	3/4	2,297.59	3/4	1,927.46	3/4	1,557.33	3/4	1,187.38	3/4	817.40	3/4	447.41	3/4	77.43	
7	7	5,248.97	7	4,880.53	7	4,510.64	7	4,140.51	7	3,770.39	7	3,400.26	7	3,030.13	7	2,660.00	7	2,289.88	7	1,919.75	7	1,549.62	7	1,179.67	7	809.69	7	439.70	7	69.72	
1/4	1/4	5,241.30	1/4	4,872.85	1/4	4,502.93	1/4	4,132.80	1/4	3,762.68	1/4	3,392.55	1/4	3,022.42	1/4	2,652.29	1/4	2,282.16	1/4	1,912.04	1/4	1,541.91	1/4	1,171.96	1/4	801.98	1/4	432.00	1/4	62.01	
1/2	1/2	5,233.62	1/2	4,865.17	1/2	4,495.22	1/2	4,125.09	1/2	3,754.96	1/2	3,384.84	1/2	3,014.71	1/2	2,644.58	1/2	2,274.45	1/2	1,904.33	1/2	1,534.20	1/2	1,164.26	1/2	794.27	1/2	424.29	1/2	55.27	
3/4	3/4	5,225.95	3/4	4,857.50	3/4	4,487.51	3/4	4,117.38	3/4	3,747.25	3/4	3,377.13	3/4	3,007.00	3/4	2,636.87	3/4	2,266.74	3/4	1,896.61	3/4	1,526.49	3/4	1,156.55	3/4	786.56	3/4	416.58	3/4	48.52	
8	8	5,218.27	8	4,849.82	8	4,479.80	8	4,109.67	8	3,739.54	8	3,369.41	8	2,999.29	8	2,629.16	8	2,259.03	8	1,888.90	8	1,518.79	8	1,148.84	8	778.86	8	408.87	8	41.78	
1/4	1/4	5,210.59	1/4	4,842.15	1/4	4,472.09	1/4	4,101.96	1/4	3,731.83	1/4	3,361.70	1/4	2,991.58	1/4	2,621.45	1/4	2,251.32	1/4	1,881.19	1/4	1,511.08	1/4	1,141.13	1/4	771.15	1/4	401.16	1/4	35.03	
1/2	1/2	5,202.92	1/2	4,834.47	1/2	4,464.38	1/2	4,094.25	1/2	3,724.12	1/2	3,353.99	1/2	2,983.86	1/2	2,613.74	1/2	2,243.61	1/2	1,873.48	1/2	1,503.37	1/2	1,133.42	1/2	763.44	1/2	393.46	1/2	30.21	
3/4	3/4	5,195.24	3/4	4,826.79	3/4	4,456.67	3/4	4,086.54	3/4	3,716.41	3/4	3,346.28	3/4	2,976.15	3/4	2,606.03	3/4	2,235.90	3/4	1,865.77	3/4	1,495.67	3/4	1,125.72	3/4	755.73	3/4	385.75	3/4	25.40	
9	9	5,187.57	9	4,819.08	9	4,448.95	9	4,078.83	9	3,708.70	9	3,338.57	9	2,968.44	9	2,598.31	9	2,228.19	9	1,858.06	9	1,487.96	9	1,118.01	9	748.02	9	378.04	9	20.58	
1/4	1/4	5,179.89	1/4	4,811.37	1/4	4,441.24	1/4	4,071.12																							



BARGE "FMT-6004"
FLORIDA MARINE

OUTAGE TABLE

2 STAR

INSPECTORATE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

Table with columns for depth (0 FT. to 15 FT.) and rows for measurement points (0 to 3/4). Each cell contains numerical values representing capacity or measurement data.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 8/4/14

* CAPACITY BELOW STRIKE POINT

STAR REFERENCE GAUGE HEIGHT : 15'-9 1/2" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation logo and name



BARGE "FMT-6004"
FLORIDA MARINE

OUTAGE TABLE

3 PORT

INSPECTORATE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

Table with columns for height (0 FT. to 15 FT.) and multiple rows of capacity data for each height.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 8/4/14

* CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT : 15'-9 3/4" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-6004" FLORIDA MARINE

OUTAGE TABLE

3 STAR

INSPECTORATE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

IN	0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		
		N		N		N		N		N		N		N		N		N		N		N		N		N		N		N		N	
0		0	4,855.82	0	4,613.18	0	4,355.61	0	4,096.89	0	3,838.17	0	3,579.45	0	3,327.14	0	2,867.54	0	2,497.94	0	2,128.34	0	1,758.74	0	1,390.30	0	1,023.74	0	657.17	0	290.59		
1/4		1/4	4,852.81	1/4	4,607.82	1/4	4,350.22	1/4	4,091.50	1/4	3,832.78	1/4	3,573.92	1/4	3,229.44	1/4	2,859.84	1/4	2,490.24	1/4	2,120.64	1/4	1,751.04	1/4	1,382.66	1/4	1,016.11	1/4	649.53	1/4	282.95		
1/2		1/2	4,849.79	1/2	4,602.46	1/2	4,344.83	1/2	4,086.11	1/2	3,827.39	1/2	3,568.38	1/2	3,221.74	1/2	2,852.14	1/2	2,482.54	1/2	2,112.94	1/2	1,743.34	1/2	1,375.02	1/2	1,008.47	1/2	641.89	1/2	275.32		
3/4		3/4	4,846.78	3/4	4,597.11	3/4	4,339.44	3/4	4,080.72	3/4	3,822.00	3/4	3,562.84	3/4	3,214.04	3/4	2,844.44	3/4	2,474.84	3/4	2,105.24	3/4	1,735.64	3/4	1,367.39	3/4	1,000.83	3/4	634.26	3/4	267.68		
1		1	4,842.83	1	4,591.75	1	4,334.05	1	4,075.33	1	3,816.61	1	3,556.97	1	3,206.34	1	2,836.74	1	2,467.14	1	2,097.54	1	1,727.94	1	1,359.75	1	993.19	1	626.62	1	260.04		
1/4		1/4	4,838.88	1/4	4,586.39	1/4	4,328.66	1/4	4,069.94	1/4	3,811.22	1/4	3,551.09	1/4	3,198.64	1/4	2,829.04	1/4	2,459.44	1/4	2,089.84	1/4	1,720.24	1/4	1,352.12	1/4	985.56	1/4	618.98	1/4	252.41		
1/2		1/2	4,834.93	1/2	4,581.03	1/2	4,323.27	1/2	4,064.55	1/2	3,805.83	1/2	3,545.21	1/2	3,190.94	1/2	2,821.34	1/2	2,451.74	1/2	2,082.14	1/2	1,712.54	1/2	1,344.48	1/2	977.92	1/2	611.34	1/2	244.77		
3/4		3/4	4,830.98	3/4	4,575.67	3/4	4,317.88	3/4	4,059.16	3/4	3,800.44	3/4	3,539.33	3/4	3,183.24	3/4	2,813.64	3/4	2,444.04	3/4	2,074.44	3/4	1,704.84	3/4	1,336.84	3/4	970.28	3/4	603.71	3/4	237.13		
2		2	4,826.09	2	4,570.32	2	4,312.49	2	4,053.77	2	3,795.05	2	3,533.06	2	3,175.54	2	2,805.94	2	2,436.34	2	2,066.74	2	1,697.14	2	1,329.21	2	962.65	2	596.07	2	229.49		
1/4		1/4	4,821.20	1/4	4,564.96	1/4	4,307.10	1/4	4,048.38	1/4	3,789.66	1/4	3,526.79	1/4	3,167.84	1/4	2,798.24	1/4	2,428.64	1/4	2,059.04	1/4	1,689.44	1/4	1,321.57	1/4	955.01	1/4	588.43	1/4	221.86		
1/2		1/2	4,816.32	1/2	4,559.60	1/2	4,301.71	1/2	4,042.99	1/2	3,784.27	1/2	3,520.52	1/2	3,160.14	1/2	2,790.54	1/2	2,420.94	1/2	2,051.34	1/2	1,681.74	1/2	1,313.94	1/2	947.37	1/2	580.80	1/2	214.22		
3/4		3/4	4,811.43	3/4	4,554.24	3/4	4,296.32	3/4	4,037.60	3/4	3,778.88	3/4	3,514.26	3/4	3,152.44	3/4	2,782.84	3/4	2,413.24	3/4	2,043.64	3/4	1,674.04	3/4	1,306.30	3/4	939.74	3/4	573.16	3/4	206.58		
3		3	4,806.07	3	4,548.88	3	4,290.93	3	4,032.21	3	3,773.49	3	3,507.60	3	3,144.74	3	2,775.14	3	2,405.54	3	2,035.94	3	1,666.34	3	1,298.66	3	932.10	3	565.52	3	198.95		
1/4		1/4	4,800.71	1/4	4,543.53	1/4	4,285.54	1/4	4,026.82	1/4	3,768.10	1/4	3,500.94	1/4	3,137.04	1/4	2,767.44	1/4	2,397.84	1/4	2,028.24	1/4	1,658.64	1/4	1,291.03	1/4	924.46	1/4	557.89	1/4	191.31		
1/2		1/2	4,795.35	1/2	4,538.17	1/2	4,280.15	1/2	4,021.43	1/2	3,762.71	1/2	3,494.28	1/2	3,129.34	1/2	2,759.74	1/2	2,390.14	1/2	2,020.54	1/2	1,650.94	1/2	1,283.39	1/2	916.82	1/2	550.25	1/2	183.67		
3/4		3/4	4,789.99	3/4	4,532.81	3/4	4,274.76	3/4	4,016.04	3/4	3,757.32	3/4	3,487.62	3/4	3,121.64	3/4	2,752.04	3/4	2,382.44	3/4	2,012.84	3/4	1,643.24	3/4	1,275.76	3/4	909.19	3/4	542.61	3/4	176.04		
4		4	4,784.64	4	4,527.45	4	4,269.37	4	4,010.65	4	3,751.93	4	3,480.56	4	3,113.94	4	2,744.34	4	2,374.74	4	2,005.14	4	1,635.54	4	1,268.12	4	901.55	4	534.97	4	168.40		
1/4		1/4	4,779.28	1/4	4,522.09	1/4	4,263.98	1/4	4,005.26	1/4	3,746.54	1/4	3,473.51	1/4	3,106.24	1/4	2,736.64	1/4	2,367.04	1/4	1,997.44	1/4	1,627.84	1/4	1,260.48	1/4	893.91	1/4	527.34	1/4	160.76		
1/2		1/2	4,773.92	1/2	4,516.74	1/2	4,258.59	1/2	3,999.87	1/2	3,741.15	1/2	3,466.46	1/2	3,098.54	1/2	2,728.94	1/2	2,359.34	1/2	1,989.74	1/2	1,620.14	1/2	1,252.85	1/2	886.28	1/2	519.70	1/2	153.12		
3/4		3/4	4,768.56	3/4	4,511.38	3/4	4,253.20	3/4	3,994.48	3/4	3,735.76	3/4	3,459.41	3/4	3,090.84	3/4	2,721.24	3/4	2,351.64	3/4	1,982.04	3/4	1,612.44	3/4	1,245.21	3/4	878.64	3/4	512.06	3/4	145.49		
5		5	4,763.20	5	4,506.02	5	4,247.81	5	3,989.09	5	3,730.37	5	3,451.97	5	3,083.14	5	2,713.54	5	2,343.94	5	1,974.34	5	1,604.74	5	1,237.58	5	871.00	5	504.43	5	137.85		
1/4		1/4	4,757.85	1/4	4,500.66	1/4	4,242.42	1/4	3,983.70	1/4	3,724.98	1/4	3,444.53	1/4	3,075.44	1/4	2,705.84	1/4	2,336.24	1/4	1,966.64	1/4	1,597.04	1/4	1,229.94	1/4	863.37	1/4	496.79	1/4	130.21		
1/2		1/2	4,752.49	1/2	4,495.30	1/2	4,237.03	1/2	3,978.31	1/2	3,719.59	1/2	3,437.09	1/2	3,067.74	1/2	2,698.14	1/2	2,328.54	1/2	1,958.94	1/2	1,589.34	1/2	1,222.30	1/2	855.73	1/2	489.15	1/2	122.58		
3/4		3/4	4,747.13	3/4	4,489.95	3/4	4,231.64	3/4	3,972.92	3/4	3,714.20	3/4	3,429.64	3/4	3,060.04	3/4	2,690.44	3/4	2,320.84	3/4	1,951.24	3/4	1,581.64	3/4	1,214.67	3/4	848.09	3/4	481.52	3/4	114.94		
6		6	4,741.77	6	4,484.59	6	4,226.25	6	3,967.53	6	3,708.81	6	3,421.94	6	3,052.34	6	2,682.74	6	2,313.14	6	1,943.54	6	1,573.94	6	1,207.03	6	840.45	6	473.88	6	107.30		
1/4		1/4	4,736.41	1/4	4,479.23	1/4	4,220.86	1/4	3,962.14	1/4	3,703.42	1/4	3,414.24	1/4	3,044.64	1/4	2,675.04	1/4	2,305.44	1/4	1,935.84	1/4	1,566.24	1/4	1,199.39	1/4	832.82	1/4	466.24	1/4	99.67		
1/2		1/2	4,731.06	1/2	4,473.87	1/2	4,215.47	1/2	3,956.75	1/2	3,698.03	1/2	3,406.54	1/2	3,036.94	1/2	2,667.34	1/2	2,297.74	1/2	1,928.14	1/2	1,558.54	1/2	1,191.76	1/2	825.18	1/2	458.60	1/2	92.03		
3/4		3/4	4,725.70	3/4	4,468.51	3/4	4,210.08	3/4	3,951.36	3/4	3,692.64	3/4	3,398.84	3/4	3,029.24	3/4	2,659.64	3/4	2,290.04	3/4	1,920.44	3/4	1,550.84	3/4	1,184.12	3/4	817.54	3/4	450.97	3/4	84.39		
7		7	4,720.34	7	4,463.16	7	4,204.69	7	3,945.97	7	3,687.25	7	3,391.14	7	3,021.64	7	2,651.94	7	2,282.34	7	1,912.74	7	1,543.14	7	1,176.48	7	809.91	7	443.33	7	76.75		
1/4		1/4	4,714.98	1/4	4,457.80	1/4	4,199.30	1/4	3,940.58	1/4	3,681.86	1/4	3,383.44	1/4	3,013.84	1/4	2,644.24	1/4	2,274.64	1/4	1,905.04	1/4	1,535.44	1/4	1,168.85	1/4	802.27	1/4	435.69	1/4	69.12		
1/2		1/2	4,709.62	1/2	4,452.44	1/2	4,193.91	1/2	3,935.19	1/2	3,676.47	1/2	3,375.74	1/2	3,006.14	1/2	2,636.54	1/2	2,266.94	1/2	1,897.34	1/2	1,527.74	1/2	1,161.21	1/2	794.63	1/2	428.06	1/2	61.48		
3/4		3/4	4,704.27	3/4	4,447.08	3/4	4,188.52	3/4	3,929.80	3/4	3,671.08	3/4	3,368.04	3/4	2,998.44	3/4	2,628.84	3/4	2,259.24	3/4	1,889.64	3/4	1,520.11	3/4	1,153.57	3/4	787.00	3/4	420.42	3/4	54.79		
8		8	4,698.91	8	4,441.72	8	4,183.13	8	3,924.41	8	3,665.69	8	3,360.34	8	2,990.74	8	2,621.14	8	2,251.54	8	1,881.94	8	1,512.47	8	1,145.93	8	779.36	8	412.78	8	48.11		
1/4		1/4	4,693.55	1/4	4,436.37	1/4	4,177.74	1/4	3,919.02	1/4	3,660.30	1/4	3,352.64	1/4	2,983.04	1/4	2,613.44	1/4	2,243.84	1/4	1,874.24	1/4	1,504.84	1/4	1,138.30	1/4	771.72	1/4	405.15	1/4	41.42		
1/2		1/2	4,688.19	1/2	4,431.01	1/2	4,172.35	1/2	3,913.63	1/2	3,654.91	1/2	3,344.94	1/2	2,975.34	1/2	2,605.74	1/2	2,236.14	1/2	1,866.54	1/2	1,497.20	1/2	1,130.66	1/2	764.08	1/2	397.51	1/2	34.73		
3/4		3/4	4,682.83	3/4	4,425.65	3/4	4,166.96	3/4	3,908.24	3/4	3,649.52	3/4	3,337.24	3/4	2,967.64	3/4	2,598.04	3/4	2,228.44	3/4	1,858.84	3/4	1,489.56	3/4	1,123.02	3/4	756.45	3/4	389.87				



INSPECTORATE

BARGE "FMT-6004" FLORIDA MARINE

OUTAGE TABLE

1 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.	
0		0	4,747.51	0	4,418.04	0	4,087.04	0	3,755.40	0	3,423.77	0	3,092.14	0	2,760.51	0	2,428.88	0	2,097.24	0	1,765.61	0	1,433.98	0	1,103.07	0	772.25	0	441.44	0	110.62
1/4		1/4	4,740.65	1/4	4,411.17	1/4	4,080.13	1/4	3,748.50	1/4	3,416.86	1/4	3,085.23	1/4	2,753.80	1/4	2,421.97	1/4	2,090.34	1/4	1,758.70	1/4	1,427.07	1/4	1,096.18	1/4	765.36	1/4	434.54	1/4	103.73
1/2		1/2	4,733.78	1/2	4,404.31	1/2	4,073.22	1/2	3,741.59	1/2	3,409.95	1/2	3,078.32	1/2	2,746.69	1/2	2,415.06	1/2	2,083.43	1/2	1,751.79	1/2	1,420.16	1/2	1,089.28	1/2	758.47	1/2	427.65	1/2	96.84
3/4		3/4	4,726.92	3/4	4,397.45	3/4	4,066.31	3/4	3,734.68	3/4	3,403.05	3/4	3,071.41	3/4	2,739.78	3/4	2,408.15	3/4	2,076.52	3/4	1,744.89	3/4	1,413.25	3/4	1,082.39	3/4	751.58	3/4	420.76	3/4	89.94
1		1	4,720.05	1	4,390.58	1	4,059.40	1	3,727.77	1	3,396.14	1	3,064.50	1	2,732.87	1	2,401.24	1	2,069.61	1	1,737.98	1	1,406.34	1	1,075.50	1	744.68	1	413.87	1	83.05
1/4		1/4	4,713.19	1/4	4,383.72	1/4	4,052.49	1/4	3,720.86	1/4	3,389.23	1/4	3,057.60	1/4	2,725.96	1/4	2,394.33	1/4	2,062.70	1/4	1,731.07	1/4	1,399.44	1/4	1,068.61	1/4	737.79	1/4	406.98	1/4	76.16
1/2		1/2	4,706.33	1/2	4,376.85	1/2	4,045.58	1/2	3,713.95	1/2	3,382.32	1/2	3,050.69	1/2	2,719.05	1/2	2,387.42	1/2	2,055.79	1/2	1,724.16	1/2	1,392.53	1/2	1,061.72	1/2	730.90	1/2	400.08	1/2	69.27
3/4		3/4	4,699.46	3/4	4,369.99	3/4	4,038.67	3/4	3,707.04	3/4	3,375.41	3/4	3,043.78	3/4	2,712.15	3/4	2,380.51	3/4	2,048.88	3/4	1,717.25	3/4	1,385.62	3/4	1,054.82	3/4	724.01	3/4	393.19	3/4	62.38
2		2	4,692.60	2	4,363.13	2	4,031.76	2	3,700.13	2	3,368.50	2	3,036.87	2	2,705.24	2	2,373.60	2	2,041.97	2	1,710.34	2	1,378.71	2	1,047.93	2	717.12	2	386.30	2	55.48
1/4		1/4	4,685.73	1/4	4,356.26	1/4	4,024.86	1/4	3,693.22	1/4	3,361.59	1/4	3,029.96	1/4	2,698.33	1/4	2,366.70	1/4	2,035.06	1/4	1,703.43	1/4	1,371.82	1/4	1,041.04	1/4	710.22	1/4	379.41	1/4	49.45
1/2		1/2	4,678.87	1/2	4,349.40	1/2	4,017.95	1/2	3,686.31	1/2	3,354.68	1/2	3,023.05	1/2	2,691.42	1/2	2,359.79	1/2	2,028.15	1/2	1,696.52	1/2	1,364.93	1/2	1,034.15	1/2	703.33	1/2	372.52	1/2	43.42
3/4		3/4	4,672.01	3/4	4,342.53	3/4	4,011.04	3/4	3,679.41	3/4	3,347.77	3/4	3,016.14	3/4	2,684.51	3/4	2,352.88	3/4	2,021.25	3/4	1,689.61	3/4	1,358.04	3/4	1,027.26	3/4	696.44	3/4	365.62	3/4	37.39
3		3	4,665.14	3	4,335.67	3	4,004.13	3	3,672.50	3	3,340.86	3	3,009.23	3	2,677.60	3	2,345.97	3	2,014.34	3	1,682.70	3	1,351.14	3	1,020.36	3	689.55	3	358.73	3	31.36
1/4		1/4	4,658.28	1/4	4,328.81	1/4	3,997.22	1/4	3,665.59	1/4	3,333.96	1/4	3,002.32	1/4	2,670.69	1/4	2,339.06	1/4	2,007.43	1/4	1,675.80	1/4	1,344.25	1/4	1,013.47	1/4	682.66	1/4	351.84	1/4	27.05
1/2	4,901.62	1/2	4,651.41	1/2	4,321.94	1/2	3,990.31	1/2	3,658.68	1/2	3,327.05	1/2	2,995.41	1/2	2,663.78	1/2	2,332.15	1/2	2,000.52	1/2	1,668.89	1/2	1,337.36	1/2	1,006.58	1/2	675.76	1/2	344.95	1/2	22.74
3/4	4,901.20	3/4	4,644.55	3/4	4,315.03	3/4	3,983.40	3/4	3,651.77	3/4	3,320.14	3/4	2,988.51	3/4	2,656.87	3/4	2,325.24	3/4	1,993.61	3/4	1,661.98	3/4	1,330.47	3/4	999.69	3/4	668.87	3/4	338.06	3/4	18.44
4	4,900.78	4	4,637.89	4	4,308.12	4	3,976.49	4	3,644.86	4	3,313.23	4	2,981.60	4	2,649.96	4	2,318.33	4	1,986.70	4	1,655.07	4	1,323.58	4	992.80	4	661.98	4	331.16	4	14.13
1/4	4,900.36	1/4	4,630.82	1/4	4,301.22	1/4	3,969.58	1/4	3,637.95	1/4	3,306.32	1/4	2,974.69	1/4	2,643.06	1/4	2,311.42	1/4	1,979.79	1/4	1,648.16	1/4	1,316.69	1/4	985.90	1/4	655.09	1/4	324.27	1/4	
1/2	4,898.89	1/2	4,623.96	1/2	4,294.31	1/2	3,962.67	1/2	3,631.04	1/2	3,299.41	1/2	2,967.78	1/2	2,636.15	1/2	2,304.51	1/2	1,972.88	1/2	1,641.25	1/2	1,309.80	1/2	979.01	1/2	648.20	1/2	317.38	1/2	
3/4	4,897.42	3/4	4,617.09	3/4	4,287.40	3/4	3,955.77	3/4	3,624.13	3/4	3,292.50	3/4	2,960.87	3/4	2,629.24	3/4	2,297.61	3/4	1,965.97	3/4	1,634.34	3/4	1,302.91	3/4	972.12	3/4	641.30	3/4	310.49	3/4	
5	4,895.95	5	4,610.23	5	4,280.49	5	3,948.86	5	3,617.22	5	3,285.59	5	2,953.96	5	2,622.33	5	2,290.70	5	1,959.06	5	1,627.43	5	1,296.02	5	965.23	5	634.41	5	303.60	5	
1/4	4,894.48	1/4	4,603.37	1/4	4,273.58	1/4	3,941.95	1/4	3,610.32	1/4	3,278.68	1/4	2,947.05	1/4	2,615.42	1/4	2,283.79	1/4	1,952.16	1/4	1,620.52	1/4	1,289.13	1/4	958.34	1/4	627.52	1/4	296.70	1/4	
1/2	4,891.81	1/2	4,596.50	1/2	4,266.67	1/2	3,935.04	1/2	3,603.41	1/2	3,271.77	1/2	2,940.14	1/2	2,608.51	1/2	2,276.88	1/2	1,945.25	1/2	1,613.61	1/2	1,282.23	1/2	951.44	1/2	620.63	1/2	289.81	1/2	
3/4	4,889.14	3/4	4,589.64	3/4	4,259.76	3/4	3,928.13	3/4	3,596.50	3/4	3,264.87	3/4	2,933.23	3/4	2,601.60	3/4	2,269.97	3/4	1,938.34	3/4	1,606.71	3/4	1,275.34	3/4	944.55	3/4	613.74	3/4	282.92	3/4	
6	4,886.47	6	4,582.77	6	4,252.85	6	3,921.22	6	3,589.59	6	3,257.96	6	2,926.32	6	2,594.69	6	2,263.06	6	1,931.43	6	1,599.80	6	1,268.45	6	937.66	6	606.84	6	276.03	6	
1/4	4,883.81	1/4	4,575.91	1/4	4,245.94	1/4	3,914.31	1/4	3,582.68	1/4	3,251.05	1/4	2,919.42	1/4	2,587.78	1/4	2,256.15	1/4	1,924.52	1/4	1,592.89	1/4	1,261.56	1/4	930.77	1/4	599.95	1/4	269.14	1/4	
1/2	4,879.94	1/2	4,569.05	1/2	4,239.03	1/2	3,907.40	1/2	3,575.77	1/2	3,244.14	1/2	2,912.51	1/2	2,580.87	1/2	2,249.24	1/2	1,917.61	1/2	1,585.98	1/2	1,254.67	1/2	923.88	1/2	593.06	1/2	262.24	1/2	
3/4	4,876.07	3/4	4,562.18	3/4	4,232.13	3/4	3,900.49	3/4	3,568.86	3/4	3,237.23	3/4	2,905.60	3/4	2,573.97	3/4	2,242.33	3/4	1,910.70	3/4	1,579.07	3/4	1,247.78	3/4	916.98	3/4	586.17	3/4	255.35	3/4	
7	4,872.21	7	4,555.32	7	4,225.22	7	3,893.58	7	3,561.95	7	3,230.32	7	2,898.69	7	2,567.06	7	2,235.42	7	1,903.79	7	1,572.16	7	1,240.89	7	910.09	7	579.28	7	248.46	7	
1/4	4,868.34	1/4	4,548.45	1/4	4,218.31	1/4	3,886.68	1/4	3,555.04	1/4	3,223.41	1/4	2,891.78	1/4	2,560.15	1/4	2,228.52	1/4	1,896.88	1/4	1,565.25	1/4	1,234.00	1/4	903.20	1/4	572.38	1/4	241.57	1/4	
1/2	4,863.27	1/2	4,541.59	1/2	4,211.40	1/2	3,879.77	1/2	3,548.13	1/2	3,216.50	1/2	2,884.87	1/2	2,553.24	1/2	2,221.61	1/2	1,889.97	1/2	1,558.34	1/2	1,227.11	1/2	896.31	1/2	565.49	1/2	234.68	1/2	
3/4	4,858.21	3/4	4,534.73	3/4	4,204.49	3/4	3,872.86	3/4	3,541.23	3/4	3,209.59	3/4	2,877.96	3/4	2,546.33	3/4	2,214.70	3/4	1,883.07	3/4	1,551.43	3/4	1,220.22	3/4	889.42	3/4	558.60	3/4	227.87	3/4	
8	4,853.14	8	4,527.86	8	4,197.58	8	3,865.95	8	3,534.32	8	3,202.68	8	2,871.05	8	2,539.42	8	2,207.79	8	1,876.16	8	1,544.52	8	1,213.32	8	882.52	8	551.71	8	220.89	8	
1/4	4,848.07	1/4	4,521.00	1/4	4,190.67	1/4	3,859.04	1/4	3,527.41	1/4	3,195.78	1/4	2,864.14	1/4	2,532.51	1/4	2,200.88	1/4	1,869.25	1/4	1,537.62	1/4	1,206.43	1/4	875.63	1/4	544.82	1/4	214.00	1/4	
1/2	4,841.81	1/2	4,514.13	1/2	4,183.76	1/2	3,852.13	1/2	3,520.50	1/2	3,188.87	1/2	2,857.23	1/2	2,525.60	1/2	2,193.97	1/2	1,862.34	1/2	1,530.71	1/2	1,199.54	1/2	868.74	1/2	537.92	1/2	207.11	1/2	
3/4	4,835.54	3/4	4,507.27	3/4	4,176.85	3/4	3,845.22	3/4	3,513.59	3/4	3,181.96	3/4	2,850.33	3/4	2,518.69	3/4	2,187.06	3/4	1,855.43	3/4	1,523.80	3/4	1,192.65	3/4	861.85	3/4	531.03	3/4	200.22	3/4	
9	4,829.28	9	4,500.41	9	4,169.94	9	3,838.31	9	3,506.68	9	3,175.05	9	2,843.42	9	2,511.78	9	2,180.15	9	1,848.52	9	1,516.89	9	1,185.76	9	854.96	9	524.14	9	193.32	9	
1/4	4,823.01	1																													



INSPECTORATE

BARGE "FMT-6004" FLORIDA MARINE

OUTAGE TABLE

1 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

Table with columns for height (2 FT. to 17 FT.) and rows for gauge readings (0, 1/4, 1/2, 3/4) at each height. Values represent capacity in barrels.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 8/4/14

* CAPACITY BELOW STRIKE POINT

STAR REFERENCE GAUGE HEIGHT : 17'-3 3/4" (GAUGE POINT LOCATED NEAR CENTER OF TANK) GAUGE WITH HERMETIC GAUGE TAPE ONLY.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA CORPORATION



INSPECTORATE

BARGE "FMT-6004"
FLORIDA MARINE
OUTAGE TABLE

2 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

Table with 17 columns representing gauge heights (2 FT. to 17 FT.) and multiple rows for different barge sections (e.g., 0, 1/4, 1/2, 3/4). Each cell contains numerical values representing measurements at specific gauge heights.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 8/4/14

* CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT : 17'-3 3/4" (GAUGE POINT LOCATED NEAR CENTER OF TANK) GAUGE WITH HERMETIC GAUGE TAPE ONLY.

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and 'INSPECTORATE AMERICA CORPORATION' text.



INSPECTORATE

BARGE "FMT-6004" FLORIDA MARINE

OUTAGE TABLE

3 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

2 FT.			3 FT.			4 FT.			5 FT.			6 FT.			7 FT.			8 FT.			9 FT.			10 FT.			11 FT.			12 FT.			13 FT.			14 FT.			15 FT.			16 FT.			17 FT.														
N	1/4	1/2	N	1/4	1/2	N	1/4	1/2	N	1/4	1/2	N	1/4	1/2	N	1/4	1/2	N	1/4	1/2	N	1/4	1/2	N	1/4	1/2	N	1/4	1/2	N	1/4	1/2	N	1/4	1/2	N	1/4	1/2	N	1/4	1/2	N	1/4	1/2	N	1/4	1/2	N	1/4	1/2	N	1/4	1/2						
0			0	4,757.85		0	4,500.66		0	4,242.42		0	3,983.70		0	3,724.98		0	3,444.53		0	3,075.44		0	2,705.84		0	2,336.24		0	1,966.64		0	1,597.04		0	1,229.94		0	863.37		0	496.79		0	130.21													
1/4			1/4	4,752.49	1/4	1/4	4,495.30	1/4	1/4	4,237.03	1/4	1/4	3,978.31	1/4	1/4	3,719.59	1/4	1/4	3,437.09	1/4	1/4	3,067.74	1/4	1/4	2,698.14	1/4	1/4	2,328.54	1/4	1/4	1,958.94	1/4	1/4	1,589.34	1/4	1/4	1,222.30	1/4	1/4	855.73	1/4	1/4	489.15	1/4	1/4	122.58	1/4												
1/2			1/2	4,747.13	1/2	1/2	4,489.95	1/2	1/2	4,231.64	1/2	1/2	3,972.92	1/2	1/2	3,714.20	1/2	1/2	3,429.64	1/2	1/2	3,060.04	1/2	1/2	2,690.44	1/2	1/2	2,320.84	1/2	1/2	1,951.24	1/2	1/2	1,581.64	1/2	1/2	1,214.67	1/2	1/2	848.09	1/2	1/2	481.52	1/2	1/2	114.94	1/2												
3/4			3/4	4,741.77	3/4	3/4	4,484.59	3/4	3/4	4,226.25	3/4	3/4	3,967.53	3/4	3/4	3,708.81	3/4	3/4	3,421.94	3/4	3/4	3,052.34	3/4	3/4	2,682.74	3/4	3/4	2,313.14	3/4	3/4	1,943.54	3/4	3/4	1,573.94	3/4	3/4	1,207.03	3/4	3/4	840.45	3/4	3/4	473.88	3/4	3/4	107.30	3/4												
1			1	4,736.41	1	1	4,479.23	1	1	4,220.86	1	1	3,962.14	1	1	3,703.42	1	1	3,414.24	1	1	3,044.64	1	1	2,675.04	1	1	2,305.44	1	1	1,935.84	1	1	1,566.24	1	1	1,199.39	1	1	832.82	1	1	466.24	1	1	99.67	1												
1/4			1/4	4,731.06	1/4	1/4	4,473.87	1/4	1/4	4,215.47	1/4	1/4	3,956.75	1/4	1/4	3,698.03	1/4	1/4	3,406.54	1/4	1/4	3,036.94	1/4	1/4	2,667.34	1/4	1/4	2,297.74	1/4	1/4	1,928.14	1/4	1/4	1,558.54	1/4	1/4	1,191.76	1/4	1/4	825.18	1/4	1/4	458.60	1/4	1/4	92.03	1/4												
1/2			1/2	4,725.70	1/2	1/2	4,468.51	1/2	1/2	4,210.08	1/2	1/2	3,951.36	1/2	1/2	3,692.64	1/2	1/2	3,398.84	1/2	1/2	3,029.24	1/2	1/2	2,659.64	1/2	1/2	2,290.04	1/2	1/2	1,920.44	1/2	1/2	1,550.84	1/2	1/2	1,184.12	1/2	1/2	817.54	1/2	1/2	450.97	1/2	1/2	84.39	1/2												
3/4			3/4	4,720.34	3/4	3/4	4,463.16	3/4	3/4	4,204.69	3/4	3/4	3,945.97	3/4	3/4	3,687.25	3/4	3/4	3,391.14	3/4	3/4	3,021.54	3/4	3/4	2,651.94	3/4	3/4	2,282.34	3/4	3/4	1,912.74	3/4	3/4	1,543.14	3/4	3/4	1,176.48	3/4	3/4	809.91	3/4	3/4	443.33	3/4	3/4	76.75	3/4												
2			2	4,714.98	2	2	4,457.80	2	2	4,199.30	2	2	3,940.58	2	2	3,681.86	2	2	3,383.44	2	2	3,013.84	2	2	2,644.24	2	2	2,274.64	2	2	1,905.04	2	2	1,535.44	2	2	1,168.85	2	2	802.27	2	2	435.69	2	2	69.12	2												
1/4			1/4	4,709.62	1/4	1/4	4,452.44	1/4	1/4	4,193.91	1/4	1/4	3,935.19	1/4	1/4	3,676.47	1/4	1/4	3,375.74	1/4	1/4	3,006.14	1/4	1/4	2,636.54	1/4	1/4	2,266.94	1/4	1/4	1,897.34	1/4	1/4	1,527.74	1/4	1/4	1,161.21	1/4	1/4	794.63	1/4	1/4	428.06	1/4	1/4	61.48	1/4												
1/2			1/2	4,704.27	1/2	1/2	4,447.08	1/2	1/2	4,188.52	1/2	1/2	3,929.80	1/2	1/2	3,671.08	1/2	1/2	3,368.04	1/2	1/2	2,998.44	1/2	1/2	2,628.84	1/2	1/2	2,259.24	1/2	1/2	1,889.64	1/2	1/2	1,520.11	1/2	1/2	1,153.57	1/2	1/2	787.00	1/2	1/2	420.42	1/2	1/2	54.79	1/2												
3/4			3/4	4,698.91	3/4	3/4	4,441.72	3/4	3/4	4,183.13	3/4	3/4	3,924.41	3/4	3/4	3,665.69	3/4	3/4	3,360.34	3/4	3/4	2,990.74	3/4	3/4	2,621.14	3/4	3/4	2,251.54	3/4	3/4	1,881.94	3/4	3/4	1,512.47	3/4	3/4	1,145.93	3/4	3/4	779.36	3/4	3/4	412.78	3/4	3/4	48.11	3/4												
3			3	4,693.55	3	3	4,436.37	3	3	4,177.74	3	3	3,919.02	3	3	3,660.30	3	3	3,352.64	3	3	2,983.04	3	3	2,613.44	3	3	2,243.84	3	3	1,874.24	3	3	1,504.84	3	3	1,138.30	3	3	771.72	3	3	405.15	3	3	41.42	3												
1/4			1/4	4,688.19	1/4	1/4	4,431.01	1/4	1/4	4,172.35	1/4	1/4	3,913.63	1/4	1/4	3,654.91	1/4	1/4	3,344.94	1/4	1/4	2,975.34	1/4	1/4	2,605.74	1/4	1/4	2,236.14	1/4	1/4	1,866.54	1/4	1/4	1,497.20	1/4	1/4	1,130.66	1/4	1/4	764.08	1/4	1/4	397.51	1/4	1/4	34.73	1/4												
1/2			1/2	4,682.83	1/2	1/2	4,425.65	1/2	1/2	4,166.96	1/2	1/2	3,908.24	1/2	1/2	3,649.52	1/2	1/2	3,337.24	1/2	1/2	2,967.64	1/2	1/2	2,598.04	1/2	1/2	2,228.44	1/2	1/2	1,858.84	1/2	1/2	1,489.56	1/2	1/2	1,123.02	1/2	1/2	756.45	1/2	1/2	389.87	1/2	1/2	29.96	1/2												
3/4			3/4	4,677.48	3/4	3/4	4,420.29	3/4	3/4	4,161.57	3/4	3/4	3,902.85	3/4	3/4	3,644.13	3/4	3/4	3,329.54	3/4	3/4	2,959.94	3/4	3/4	2,590.34	3/4	3/4	2,220.74	3/4	3/4	1,851.14	3/4	3/4	1,481.93	3/4	3/4	1,115.39	3/4	3/4	748.81	3/4	3/4	382.23	3/4	3/4	25.18	3/4												
4			4	4,672.30	4	4	4,414.90	4	4	4,156.18	4	4	3,897.46	4	4	3,638.74	4	4	3,321.84	4	4	2,952.24	4	4	2,582.64	4	4	2,213.04	4	4	1,843.44	4	4	1,474.29	4	4	1,107.75	4	4	741.17	4	4	374.60	4	4	20.40	4												
1/4			1/4	4,671.99	1/4	1/4	4,666.76	1/4	1/4	4,409.51	1/4	1/4	4,150.79	1/4	1/4	3,892.07	1/4	1/4	3,633.35	1/4	1/4	3,314.14	1/4	1/4	2,944.54	1/4	1/4	2,574.94	1/4	1/4	2,205.34	1/4	1/4	1,835.74	1/4	1/4	1,466.66	1/4	1/4	1,100.11	1/4	1/4	733.54	1/4	1/4	366.96	1/4	1/4	15.62	1/4									
1/2			1/2	4,671.67	1/2	1/2	4,661.40	1/2	1/2	4,404.12	1/2	1/2	4,145.40	1/2	1/2	3,886.68	1/2	1/2	3,627.96	1/2	1/2	3,306.44	1/2	1/2	2,936.84	1/2	1/2	2,567.24	1/2	1/2	2,197.64	1/2	1/2	1,828.04	1/2	1/2	1,459.02	1/2	1/2	1,092.48	1/2	1/2	725.90	1/2	1/2	359.32	1/2	1/2		1/2									
3/4			3/4	4,670.53	3/4	3/4	4,656.04	3/4	3/4	4,402.29	3/4	3/4	4,161.57	3/4	3/4	3,902.85	3/4	3/4	3,644.13	3/4	3/4	3,329.54	3/4	3/4	2,959.94	3/4	3/4	2,590.34	3/4	3/4	2,220.74	3/4	3/4	1,851.14	3/4	3/4	1,481.93	3/4	3/4	748.81	3/4	3/4	382.23	3/4	3/4	25.18	3/4												
5			5	4,669.40	5	5	4,414.90	5	5	4,156.18	5	5	3,897.46	5	5	3,638.74	5	5	3,321.84	5	5	2,952.24	5	5	2,582.64	5	5	2,213.04	5	5	1,843.44	5	5	1,474.29	5	5	1,107.75	5	5	741.17	5	5	374.60	5	5	20.40	5												
1/4			1/4	4,668.26	1/4	1/4	4,414.90	1/4	1/4	4,156.18	1/4	1/4	3,897.46	1/4	1/4	3,638.74	1/4	1/4	3,321.84	1/4	1/4	2,952.24	1/4	1/4	2,582.64	1/4	1/4	2,213.04	1/4	1/4	1,843.44	1/4	1/4	1,474.29	1/4	1/4	1,107.75	1/4	1/4	741.17	1/4	1/4	374.60	1/4	1/4	20.40	1/4												
1/2			1/2	4,667.13	1/2	1/2	4,414.90	1/2	1/2	4,156.18	1/2	1/2	3,897.46	1/2	1/2	3,638.74	1/2	1/2	3,321.84	1/2	1/2	2,952.24	1/2	1/2	2,582.64	1/2	1/2	2,213.04	1/2	1/2	1,843.44	1/2	1/2	1,474.29	1/2	1/2	1,107.75	1/2	1/2	741.17	1/2	1/2	374.60	1/2	1/2	20.40	1/2												
3/4			3/4	4,666.00	3/4	3/4	4,414.90	3/4	3/4	4,156.18	3/4	3/4	3,897.46	3/4	3/4	3,638.74	3/4	3/4	3,321.84	3/4	3/4	2,952.24	3/4	3/4	2,582.64	3/4	3/4	2,213.04	3/4	3/4	1,843.44	3/4	3/4	1,474.29	3/4	3/4	1,107.75	3/4	3/4	741.17	3/4	3/4	374.60	3/4	3/4	20.40	3/4												
6			6	4,660.90	6	6	4,409.51	6	6	4,150.79	6	6	3,892.07	6	6	3,633.35	6	6	3,314.1																																								



INSPECTORATE

**BARGE "FMT-6004"
FLORIDA MARINE**

OUTAGE TABLE

3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.						
IN	0	1/4	1/2	3/4	1	1/4	1/2	3/4	1	1/4	1/2	3/4	1	1/4	1/2	3/4	1	1/4	1/2	3/4	1	1/4	1/2	3/4	1	1/4	1/2	3/4	1	1/4	1/2	3/4				
0																																				
1/4	4,752.49	4,752.49	4,752.49	4,752.49	4,495.30	4,495.30	4,495.30	4,495.30	4,237.03	4,237.03	4,237.03	4,237.03	4,237.03	3,978.31	3,978.31	3,978.31	3,978.31	3,719.59	3,719.59	3,719.59	3,719.59	3,437.09	3,437.09	3,437.09	3,437.09	3,067.74	3,067.74	3,067.74	3,067.74	2,698.14	2,698.14	2,698.14	2,698.14	2,328.54	2,328.54	2,328.54
1/2	4,747.13	4,747.13	4,747.13	4,747.13	4,489.95	4,489.95	4,489.95	4,489.95	4,231.64	4,231.64	4,231.64	4,231.64	4,231.64	3,972.92	3,972.92	3,972.92	3,972.92	3,714.20	3,714.20	3,714.20	3,714.20	3,429.64	3,429.64	3,429.64	3,429.64	3,060.04	3,060.04	3,060.04	3,060.04	2,690.44	2,690.44	2,690.44	2,690.44	2,320.84	2,320.84	2,320.84
3/4	4,741.77	4,741.77	4,741.77	4,741.77	4,484.59	4,484.59	4,484.59	4,484.59	4,226.25	4,226.25	4,226.25	4,226.25	4,226.25	3,967.53	3,967.53	3,967.53	3,967.53	3,708.81	3,708.81	3,708.81	3,708.81	3,421.94	3,421.94	3,421.94	3,421.94	3,052.34	3,052.34	3,052.34	3,052.34	2,682.74	2,682.74	2,682.74	2,682.74	2,313.14	2,313.14	2,313.14
1	4,736.41	4,736.41	4,736.41	4,736.41	4,479.23	4,479.23	4,479.23	4,479.23	4,220.86	4,220.86	4,220.86	4,220.86	4,220.86	3,962.14	3,962.14	3,962.14	3,962.14	3,703.42	3,703.42	3,703.42	3,703.42	3,414.24	3,414.24	3,414.24	3,414.24	3,044.64	3,044.64	3,044.64	3,044.64	2,675.04	2,675.04	2,675.04	2,675.04	2,305.44	2,305.44	2,305.44
1	4,731.06	4,731.06	4,731.06	4,731.06	4,473.87	4,473.87	4,473.87	4,473.87	4,215.47	4,215.47	4,215.47	4,215.47	4,215.47	3,956.75	3,956.75	3,956.75	3,956.75	3,698.03	3,698.03	3,698.03	3,698.03	3,406.54	3,406.54	3,406.54	3,406.54	3,036.94	3,036.94	3,036.94	3,036.94	2,667.34	2,667.34	2,667.34	2,667.34	2,297.74	2,297.74	2,297.74
1/4	4,725.70	4,725.70	4,725.70	4,725.70	4,468.51	4,468.51	4,468.51	4,468.51	4,210.08	4,210.08	4,210.08	4,210.08	4,210.08	3,951.36	3,951.36	3,951.36	3,951.36	3,692.64	3,692.64	3,692.64	3,692.64	3,398.84	3,398.84	3,398.84	3,398.84	3,029.24	3,029.24	3,029.24	3,029.24	2,659.64	2,659.64	2,659.64	2,659.64	2,290.04	2,290.04	2,290.04
1/2	4,720.34	4,720.34	4,720.34	4,720.34	4,463.16	4,463.16	4,463.16	4,463.16	4,204.69	4,204.69	4,204.69	4,204.69	4,204.69	3,945.97	3,945.97	3,945.97	3,945.97	3,687.25	3,687.25	3,687.25	3,687.25	3,391.14	3,391.14	3,391.14	3,391.14	3,021.54	3,021.54	3,021.54	3,021.54	2,651.94	2,651.94	2,651.94	2,651.94	2,282.34	2,282.34	2,282.34
3/4	4,714.98	4,714.98	4,714.98	4,714.98	4,457.80	4,457.80	4,457.80	4,457.80	4,199.30	4,199.30	4,199.30	4,199.30	4,199.30	3,940.58	3,940.58	3,940.58	3,940.58	3,681.86	3,681.86	3,681.86	3,681.86	3,383.44	3,383.44	3,383.44	3,383.44	3,013.84	3,013.84	3,013.84	3,013.84	2,644.24	2,644.24	2,644.24	2,644.24	2,274.64	2,274.64	2,274.64
2	4,709.62	4,709.62	4,709.62	4,709.62	4,452.44	4,452.44	4,452.44	4,452.44	4,193.91	4,193.91	4,193.91	4,193.91	4,193.91	3,935.19	3,935.19	3,935.19	3,935.19	3,676.47	3,676.47	3,676.47	3,676.47	3,375.74	3,375.74	3,375.74	3,375.74	3,006.14	3,006.14	3,006.14	3,006.14	2,636.54	2,636.54	2,636.54	2,636.54	2,266.94	2,266.94	2,266.94
1/4	4,704.27	4,704.27	4,704.27	4,704.27	4,447.08	4,447.08	4,447.08	4,447.08	4,188.52	4,188.52	4,188.52	4,188.52	4,188.52	3,929.80	3,929.80	3,929.80	3,929.80	3,671.08	3,671.08	3,671.08	3,671.08	3,368.04	3,368.04	3,368.04	3,368.04	2,998.44	2,998.44	2,998.44	2,998.44	2,628.84	2,628.84	2,628.84	2,628.84	2,259.24	2,259.24	2,259.24
1/2	4,698.91	4,698.91	4,698.91	4,698.91	4,441.72	4,441.72	4,441.72	4,441.72	4,183.13	4,183.13	4,183.13	4,183.13	4,183.13	3,924.41	3,924.41	3,924.41	3,924.41	3,665.69	3,665.69	3,665.69	3,665.69	3,360.34	3,360.34	3,360.34	3,360.34	2,990.74	2,990.74	2,990.74	2,990.74	2,621.14	2,621.14	2,621.14	2,621.14	2,251.54	2,251.54	2,251.54
3/4	4,693.55	4,693.55	4,693.55	4,693.55	4,436.37	4,436.37	4,436.37	4,436.37	4,177.74	4,177.74	4,177.74	4,177.74	4,177.74	3,919.02	3,919.02	3,919.02	3,919.02	3,660.30	3,660.30	3,660.30	3,660.30	3,352.64	3,352.64	3,352.64	3,352.64	2,983.04	2,983.04	2,983.04	2,983.04	2,613.44	2,613.44	2,613.44	2,613.44	2,243.84	2,243.84	2,243.84
3	4,688.19	4,688.19	4,688.19	4,688.19	4,431.01	4,431.01	4,431.01	4,431.01	4,172.35	4,172.35	4,172.35	4,172.35	4,172.35	3,913.63	3,913.63	3,913.63	3,913.63	3,654.91	3,654.91	3,654.91	3,654.91	3,344.94	3,344.94	3,344.94	3,344.94	2,975.34	2,975.34	2,975.34	2,975.34	2,605.74	2,605.74	2,605.74	2,605.74	2,236.14	2,236.14	2,236.14
1/4	4,682.83	4,682.83	4,682.83	4,682.83	4,425.65	4,425.65	4,425.65	4,425.65	4,166.96	4,166.96	4,166.96	4,166.96	4,166.96	3,908.24	3,908.24	3,908.24	3,908.24	3,649.52	3,649.52	3,649.52	3,649.52	3,337.24	3,337.24	3,337.24	3,337.24	2,967.64	2,967.64	2,967.64	2,967.64	2,598.04	2,598.04	2,598.04	2,598.04	2,228.44	2,228.44	2,228.44
1/2	4,677.48	4,677.48	4,677.48	4,677.48	4,420.29	4,420.29	4,420.29	4,420.29	4,161.57	4,161.57	4,161.57	4,161.57	4,161.57	3,902.85	3,902.85	3,902.85	3,902.85	3,644.13	3,644.13	3,644.13	3,644.13	3,329.54	3,329.54	3,329.54	3,329.54	2,959.94	2,959.94	2,959.94	2,959.94	2,590.34	2,590.34	2,590.34	2,590.34	2,220.74	2,220.74	2,220.74
3/4	4,672.12	4,672.12	4,672.12	4,672.12	4,414.90	4,414.90	4,414.90	4,414.90	4,156.18	4,156.18	4,156.18	4,156.18	4,156.18	3,897.46	3,897.46	3,897.46	3,897.46	3,638.74	3,638.74	3,638.74	3,638.74	3,321.84	3,321.84	3,321.84	3,321.84	2,952.24	2,952.24	2,952.24	2,952.24	2,582.64	2,582.64	2,582.64	2,582.64	2,213.04	2,213.04	2,213.04
4	4,666.76	4,666.76	4,666.76	4,666.76	4,409.51	4,409.51	4,409.51	4,409.51	4,150.79	4,150.79	4,150.79	4,150.79	4,150.79	3,892.07	3,892.07	3,892.07	3,892.07	3,633.35	3,633.35	3,633.35	3,633.35	3,314.14	3,314.14	3,314.14	3,314.14	2,944.54	2,944.54	2,944.54	2,944.54	2,574.94	2,574.94	2,574.94	2,574.94	2,205.34	2,205.34	2,205.34
1/4	4,661.40	4,661.40	4,661.40	4,661.40	4,404.12	4,404.12	4,404.12	4,404.12	4,145.40	4,145.40	4,145.40	4,145.40	4,145.40	3,886.68	3,886.68	3,886.68	3,886.68	3,627.96	3,627.96	3,627.96	3,627.96	3,306.44	3,306.44	3,306.44	3,306.44	2,936.84	2,936.84	2,936.84	2,936.84	2,567.24	2,567.24	2,567.24	2,567.24	2,197.64	2,197.64	2,197.64
1/2	4,656.04	4,656.04	4,656.04	4,656.04	4,398.73	4,398.73	4,398.73	4,398.73	4,140.01	4,140.01	4,140.01	4,140.01	4,140.01	3,881.29	3,881.29	3,881.29	3,881.29	3,622.57	3,622.57	3,622.57	3,622.57	3,298.74	3,298.74	3,298.74	3,298.74	2,929.14	2,929.14	2,929.14	2,929.14	2,559.54	2,559.54	2,559.54	2,559.54	2,189.94	2,189.94	2,189.94
3/4	4,650.69	4,650.69	4,650.69	4,650.69	4,393.34	4,393.34	4,393.34	4,393.34	4,134.62	4,134.62	4,134.62	4,134.62	4,134.62	3,875.90	3,875.90	3,875.90	3,875.90	3,617.18	3,617.18	3,617.18	3,617.18	3,291.04	3,291.04	3,291.04	3,291.04	2,921.44	2,921.44	2,921.44	2,921.44	2,551.84	2,551.84	2,551.84	2,551.84	2,184.24	2,184.24	2,184.24
5	4,645.33	4,645.33	4,645.33	4,645.33	4,387.95	4,387.95	4,387.95	4,387.95	4,129.23	4,129.23	4,129.23	4,129.23	4,129.23	3,870.51	3,870.51	3,870.51	3,870.51	3,611.79	3,611.79	3,611.79	3,611.79	3,283.34	3,283.34	3,283.34	3,283.34	2,913.74	2,913.74	2,913.74	2,913.74	2,544.14	2,544.14	2,544.14	2,544.14	2,174.54	2,174.54	2,174.54
1/4	4,639.97	4,639.97	4,639.97	4,639.97	4,382.56	4,382.56	4,382.56	4,382.56	4,123.84	4,123.84	4,123.84	4,123.84	4,123.84	3,865.12	3,865.12	3,865.12	3,865.12	3,606.40	3,606.40	3,606.40	3,606.40	3,275.64	3,275.64	3,275.64	3,275.64	2,906.04	2,906.04	2,906.0								



BARGE "FMT-6004" FLORIDA MARINE

INNAGE TABLE

1 PORT OR STAR

INSPECTORATE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

Table with columns for depth (0 FT. to 15 FT.) and rows for various measurements (0 to 3/4). Each cell contains numerical values representing innage measurements.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 8/4/14

* CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT : 15'-9 1/2" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STAR REFERENCE GAUGE HEIGHT : 15'-9 1/4" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-6004"
FLORIDA MARINE

INNAGE TABLE

2 PORT OR STAR

INSPECTORATE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

Table with columns for depth (0 FT. to 15 FT.) and rows for measurements. Each cell contains a reading value.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 8/4/14

* CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT : 15'-9 1/4" (TO RIM OF 2" DIA. BALL VALVE
LOCATED NEAR CENTER OF TANK)

STAR REFERENCE GAUGE HEIGHT : 15'-9 1/2" (TO RIM OF 2" DIA. BALL VALVE
LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-6004" FLORIDA MARINE

INNAGE TABLE

3 PORT OR STAR

INSPECTORATE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
0	* 15.62	0	366.96	0	733.54	0	1,100.11	0	1,466.66	0	1,835.74	0	2,205.34	0	2,574.94	0	2,944.54	0	3,314.14	0	3,683.35	0	3,892.07	0	4,150.79	0	4,409.51	0	4,666.76	0	4,871.98
1/4	20.40	1/4	374.60	1/4	741.17	1/4	1,107.75	1/4	1,474.29	1/4	1,843.44	1/4	2,213.04	1/4	2,582.64	1/4	2,952.24	1/4	3,321.84	1/4	3,638.74	1/4	3,897.46	1/4	4,156.18	1/4	4,414.90	1/4	4,672.12	1/4	4,872.30
1/2	25.18	1/2	382.23	1/2	748.81	1/2	1,115.39	1/2	1,481.93	1/2	1,851.14	1/2	2,220.74	1/2	2,590.34	1/2	2,959.94	1/2	3,329.54	1/2	3,644.13	1/2	3,902.85	1/2	4,161.57	1/2	4,420.29	1/2	4,677.48	1/2	4,872.61
3/4	29.96	3/4	389.87	3/4	756.45	3/4	1,123.02	3/4	1,489.56	3/4	1,858.84	3/4	2,228.44	3/4	2,598.04	3/4	2,967.64	3/4	3,337.24	3/4	3,649.52	3/4	3,908.24	3/4	4,166.96	3/4	4,425.65	3/4	4,682.83	3/4	4,872.61
1	34.73	1	397.51	1	764.08	1	1,130.66	1	1,497.20	1	1,866.54	1	2,236.14	1	2,605.74	1	2,975.34	1	3,344.94	1	3,654.91	1	3,913.63	1	4,172.35	1	4,431.01	1	4,688.19	1	4,871.98
1/4	41.42	1/4	405.15	1/4	771.72	1/4	1,138.30	1/4	1,504.84	1/4	1,874.24	1/4	2,243.84	1/4	2,613.44	1/4	2,983.04	1/4	3,352.64	1/4	3,660.30	1/4	3,919.02	1/4	4,177.74	1/4	4,436.37	1/4	4,693.55	1/4	4,871.98
1/2	48.11	1/2	412.78	1/2	779.36	1/2	1,145.93	1/2	1,512.47	1/2	1,881.94	1/2	2,251.54	1/2	2,621.14	1/2	2,990.74	1/2	3,360.34	1/2	3,665.69	1/2	3,924.41	1/2	4,183.13	1/2	4,441.72	1/2	4,698.91	1/2	4,872.61
3/4	54.79	3/4	420.42	3/4	786.99	3/4	1,153.57	3/4	1,520.11	3/4	1,889.64	3/4	2,259.24	3/4	2,628.84	3/4	2,998.44	3/4	3,368.04	3/4	3,671.08	3/4	3,929.80	3/4	4,188.52	3/4	4,447.08	3/4	4,704.27	3/4	4,872.61
2	61.48	2	428.06	2	794.63	2	1,161.21	2	1,527.74	2	1,897.34	2	2,266.94	2	2,636.54	2	3,006.14	2	3,375.74	2	3,676.47	2	3,935.19	2	4,193.91	2	4,452.44	2	4,709.62	2	4,871.98
1/4	69.12	1/4	435.69	1/4	802.27	1/4	1,168.85	1/4	1,535.44	1/4	1,905.04	1/4	2,274.64	1/4	2,644.24	1/4	3,013.84	1/4	3,383.44	1/4	3,681.86	1/4	3,940.58	1/4	4,199.30	1/4	4,457.80	1/4	4,714.98	1/4	4,872.61
1/2	76.75	1/2	443.33	1/2	809.91	1/2	1,176.48	1/2	1,543.14	1/2	1,912.74	1/2	2,282.34	1/2	2,651.94	1/2	3,021.54	1/2	3,391.14	1/2	3,687.25	1/2	3,945.97	1/2	4,204.69	1/2	4,463.16	1/2	4,720.34	1/2	4,872.61
3/4	84.39	3/4	450.97	3/4	817.54	3/4	1,184.12	3/4	1,550.84	3/4	1,920.44	3/4	2,290.04	3/4	2,659.64	3/4	3,029.24	3/4	3,398.84	3/4	3,692.64	3/4	3,951.36	3/4	4,210.08	3/4	4,468.51	3/4	4,725.70	3/4	4,872.61
3	92.03	3	458.60	3	825.18	3	1,191.76	3	1,558.54	3	1,928.14	3	2,297.74	3	2,667.34	3	3,036.94	3	3,406.54	3	3,698.03	3	3,956.75	3	4,215.47	3	4,474.08	3	4,730.66	3	4,872.61
1/4	99.67	1/4	466.24	1/4	832.82	1/4	1,199.39	1/4	1,566.24	1/4	1,935.84	1/4	2,305.44	1/4	2,675.04	1/4	3,044.64	1/4	3,414.24	1/4	3,703.42	1/4	3,962.14	1/4	4,220.86	1/4	4,479.23	1/4	4,736.41	1/4	4,872.61
1/2	107.30	1/2	473.88	1/2	840.45	1/2	1,207.03	1/2	1,573.94	1/2	1,943.54	1/2	2,313.14	1/2	2,682.74	1/2	3,052.34	1/2	3,421.94	1/2	3,708.81	1/2	3,967.53	1/2	4,226.25	1/2	4,484.59	1/2	4,741.77	1/2	4,872.61
3/4	114.94	3/4	481.52	3/4	848.09	3/4	1,214.67	3/4	1,581.64	3/4	1,951.24	3/4	2,320.84	3/4	2,690.44	3/4	3,060.04	3/4	3,429.64	3/4	3,714.20	3/4	3,972.92	3/4	4,231.64	3/4	4,489.95	3/4	4,747.13	3/4	4,872.61
4	122.58	4	489.15	4	855.73	4	1,222.30	4	1,589.34	4	1,958.94	4	2,328.54	4	2,698.14	4	3,067.74	4	3,437.09	4	3,719.59	4	3,978.31	4	4,237.03	4	4,495.30	4	4,752.49	4	4,872.61
1/4	130.21	1/4	496.79	1/4	863.36	1/4	1,229.94	1/4	1,597.04	1/4	1,966.64	1/4	2,336.24	1/4	2,705.84	1/4	3,075.44	1/4	3,444.53	1/4	3,724.98	1/4	3,983.70	1/4	4,242.42	1/4	4,500.66	1/4	4,757.85	1/4	4,872.61
1/2	137.85	1/2	504.43	1/2	871.00	1/2	1,237.58	1/2	1,604.74	1/2	1,974.34	1/2	2,343.94	1/2	2,713.54	1/2	3,083.14	1/2	3,451.97	1/2	3,730.37	1/2	3,989.09	1/2	4,247.81	1/2	4,506.02	1/2	4,763.20	1/2	4,872.61
3/4	145.49	3/4	512.06	3/4	878.64	3/4	1,245.21	3/4	1,612.44	3/4	1,982.04	3/4	2,351.64	3/4	2,721.24	3/4	3,090.84	3/4	3,459.41	3/4	3,735.76	3/4	3,994.48	3/4	4,253.20	3/4	4,511.38	3/4	4,768.56	3/4	4,872.61
5	153.12	5	519.70	5	886.28	5	1,252.85	5	1,620.14	5	1,989.74	5	2,359.34	5	2,728.94	5	3,098.54	5	3,466.46	5	3,741.15	5	3,999.87	5	4,258.59	5	4,516.74	5	4,773.92	5	4,872.61
1/4	160.76	1/4	527.34	1/4	893.91	1/4	1,260.48	1/4	1,627.84	1/4	1,997.44	1/4	2,367.04	1/4	2,736.64	1/4	3,106.24	1/4	3,473.51	1/4	3,746.54	1/4	4,005.26	1/4	4,263.98	1/4	4,522.09	1/4	4,779.28	1/4	4,872.61
1/2	168.40	1/2	534.97	1/2	901.55	1/2	1,268.12	1/2	1,635.54	1/2	2,005.14	1/2	2,374.74	1/2	2,744.34	1/2	3,113.94	1/2	3,480.56	1/2	3,751.93	1/2	4,010.65	1/2	4,269.37	1/2	4,527.45	1/2	4,784.64	1/2	4,872.61
3/4	176.04	3/4	542.61	3/4	909.19	3/4	1,275.76	3/4	1,643.24	3/4	2,012.84	3/4	2,382.44	3/4	2,752.04	3/4	3,121.64	3/4	3,487.62	3/4	3,757.32	3/4	4,016.04	3/4	4,274.76	3/4	4,532.81	3/4	4,789.99	3/4	4,872.61
6	183.67	6	550.25	6	916.82	6	1,283.39	6	1,650.94	6	2,020.54	6	2,390.14	6	2,759.74	6	3,129.34	6	3,494.28	6	3,762.71	6	4,021.43	6	4,280.15	6	4,538.17	6	4,795.35	6	4,872.61
1/4	191.31	1/4	557.89	1/4	924.46	1/4	1,291.03	1/4	1,658.64	1/4	2,028.24	1/4	2,397.84	1/4	2,767.44	1/4	3,137.04	1/4	3,500.94	1/4	3,768.10	1/4	4,026.82	1/4	4,285.54	1/4	4,543.53	1/4	4,800.71	1/4	4,872.61
1/2	198.95	1/2	565.52	1/2	932.10	1/2	1,298.66	1/2	1,666.34	1/2	2,035.94	1/2	2,405.54	1/2	2,775.14	1/2	3,144.74	1/2	3,507.60	1/2	3,773.49	1/2	4,032.21	1/2	4,290.93	1/2	4,548.88	1/2	4,806.07	1/2	4,872.61
3/4	206.58	3/4	573.16	3/4	939.73	3/4	1,306.30	3/4	1,674.04	3/4	2,043.64	3/4	2,413.24	3/4	2,782.84	3/4	3,152.44	3/4	3,514.26	3/4	3,778.88	3/4	4,037.60	3/4	4,296.32	3/4	4,554.24	3/4	4,811.43	3/4	4,872.61
7	214.22	7	580.80	7	947.37	7	1,313.94	7	1,681.74	7	2,051.34	7	2,420.94	7	2,790.54	7	3,160.14	7	3,520.52	7	3,784.27	7	4,042.99	7	4,301.71	7	4,559.60	7	4,816.31	7	4,872.61
1/4	221.86	1/4	588.43	1/4	955.01	1/4	1,321.57	1/4	1,689.44	1/4	2,059.04	1/4	2,428.64	1/4	2,798.24	1/4	3,167.84	1/4	3,526.79	1/4	3,789.66	1/4	4,048.38	1/4	4,307.10	1/4	4,564.96	1/4	4,821.20	1/4	4,872.61
1/2	229.49	1/2	596.07	1/2	962.65	1/2	1,329.21	1/2	1,697.14	1/2	2,066.74	1/2	2,436.34	1/2	2,805.94	1/2	3,175.54	1/2	3,533.06	1/2	3,795.05	1/2	4,053.77	1/2	4,312.49	1/2	4,570.32	1/2	4,826.09	1/2	4,872.61
3/4	237.13	3/4	603.71	3/4	970.28	3/4	1,336.84	3/4	1,704.84	3/4	2,074.44	3/4	2,444.04	3/4	2,813.64	3/4	3,183.24	3/4	3,539.33	3/4	3,800.44	3/4	4,059.16	3/4	4,317.88	3/4	4,575.67	3/4	4,830.98	3/4	4,872.61
8	244.77	8	611.34	8	977.92	8	1,344.48	8	1,712.54	8	2,082.14	8	2,451.74	8	2,821.34	8	3,190.94	8	3,545.21	8	3,805.83	8	4,064.55	8	4,323.27	8	4,581.03	8	4,834.93	8	4,872.61
1/4	252.41	1/4	618.98	1/4	985.56	1/4	1,352.12	1/4	1,720.24	1/4	2,089.84	1/4	2,459.44	1/4	2,829.04	1/4	3,198.64	1/4	3,551.09	1/4	3,811.22	1/4	4,069.94	1/4	4,328.66	1/4	4,586.39	1/4	4,838.88	1/4	4,872.61
1/2	260.04	1/2	626.62	1/2	993.19	1/2	1,359.75																								



BARGE "FMT-6004" FLORIDA MARINE INNAGE TABLE

SLOP TANK PORT

INSPECTORATE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

	0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.
0	0.00	0	26.74	0	53.47	0	80.21	0	106.94																				
1/4	0.56	1/4	27.29	1/4	54.03	1/4	80.77	1/4	107.50																				
1/2	1.11	1/2	27.85	1/2	54.59	1/2	81.32	1/2	108.06																				
3/4	1.67	3/4	28.41	3/4	55.14	3/4	81.88	3/4	108.62																				
1	2.23	1	28.96	1	55.70	1	82.44	1	109.17																				
1/4	2.79	1/4	29.52	1/4	56.26	1/4	82.99	1/4	109.73																				
1/2	3.34	1/2	30.08	1/2	56.81	1/2	83.55	1/2	110.29																				
3/4	3.90	3/4	30.64	3/4	57.37	3/4	84.11	3/4	110.84																				
2	4.46	2	31.19	2	57.93	2	84.66	2	111.40																				
1/4	5.01	1/4	31.75	1/4	58.49	1/4	85.22	1/4	111.96																				
1/2	5.57	1/2	32.31	1/2	59.04	1/2	85.78	1/2	112.51																				
3/4	6.13	3/4	32.86	3/4	59.60	3/4	86.34	3/4	113.07																				
3	6.68	3	33.42	3	60.16	3	86.89	3	113.63																				
1/4	7.24	1/4	33.98	1/4	60.71	1/4	87.45	1/4	114.19																				
1/2	7.80	1/2	34.53	1/2	61.27	1/2	88.01	1/2	114.74																				
3/4	8.36	3/4	35.09	3/4	61.83	3/4	88.56	3/4	115.30																				
4	8.91	4	35.65	4	62.38	4	89.12	4	115.86																				
1/4	9.47	1/4	36.21	1/4	62.94	1/4	89.68	1/4	116.41																				
1/2	10.03	1/2	36.76	1/2	63.50	1/2	90.23	1/2	116.97																				
3/4	10.58	3/4	37.32	3/4	64.06	3/4	90.79	3/4	117.53																				
5	11.14	5	37.88	5	64.61	5	91.35	5	118.08																				
1/4	11.70	1/4	38.43	1/4	65.17	1/4	91.91	1/4	118.64																				
1/2	12.25	1/2	38.99	1/2	65.73	1/2	92.46	1/2	119.20																				
3/4	12.81	3/4	39.55	3/4	66.28	3/4	93.02	3/4	119.76																				
6	13.37	6	40.10	6	66.84	6	93.58	6	120.31																				
1/4	13.93	1/4	40.66	1/4	67.40	1/4	94.13	1/4	120.87																				
1/2	14.48	1/2	41.22	1/2	67.95	1/2	94.69	1/2	121.43																				
3/4	15.04	3/4	41.78	3/4	68.51	3/4	95.25	3/4	121.98																				
7	15.60	7	42.33	7	69.07	7	95.80	7	122.54																				
1/4	16.15	1/4	42.89	1/4	69.63	1/4	96.36	1/4	123.10																				
1/2	16.71	1/2	43.45	1/2	70.18	1/2	96.92	1/2	123.65																				
3/4	17.27	3/4	44.00	3/4	70.74	3/4	97.48	3/4	124.21																				
8	17.82	8	44.56	8	71.30	8	98.03	8	124.77																				
1/4	18.38	1/4	45.12	1/4	71.85	1/4	98.59	1/4	125.33																				
1/2	18.94	1/2	45.67	1/2	72.41	1/2	99.15	1/2	125.88																				
3/4	19.50	3/4	46.23	3/4	72.97	3/4	99.70	3/4	126.44																				
9	20.05	9	46.79	9	73.52	9	100.26	9	127.00																				
1/4	20.61	1/4	47.35	1/4	74.08	1/4	100.82	1/4	127.55																				
1/2	21.17	1/2	47.90	1/2	74.64	1/2	101.37	1/2	128.11																				
3/4	21.72	3/4	48.46	3/4	75.20	3/4	101.93	3/4	128.67																				
10	22.28	10	49.02	10	75.75	10	102.49	10	129.22																				
1/4	22.84	1/4	49.57	1/4	76.31	1/4	103.05	1/4	129.78																				
1/2	23.39	1/2	50.13	1/2	76.87	1/2	103.60	1/2	130.34																				
3/4	23.95	3/4	50.69	3/4	77.42	3/4	104.16	3/4	130.90																				
11	24.51	11	51.24	11	77.98	11	104.72	11	131.46																				
1/4	25.07	1/4	51.80	1/4	78.54	1/4	105.27	1/4	132.01																				
1/2	25.62	1/2	52.36	1/2	79.09	1/2	105.83	1/2	132.57																				
3/4	26.18	3/4	52.92	3/4	79.65	3/4	106.39	3/4	133.13																				

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 8/4/14

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

[Signature]
INSPECTORATE AMERICA CORPORATION



BARGE "FMT-6004"
FLORIDA MARINE
 INNAGE TABLE

SLOP TANK
STAR

INSPECTORATE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. T0-95

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.
0	0.00	0	25.81	0	51.62	0	77.43	0	103.24						
1/4	0.54	1/4	26.35	1/4	52.16	1/4	77.97	1/4	103.78						
1/2	1.08	1/2	26.89	1/2	52.69	1/2	78.50	1/2	104.31						
3/4	1.61	3/4	27.42	3/4	53.23	3/4	79.04	3/4	104.85						
1	2.15	1	27.96	1	53.77	1	79.58	1	105.39						
1/4	2.69	1/4	28.50	1/4	54.31	1/4	80.12	1/4	105.93						
1/2	3.23	1/2	29.04	1/2	54.85	1/2	80.66	1/2	106.46						
3/4	3.76	3/4	29.57	3/4	55.38	3/4	81.19	3/4	107.00						
2	4.30	2	30.11	2	55.92	2	81.73	2	107.54						
1/4	4.84	1/4	30.65	1/4	56.46	1/4	82.27	1/4	108.08						
1/2	5.38	1/2	31.19	1/2	57.00	1/2	82.81	1/2	108.62						
3/4	5.91	3/4	31.72	3/4	57.53	3/4	83.34	3/4	109.15						
3	6.45	3	32.26	3	58.07	3	83.88	3	109.69						
1/4	6.99	1/4	32.80	1/4	58.61	1/4	84.42	1/4	110.23						
1/2	7.53	1/2	33.34	1/2	59.15	1/2	84.96	1/2	110.77						
3/4	8.07	3/4	33.88	3/4	59.68	3/4	85.49	3/4	111.30						
4	8.60	4	34.41	4	60.22	4	86.03	4	111.84						
1/4	9.14	1/4	34.95	1/4	60.76	1/4	86.57	1/4	112.38						
1/2	9.68	1/2	35.49	1/2	61.30	1/2	87.11	1/2	112.92						
3/4	10.22	3/4	36.03	3/4	61.84	3/4	87.65	3/4	113.45						
5	10.75	5	36.56	5	62.37	5	88.18	5	113.99						
1/4	11.29	1/4	37.10	1/4	62.91	1/4	88.72	1/4	114.53						
1/2	11.83	1/2	37.64	1/2	63.45	1/2	89.26	1/2	115.07						
3/4	12.37	3/4	38.18	3/4	63.99	3/4	89.80	3/4	115.61						
6	12.90	6	38.71	6	64.52	6	90.33	6	116.14						
1/4	13.44	1/4	39.25	1/4	65.06	1/4	90.87	1/4	116.68						
1/2	13.98	1/2	39.79	1/2	65.60	1/2	91.41	1/2	117.22						
3/4	14.52	3/4	40.33	3/4	66.14	3/4	91.95	3/4	117.76						
7	15.06	7	40.87	7	66.67	7	92.48	7	118.29						
1/4	15.59	1/4	41.40	1/4	67.21	1/4	93.02	1/4	118.83						
1/2	16.13	1/2	41.94	1/2	67.75	1/2	93.56	1/2	119.37						
3/4	16.67	3/4	42.48	3/4	68.29	3/4	94.10	3/4	119.91						
8	17.21	8	43.02	8	68.83	8	94.64	8	120.44						
1/4	17.74	1/4	43.55	1/4	69.36	1/4	95.17	1/4	120.98						
1/2	18.28	1/2	44.09	1/2	69.90	1/2	95.71	1/2	121.52						
3/4	18.82	3/4	44.63	3/4	70.44	3/4	96.25	3/4	122.06						
9	19.36	9	45.17	9	70.98	9	96.79	9	122.60						
1/4	19.89	1/4	45.70	1/4	71.51	1/4	97.32	1/4	123.13						
1/2	20.43	1/2	46.24	1/2	72.05	1/2	97.86	1/2	123.67						
3/4	20.97	3/4	46.78	3/4	72.59	3/4	98.40	3/4	124.21						
10	21.51	10	47.32	10	73.13	10	98.94	10	124.75						
1/4	22.05	1/4	47.86	1/4	73.66	1/4	99.47	1/4	125.28						
1/2	22.58	1/2	48.39	1/2	74.20	1/2	100.01	1/2	125.82						
3/4	23.12	3/4	48.93	3/4	74.74	3/4	100.55								
11	23.66	11	49.47	11	75.28	11	101.09								
1/4	24.20	1/4	50.01	1/4	75.82	1/4	101.63								
1/2	24.73	1/2	50.54	1/2	76.35	1/2	102.16								
3/4	25.27	3/4	51.08	3/4	76.89	3/4	102.70								

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 8/4/14

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.


 INSPECTORATE AMERICA CORPORATION