



**United States of America
Department of Homeland Security
United States Coast Guard**

Certification Date:	21 Oct 2024
Expiration Date:	21 Oct 2029

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	IMO Number	Call Sign	Service
FMT 3011	1097689			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
NEW ORLEANS, LA	Steel		
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
MADISONVILLE, LA	31May2000	20Mar2000	R-1619	R-1619		R-297.5
UNITED STATES			I-	I-		I0

Owner	Operator
FMT INDUSTRIES LLC 2360 5TH ST MANDEVILLE, LA 70471 UNITED STATES	FLORIDA MARINE LLC 2360 Fifth Street Mandeville, LA 70471 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:
---Lakes, Bays, and Sounds---

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR Table 31.10-21(b); if this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals and the cognizant OCMI notified in writing as soon as this change in status occurs.

*****SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION*****

With this Inspection for Certification having been completed at New Orleans, LA, UNITED STATES, the Officer in Charge, Marine Inspection, Sector New Orleans certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by: D. VELEZ COMMANDER , By direction Officer in Charge, Marine Inspection Sector New Orleans Inspection Zone
Date	Zone	A/P/R	Signature	



Certificate of Inspection

Vessel Name: FMT3011

This tank barge is participating in the Eighth-Ninth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan. Inspection issues concerning this barge should be directed to Sector New Orleans OCMI.

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	31Oct2034	04Oct2024	09Feb2015
Internal Structure	31Oct2029	04Oct2024	02Apr2020

---Stability---

Type	Issued Date	Office
Book	None Valid	

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: GRADE "A" AND LOWER AND SPECIFIED HAZARDOUS CARGOES

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
33094	Barrels	A	Yes	No	No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	850	13.500
2 P/S	873	13.500
3 P/S	852	13.500

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	3902	9ft 6in	13.5	RIVERS; LAKES, BAYS AND SOUNDS
III	4906	11ft 6in	13.5	RIVERS; LAKES, BAYS AND SOUNDS

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial #VN00008245, dated May 31, 2000, and Grade "A" and lower cargoes may be carried.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "COMPAT GRP" column listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person in Charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

Stability and Trim

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter "O" cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.



Certificate of Inspection

Vessel Name: FMT 3011

The maximum density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 13.5 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Vapor Control Authorization

This vessel's vapor control system has been inspected to the plans approved by the Marine Safety Center letter serial #C2-9905612 dated November 23, 1999 and the list of authorized cargoes on the CAA, Serial # VN- 00008245 dated May 31, 2000 and found acceptable for the collection of cargo vapors from those specific subchapter "D" cargoes contained in that letter, and those specified hazardous cargoes annotated with either "V" or "T" in the CAA. The letter "V" in the note column of the CAA signifies approval for vapor control without any additional requirements. The letter "T" in the note column of the CAA signifies that the cargo is highly toxic and that spill valves or rupture disks are not authorized as the primary means of overfill protection required by 46 CFR 39.2009. A high level and overfill alarm is required by 46 CFR 39.2007.

--- Inspection Status ---

Cargo Tanks

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
1 P/S	09Feb2015	21Oct2024	21Oct2034	-	-	-
2 P/S	09Feb2015	21Oct2024	21Oct2034	-	-	-
3 P/S	09Feb2015	21Oct2024	21Oct2034	-	-	-

Hydro Test

Tank Id	Safety Valves		Hydro Test		
	Previous	Last	Previous	Last	Next
1 P/S	-	-	-	-	-
2 P/S	-	-	-	-	-
3 P/S	-	-	-	-	-

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity	Class Type
2	40-B

END



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **FMT 3011**
Official #: D1097689

Shipyard: TRINITY MARINE SHIP
Hull #: 2080-3

List of Authorized Cargoes

Cargo Identification						Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
		Group No	Exc				
Authorized Subchapter O Cargoes							
Ammonium bisulfite solution (70% or less)	ABX	43	Y		III		50-73, 56-1(a), (b), (c)
Adiponitrile	ADN	37	N	E	II	V	No
Aminoethylethanolamine	AEE	8	N	E	III		55-1(b)
Anthracene oil (Coal tar fraction)	AHO	33	N		II		No
Alkyl(C7-C9) nitrates	AKN	34	Y		III		50-81, 50-86
Ammonium hydroxide (28% or less NH3)	AMH	6	N		III		56-1(a), (b), (c), (f), (g)
Acetonitrile	ATN	37	N	C	III	T	No
Butyraldehyde (all isomers)	BAE	19	N	C	III	V	55-1(h)
Benzene	BNZ	32	N	C	III	V	50-60
Benzene, Toluene, Xylene mixtures (having 10% Benzene or more)	BTX	32	N	B/C	III	V	50-60
Carbon tetrachloride	CBT	36	N		III		No
Cyclohexanone	CCH	18	N	D	III	V	56-1(a), (b)
Creosote (all isomers)	CCW	21	Y	E	III	V	No
Cyclohexylamine	CHA	7	N	D	III	V	56-1(a), (b), (c), (g)
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	0	N	C	III		No
Camphor oil (light)	CPO	18	N	D	II		No
Chlorobenzene	CRB	36	N	D	III	V	No
Cresols (all isomers)	CRS	21	N	E	III	V	No
Cresylic acid tar	CRX	21	N		III	V	55-1(f)
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	N	D	III	V	50-60, 56-1(b)
Cresylate spent caustic	CSC	5	N		III		50-73, 55-1(b)
N,N-Dimethylacetamide	DAC	10	N	E	III	T	56-1(b)
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0	Y		III		56-1(a), (b), (c), (g)
Diisobutylamine	DBU	7	N	D	III	T	55-1(c)
Dichlorobenzenes (all isomers)	DBX	36	N	E	III	T	56-1(a), (b)
1,1-Dichloroethane	DCH	36	N	C	III	V	No
Dichloromethane	DCM	36	N	NF	III		No
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution (70% or less)	DDA	0	Y	NF	III		55-1(b)
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	N		III		56-1(a), (b), (c), (g)
Diethanolamine	DEA	8	N	E	III	V	55-1(c)
2,2'-Dichloroethyl ether	DEE	41	N	D	II	V	55-1(f)
Diethylamine	DEN	7	N	C	III	T	55-1(c)
Diethylenetriamine	DET	7	Y	E	III	V	55-1(c)
Diisopropylamine	DIA	7	N	C	II	T	55-1(c)
Diisopropanolamine	DIP	8	N	E	III	V	55-1(c)
Dimethylethanolamine	DMB	8	N	D	III	V	56-1(b), (c)
Dimethylformamide	DMF	10	N	D	III	V	55-1(e)
Dichloropropene, Dichloropropane mixtures	DMX	15	N		II	V	No
Di-n-propylamine	DNA	7	N	C	II		55-1(c)
Dodecyl dimethylamine, Tetradecyl dimethylamine mixture	DOT	7	N	E	III		56-1(b)
1,1-Dichloropropane	DPB	36	N	C	III	T	No
1,3-Dichloropropane	DPC	36	N	C	III	T	No
1,2-Dichloropropane	DPP	36	N	C	III	T	No
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43	Y		III		56-1(a), (b), (c), (g)
Ethylamine solution (72% or less)	EAN	7	N	A	II	T	55-1(b)
N-Ethylbutylamine	EBA	7	N	C	III	T	55-1(b)
N-Ethylcyclohexylamine	ECC	7	N	D	III	V	55-1(b)
Ethylenediamine	EDA	7	Y	D	III	V	55-1(c)



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **FMT 3011**
Official #: D1097689

Shipyards: TRINITY MARI
Hull #: 2080-3

Cargo Identification							Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'l's of Construction	
		Group No	Exc					
Ethylene dichloride	EDC	36	Y	C	III	V	No	
Ethylene glycol monoalkyl ethers	EGC	40	N	D/E	III	V	No	
Ethylene glycol hexyl ether	EGH	40	N	E	III		No	
Ethylene glycol propyl ether	EGP	40	N	E	III	V	No	
2-Ethyl-3-propylacrolein	EPA	19	Y	E	III	V	No	
Ethylene cyanohydrin	ETC	20	N	E	III	V	No	
Furfural	FFA	19	N	E	III	V	.55-1(h)	
Formaldehyde solution (37% to 50%)	FMS	19	Y	D/E	III	V	.55-1(h)	
Glutaraldehyde solution (50% or less)	GTA	19	N	NF	III	V	No	
Hydrocarbon 5-9	HFN	30	N	A	III	V	50-70(a), 50-81(a), (b)	
Hexamethylenediamine solution	HMC	7	N	E	III	V	.55-1(c)	
Hexamethyleneimine	HMI	7	N	C	II	V	.56-1(b), (c)	
Isoprene, Pentadiene mixture	IPN	30	N	A	III		.50-70(a), .55-1(c)	
iso-Propylamine	IPP	7	N	A	II	V	.55-1(c)	
Kraft pulping liquors (free alkali content 3% or more)	KPL	5	N		III		.50-73, .56-1(a), (c), (g)	
Methylcyclopentadiene dimer	MCK	30	N	C	III	V	No	
Methyl diethanolamine	MDE	8	N	E	III	V	.56-1(b), (c)	
Ethanolamine	MEA	8	N	E	III	V	.55-1(c)	
2-Methyl-5-ethylpyridine	MEP	9	N	E	III	V	.55-1(e)	
iso-Propanolamine	MPA	8	N	E	III	V	.55-1(c)	
Morpholine	MPL	7	Y	D	III	V	.55-1(e)	
2-Methylpyridine	MPR	9	N	D	III	T	.55-1(c)	
Mesityl oxide	MSO	18	Y	D	III	V	No	
Coal tar naphtha solvent	NCT	33	N	D	III	V	.50-73	
1- or 2-Nitropropane	NPM	42	N	D	III	V	.50-81	
Propanolamine (iso-, n-)	PAX	8	N	E	III	V	.56-1(b), (c)	
Polyethylene polyamines	PEB	7	Y	E	III	V	.55-1(e)	
Perchloroethylene	PER	36	N	NF	III		No	
Pyridine	PRD	9	N	C	III	V	.55-1(e)	
Sodium aluminate solution (45% or less)	SAU	5	N		III		.50-73, .56-1(a), (b), (c)	
Sodium chlorate solution (50% or less)	SDD	0	Y	NF	III		.50-73	
Sodium hypochlorite solution (20% or less)	SHQ	5	N	NF	III		.50-73, .56-1(a), (b)	
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0	Y		III		.50-73, .55-1(b)	
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0	Y		III		.50-73, .55-1(b)	
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0	Y		II		.50-73, .55-1(b)	
1,2,4-Trichlorobenzene	TCB	36	N	E	III	V	No	
Trichloroethylene	TCL	36	Y		III	V	No	
1,1,2-Trichloroethane	TCM	36	N		III	V	.50-73, .56-1(a)	
1,2,3-Trichloropropane	TCN	36	N	E	II	T	.50-73, .56-1(a)	
Triethanolamine	TEA	8	Y	E	III	V	.55-1(b)	
Triethylamine	TEN	7	N	C	II	T	.55-1(e)	
Triethylenetetramine	TET	7	Y	E	III	V	.55-1(b)	
Tetrahydrofuran	THF	41	N	C	III	V	.50-70(b)	
Triphenylborane (10% or less), caustic soda solution	TPB	5	N		III		.56-1(a), (b), (c)	
Tetraethylenepentamine	TTP	7	N	E	III	V	.55-1(c)	
Urea, Ammonium nitrate solution (containing more than 2% Ammonia)	UAS	6	N		III		.56-1(b)	
Vanillin black liquor (free alkali content 3% or more)	VBL	5	N		III		.50-73, .56-1(a), (c), (g)	



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **FMT 3011**
 Official #: D1097689

Shipyard: TRINITY MARI
 Hull #: 2080-3

Cargo Identification						Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat's of Construction
		Group No	Exc				

Explanation of terms & symbols used in the Table:

Cargo Identification

- Name The proper shipping name as listed in 46 CFR Table 151.05.
- Chem Code The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.
- Compatibilty Group No. The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.
- Exceptions (Exc) Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150.
- Grade The cargo classification assigned to each flammable or combustible liquid. Grades inside of "[]" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
 - A, B, C Flammable liquid cargoes, as defined in 46 CFR 30-10.22
 - D, E Combustible liquid cargoes, as defined in 46 CFR 30-10.15.
 - NA, NF Those subchapter O cargoes which are not classified as a flammable or combustible liquid.
 - # No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.
- Hull Type The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo. see 46 CFR 151.10-1.
 - I Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).
 - II Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).
 - III Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Conditions of Carriage

- Note See Certificate of Inspection for explanation of symbols used in this column.