



BARGE "FMT-3043"

FLORIDA MARINE

HULL NO. 2103-1

CORRECTION TABLE FOR TRIM AFT.

FOR INNAGE GAUGES ONLY

TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	NIL	(-) 0' - 0 1/8"	NIL
1'-0"	(-) 0' - 0 1/8"	(-) 0' - 0 1/8"	(-) 0' - 0 1/8"
1'-6"	(-) 0' - 0 1/8"	(-) 0' - 0 1/4"	(-) 0' - 0 1/8"
2'-0"	(-) 0' - 0 1/8"	(-) 0' - 0 1/4"	(-) 0' - 0 1/4"
2'-6"	(-) 0' - 0 1/8"	(-) 0' - 0 3/8"	(-) 0' - 0 1/4"
3'-0"	(-) 0' - 0 1/4"	(-) 0' - 0 3/8"	(-) 0' - 0 3/8"
3'-6"	(-) 0' - 0 1/4"	(-) 0' - 0 1/2"	(-) 0' - 0 3/8"
4'-0"	(-) 0' - 0 1/4"	(-) 0' - 0 5/8"	(-) 0' - 0 1/2"
4'-6"	(-) 0' - 0 1/4"	(-) 0' - 0 5/8"	(-) 0' - 0 1/2"
5'-0"	(-) 0' - 0 3/8"	(-) 0' - 0 3/4"	(-) 0' - 0 5/8"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED,
TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "OUTAGE" GAUGES, REVERSE SIGNS.

DATE: 2/7/02

BY:

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-3043"
FLORIDA MARINE

OUTAGE TABLE

1 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2103-1

Table with columns for depth (2 FT. to 16 FT.) and rows for measurement points (0, 1/4, 1/2, 3/4, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 14). Each cell contains a numerical value representing capacity or measurement.

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 16'-11" (GAUGE POINT LOCATED NEAR CENTER OF TANK)
GAUGE WITH HERMETIC GAUGE TAPE ONLY

STRAPPED: 2/7/02

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Signature
INSPECTORATE AMERICA CORPORATION



BARGE "FMT-3043" FLORIDA MARINE

OUTAGE TABLE

3 PORT

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2103-1

Table with columns for gauge height (IN) and capacity (CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS) for 2 FT. through 16 FT. gauges.

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 16'-11" (GAUGE POINT LOCATED NEAR CENTER OF TANK) GAUGE WITH HERMETIC GAUGE TAPE ONLY

STRAPPED: 2/7/02

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation logo and name