



# BARGE "FMT-3056"

## FLORIDA MARINE

HULL NO. 2090-8

### CORRECTION TABLE FOR TRIM AFT.

### FOR INNAGE GAUGES ONLY

TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	NIL	NIL	NIL
1'-0"	NIL	NIL	NIL
1'-6"	NIL	NIL	NIL
2'-0"	NIL	NIL	NIL
2'-6"	NIL	NIL	NIL
3'-0"	NIL	NIL	NIL
3'-6"	NIL	NIL	NIL
4'-0"	(-) 0'- 0 1/8"	NIL	NIL
4'-6"	(-) 0'- 0 1/8"	(+) 0'- 0 1/8"	NIL
5'-0"	(-) 0'- 0 1/8"	(+) 0'- 0 1/8"	NIL

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED,  
TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "OUTAGE" GAUGES, REVERSE SIGNS.

DATE: 3/19/01

BY:

INSPECTORATE AMERICA CORPORATION







BARGE "FMT-3056" FLORIDA MARINE

INNAGE TABLE

2 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2090-8

Table with columns for height (IN) and capacity (0 FT. to 14 FT.) and rows for depth (0 to 11 ft.). Includes capacity values and fractions (1/4, 1/2, 3/4) for each measurement.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 15'-5" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 3/19/01

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Signature and INSPECTORATE AMERICA CORPORATION text



BARGE "FMT-3056" FLORIDA MARINE

INNAGE TABLE

3 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2090-8

Table with columns for height (0 FT. to 14 FT.) and corresponding innage values. Includes a note: CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-4 1/2" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 3/19/01

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA CORPORATION





BARGE "FMT-3056" FLORIDA MARINE

INNAGE TABLE

3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2090-8

Table with columns for height (0 FT. to 14 FT.) and corresponding capacity values. Includes a note: CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-4 3/4" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 3/19/01

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature of an inspector

INSPECTORATE AMERICA CORPORATION









BARGE "FMT-3056" FLORIDA MARINE

OUTAGE TABLE

2 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2090-8

Table with 18 columns representing gauge heights from 0 FT. to 15 FT. and multiple rows representing different measurement points.

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-5" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 3/19/01

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature of the inspector

INSPECTORATE AMERICA CORPORATION



# BARGE "FMT-3056" FLORIDA MARINE

## OUTAGE TABLE

# 3 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2090-8

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	0	4,710.65	4,489.28	4,235.79	3,982.30	3,728.81	3,432.16	3,066.59	2,701.03	2,335.46	1,969.89	1,604.32	1,238.75	0	874.09	0
1/4	1/4	4,708.89	4,484.00	4,230.51	3,977.02	3,723.53	3,424.55	3,058.98	2,693.41	2,327.84	1,962.27	1,596.71	1,231.14	1/4	866.51	1/4
1/2	1/2	4,707.14	4,478.72	4,225.23	3,971.74	3,718.25	3,416.93	3,051.36	2,685.79	2,320.23	1,954.66	1,589.09	1,223.52	1/2	858.94	1/2
3/4	3/4	4,704.60	4,473.43	4,219.95	3,966.46	3,712.97	3,409.31	3,043.75	2,678.18	2,312.61	1,947.04	1,581.47	1,215.91	3/4	851.36	3/4
1	1	4,702.06	4,468.15	4,214.67	3,961.18	3,707.69	3,401.70	3,036.13	2,670.56	2,304.99	1,939.43	1,573.86	1,208.29	1	843.79	1
1/4	1/4	4,699.52	4,462.87	4,209.38	3,955.90	3,702.41	3,394.08	3,028.51	2,662.95	2,297.38	1,931.81	1,566.24	1,200.67	1/4	836.21	1/4
1/2	1/2	4,696.98	4,457.59	4,204.10	3,950.62	3,697.13	3,386.47	3,020.90	2,655.33	2,289.76	1,924.19	1,558.63	1,193.06	1/2	828.64	1/2
3/4	3/4	4,693.65	4,452.31	4,198.82	3,945.33	3,691.85	3,378.85	3,013.28	2,647.71	2,282.15	1,916.58	1,551.01	1,185.44	3/4	821.06	3/4
2	2	4,690.33	4,447.03	4,193.54	3,940.05	3,686.57	3,371.23	3,005.67	2,640.10	2,274.53	1,908.96	1,543.39	1,177.83	2	813.49	2
1/4	1/4	4,687.01	4,441.75	4,188.26	3,934.77	3,681.28	3,363.62	2,998.05	2,632.48	2,266.91	1,901.35	1,535.78	1,170.21	1/4	805.91	1/4
1/2	1/2	4,683.68	4,436.47	4,182.98	3,929.49	3,676.00	3,356.00	2,990.43	2,624.87	2,259.30	1,893.73	1,528.16	1,162.59	1/2	798.34	1/2
3/4	3/4	4,679.58	4,431.19	4,177.70	3,924.21	3,670.72	3,348.39	2,982.82	2,617.25	2,251.68	1,886.11	1,520.55	1,154.98	3/4	790.76	3/4
3	3	4,675.47	4,425.91	4,172.42	3,918.93	3,665.44	3,340.77	2,975.20	2,609.63	2,244.07	1,878.50	1,512.93	1,147.36	3	783.19	3
1/4	1/4	4,671.36	4,420.62	4,167.14	3,913.65	3,660.16	3,333.15	2,967.59	2,602.02	2,236.45	1,870.88	1,505.31	1,139.75	1/4	775.61	1/4
1/2	1/2	4,667.26	4,415.34	4,161.86	3,908.37	3,654.88	3,325.54	2,959.97	2,594.40	2,228.83	1,863.27	1,497.70	1,132.13	1/2	768.04	1/2
3/4	3/4	4,662.37	4,410.06	4,156.57	3,903.09	3,649.60	3,317.92	2,952.35	2,586.79	2,221.22	1,855.65	1,490.08	1,124.51	3/4	760.46	3/4
4	4	4,657.48	4,404.78	4,151.29	3,897.81	3,644.32	3,310.31	2,944.74	2,579.17	2,213.60	1,848.03	1,482.47	1,116.90	4	752.89	4
1/4	1/4	4,652.59	4,399.50	4,146.01	3,892.52	3,638.91	3,302.69	2,937.12	2,571.55	2,205.99	1,840.42	1,474.85	1,109.28	1/4	745.31	1/4
1/2	1/2	4,647.71	4,394.22	4,140.73	3,887.24	3,633.50	3,295.07	2,929.51	2,563.94	2,198.37	1,832.80	1,467.23	1,101.67	1/2	737.74	1/2
3/4	3/4	4,642.43	4,388.94	4,135.45	3,881.96	3,628.09	3,287.46	2,921.89	2,556.32	2,190.75	1,825.19	1,459.62	1,094.05	3/4	730.16	3/4
5	5	4,637.15	4,383.66	4,130.17	3,876.68	3,622.38	3,279.84	2,914.27	2,548.71	2,183.14	1,817.57	1,452.00	1,086.43	5	722.59	5
1/4	1/4	4,631.86	4,378.38	4,124.89	3,871.40	3,616.67	3,272.23	2,906.66	2,541.09	2,175.52	1,809.95	1,444.39	1,078.82	1/4	715.01	1/4
1/2	1/2	4,626.58	4,373.10	4,119.61	3,866.12	3,610.95	3,264.61	2,899.04	2,533.47	2,167.91	1,802.34	1,436.77	1,071.20	1/2	707.44	1/2
3/4	3/4	4,621.30	4,367.81	4,114.33	3,860.84	3,605.24	3,256.99	2,891.43	2,525.86	2,160.29	1,794.72	1,429.15	1,063.59	3/4	699.86	3/4
6	6	4,616.02	4,362.53	4,109.05	3,855.56	3,599.18	3,249.38	2,883.81	2,518.24	2,152.67	1,787.11	1,421.54	1,055.97	6	692.29	6
1/4	1/4	4,610.74	4,357.25	4,103.76	3,850.28	3,593.12	3,241.76	2,876.19	2,510.63	2,145.06	1,779.49	1,413.92	1,048.35	1/4	684.71	1/4
1/2	1/2	4,605.46	4,351.97	4,098.48	3,845.00	3,587.07	3,234.15	2,868.58	2,503.01	2,137.44	1,771.87	1,406.31	1,040.74	1/2	677.14	1/2
3/4	3/4	4,600.18	4,346.69	4,093.20	3,839.71	3,581.01	3,226.53	2,860.96	2,495.39	2,129.83	1,764.26	1,398.69	1,033.16	3/4	669.53	3/4
7	7	4,594.90	4,341.41	4,087.92	3,834.43	3,574.60	3,218.91	2,853.35	2,487.78	2,122.21	1,756.64	1,391.07	1,025.59	7	661.93	7
1/4	1/4	4,589.62	4,336.13	4,082.64	3,829.15	3,568.20	3,211.30	2,845.73	2,480.16	2,114.59	1,749.03	1,383.46	1,018.01	1/4	654.32	1/4
1/2	1/2	4,584.34	4,330.85	4,077.36	3,823.87	3,561.80	3,203.68	2,838.11	2,472.55	2,106.98	1,741.41	1,375.84	1,010.44	1/2	646.71	1/2
3/4	3/4	4,579.05	4,325.57	4,072.08	3,818.59	3,555.40	3,196.07	2,830.50	2,464.93	2,099.36	1,733.79	1,368.23	1,002.86	3/4	639.11	3/4
8	8	4,573.77	4,320.29	4,066.80	3,813.31	3,548.65	3,188.45	2,822.88	2,457.31	2,091.75	1,726.18	1,360.61	995.29	8	631.50	8
1/4	1/4	4,568.49	4,315.00	4,061.52	3,808.03	3,541.90	3,180.83	2,815.27	2,449.70	2,084.13	1,718.56	1,352.99	987.71	1/4	623.90	1/4
1/2	1/2	4,563.21	4,309.72	4,056.24	3,802.75	3,535.15	3,173.22	2,807.65	2,442.08	2,076.51	1,710.95	1,345.38	980.14	1/2	616.29	1/2
3/4	3/4	4,557.93	4,304.44	4,050.95	3,797.47	3,528.39	3,165.60	2,800.03	2,434.47	2,068.90	1,703.33	1,337.76	972.56	3/4	608.68	3/4
9	9	4,552.65	4,299.16	4,045.67	3,792.19	3,521.30	3,157.99	2,792.42	2,426.85	2,061.28	1,695.71	1,330.15	964.99	9	601.08	9
1/4	1/4	4,547.37	4,293.88	4,040.39	3,786.90	3,514.20	3,150.37	2,784.80	2,419.23	2,053.67	1,688.10	1,322.53	957.41	1/4	593.47	1/4
1/2	1/2	4,542.09	4,288.60	4,035.11	3,781.62	3,507.11	3,142.75	2,777.19	2,411.62	2,046.05	1,680.48	1,314.91	949.84	1/2	585.87	1/2
3/4	3/4	4,718.93	4,536.81	4,283.32	3,776.34	3,500.01	3,135.14	2,769.57	2,404.00	2,038.43	1,672.87	1,307.30	942.26	3/4	578.26	3/4
10	10	4,718.64	4,531.53	4,278.04	4,024.55	3,771.06	3,492.57	3,127.52	2,761.95	2,396.39	1,665.25	1,299.68	934.69	10	570.65	10
1/4	1/4	4,718.35	4,526.24	4,272.76	4,019.27	3,765.78	3,485.13	3,119.91	2,754.34	2,388.77	1,657.63	1,292.07	927.11	1/4	563.05	1/4
1/2	1/2	4,718.06	4,520.96	4,267.48	4,013.99	3,760.50	3,477.68	3,112.29	2,746.72	2,381.15	1,650.02	1,284.45	919.54	1/2	555.44	1/2
3/4	3/4	4,717.09	4,515.68	4,262.19	4,008.71	3,755.22	3,470.24	3,104.67	2,739.11	2,373.54	1,642.40	1,276.83	911.96	3/4	547.84	3/4
11	11	4,716.12	4,510.40	4,256.91	4,003.43	3,749.94	3,462.63	3,097.06	2,731.49	2,365.92	1,634.79	1,269.22	904.39	11	540.23	11
1/4	1/4	4,715.14	4,505.12	4,251.63	3,998.14	3,744.66	3,455.01	3,089.44	2,723.87	2,358.31	1,627.17	1,261.60	896.81	1/4	532.62	1/4
1/2	1/2	4,714.17	4,499.84	4,246.35	3,992.86	3,739.38	3,447.39	3,081.83	2,716.26	2,350.69	1,619.55	1,253.99	889.24	1/2	525.02	1/2
3/4	3/4	4,712.41	4,494.56	4,241.07	3,987.58	3,734.09	3,439.78	3,074.21	2,708.64	2,343.07	1,611.94	1,246.37	881.66	3/4	517.41	3/4

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-4 1/2" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 3/19/01

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-3056"  
FLORIDA MARINE

OUTAGE TABLE

3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2090-8

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0		0	4,710.65	0	4,489.28	0	4,235.79	0	3,982.30	0	3,728.81	0	3,432.16	0	3,066.59	0	2,701.03	0	2,335.46	0	1,969.89	0	1,604.32	0	1,238.75	0	874.09	0	509.81	0	144.72
1/4		1/4	4,708.89	1/4	4,484.00	1/4	4,230.51	1/4	3,977.02	1/4	3,723.53	1/4	3,424.55	1/4	3,058.98	1/4	2,693.41	1/4	2,327.84	1/4	1,962.27	1/4	1,596.71	1/4	1,231.14	1/4	866.51	1/4	502.20	1/4	137.11
1/2		1/2	4,707.14	1/2	4,478.72	1/2	4,225.23	1/2	3,971.74	1/2	3,718.25	1/2	3,416.93	1/2	3,051.36	1/2	2,685.79	1/2	2,320.23	1/2	1,954.66	1/2	1,589.09	1/2	1,223.52	1/2	858.94	1/2	494.59	1/2	129.51
3/4		3/4	4,704.60	3/4	4,473.43	3/4	4,219.95	3/4	3,966.46	3/4	3,712.97	3/4	3,409.31	3/4	3,043.75	3/4	2,678.18	3/4	2,312.61	3/4	1,947.04	3/4	1,581.47	3/4	1,215.91	3/4	851.36	3/4	486.99	3/4	121.90
1		1	4,702.06	1	4,468.15	1	4,214.67	1	3,961.18	1	3,707.69	1	3,401.70	1	3,036.13	1	2,670.56	1	2,304.99	1	1,939.43	1	1,573.86	1	1,208.29	1	843.79	1	479.38	1	114.29
1/4		1/4	4,699.52	1/4	4,462.87	1/4	4,209.38	1/4	3,955.90	1/4	3,702.41	1/4	3,394.08	1/4	3,028.51	1/4	2,662.95	1/4	2,297.38	1/4	1,931.81	1/4	1,566.24	1/4	1,200.67	1/4	836.21	1/4	471.78	1/4	106.69
1/2		1/2	4,696.98	1/2	4,457.59	1/2	4,204.10	1/2	3,950.62	1/2	3,697.13	1/2	3,386.47	1/2	3,020.90	1/2	2,655.33	1/2	2,289.76	1/2	1,924.19	1/2	1,558.63	1/2	1,193.06	1/2	828.64	1/2	464.17	1/2	99.08
3/4		3/4	4,693.65	3/4	4,452.31	3/4	4,198.82	3/4	3,945.33	3/4	3,691.85	3/4	3,378.85	3/4	3,013.28	3/4	2,647.71	3/4	2,282.15	3/4	1,916.58	3/4	1,551.01	3/4	1,185.44	3/4	821.06	3/4	456.56	3/4	91.48
2		2	4,690.33	2	4,447.03	2	4,193.54	2	3,940.05	2	3,686.57	2	3,371.23	2	3,005.67	2	2,640.10	2	2,274.53	2	1,908.96	2	1,543.39	2	1,177.83	2	813.49	2	448.96	2	83.87
1/4		1/4	4,687.01	1/4	4,441.75	1/4	4,188.26	1/4	3,934.77	1/4	3,681.28	1/4	3,363.62	1/4	2,998.05	1/4	2,632.48	1/4	2,266.91	1/4	1,901.35	1/4	1,535.78	1/4	1,170.21	1/4	805.91	1/4	441.35	1/4	76.26
1/2		1/2	4,683.68	1/2	4,436.47	1/2	4,182.98	1/2	3,929.49	1/2	3,676.00	1/2	3,356.00	1/2	2,990.43	1/2	2,624.87	1/2	2,259.30	1/2	1,893.73	1/2	1,528.16	1/2	1,162.59	1/2	798.34	1/2	433.75	1/2	68.66
3/4		3/4	4,679.58	3/4	4,431.19	3/4	4,177.70	3/4	3,924.21	3/4	3,670.72	3/4	3,348.39	3/4	2,982.82	3/4	2,617.25	3/4	2,251.68	3/4	1,886.11	3/4	1,520.55	3/4	1,154.98	3/4	790.76	3/4	426.14	3/4	61.05
3		3	4,675.47	3	4,425.91	3	4,172.42	3	3,918.93	3	3,665.44	3	3,340.77	3	2,975.20	3	2,609.63	3	2,244.07	3	1,878.50	3	1,512.93	3	1,147.36	3	783.19	3	418.53	3	53.45
1/4		1/4	4,671.36	1/4	4,420.62	1/4	4,167.14	1/4	3,913.65	1/4	3,660.16	1/4	3,333.15	1/4	2,967.59	1/4	2,602.02	1/4	2,236.45	1/4	1,870.88	1/4	1,505.31	1/4	1,139.75	1/4	775.61	1/4	410.93	1/4	46.38
1/2		1/2	4,667.26	1/2	4,415.34	1/2	4,161.86	1/2	3,908.37	1/2	3,654.88	1/2	3,325.54	1/2	2,959.97	1/2	2,594.40	1/2	2,228.83	1/2	1,863.27	1/2	1,497.70	1/2	1,132.13	1/2	768.04	1/2	403.32	1/2	39.32
3/4		3/4	4,662.37	3/4	4,410.06	3/4	4,156.57	3/4	3,903.09	3/4	3,649.60	3/4	3,317.92	3/4	2,952.35	3/4	2,586.79	3/4	2,221.22	3/4	1,855.65	3/4	1,490.08	3/4	1,124.51	3/4	760.46	3/4	395.72	3/4	33.89
4		4	4,657.48	4	4,404.78	4	4,151.29	4	3,897.81	4	3,644.32	4	3,310.31	4	2,944.74	4	2,579.17	4	2,213.60	4	1,848.03	4	1,482.47	4	1,116.90	4	752.89	4	388.11	4	28.46
1/4		1/4	4,652.59	1/4	4,399.50	1/4	4,146.01	1/4	3,892.52	1/4	3,638.91	1/4	3,302.69	1/4	2,937.12	1/4	2,571.55	1/4	2,205.99	1/4	1,840.42	1/4	1,474.85	1/4	1,109.28	1/4	745.31	1/4	380.50	1/4	23.03
1/2		1/2	4,647.71	1/2	4,394.22	1/2	4,140.73	1/2	3,887.24	1/2	3,633.50	1/2	3,295.07	1/2	2,929.51	1/2	2,563.94	1/2	2,198.37	1/2	1,832.80	1/2	1,467.23	1/2	1,101.67	1/2	737.74	1/2	372.90	1/2	17.60
3/4		3/4	4,642.43	3/4	4,388.94	3/4	4,135.45	3/4	3,881.96	3/4	3,628.09	3/4	3,287.46	3/4	2,921.89	3/4	2,556.32	3/4	2,190.75	3/4	1,825.19	3/4	1,459.62	3/4	1,094.05	3/4	730.16	3/4	365.29	3/4	14.35
5		5	4,637.15	5	4,383.66	5	4,130.17	5	3,876.68	5	3,622.38	5	3,279.84	5	2,914.27	5	2,548.71	5	2,183.14	5	1,817.57	5	1,452.00	5	1,086.43	5	722.59	5	357.69	5	
1/4		1/4	4,631.86	1/4	4,378.38	1/4	4,124.89	1/4	3,871.40	1/4	3,616.67	1/4	3,272.23	1/4	2,906.66	1/4	2,541.09	1/4	2,175.52	1/4	1,809.95	1/4	1,444.39	1/4	1,078.82	1/4	715.01	1/4	350.08	1/4	
1/2		1/2	4,626.58	1/2	4,373.10	1/2	4,119.61	1/2	3,866.12	1/2	3,610.95	1/2	3,264.61	1/2	2,899.04	1/2	2,533.47	1/2	2,167.91	1/2	1,802.34	1/2	1,436.77	1/2	1,071.20	1/2	707.44	1/2	342.47	1/2	
3/4		3/4	4,621.30	3/4	4,367.81	3/4	4,114.33	3/4	3,860.84	3/4	3,605.24	3/4	3,256.99	3/4	2,891.43	3/4	2,525.86	3/4	2,160.29	3/4	1,794.72	3/4	1,429.15	3/4	1,063.59	3/4	699.86	3/4	334.87	3/4	
6		6	4,616.02	6	4,362.53	6	4,109.05	6	3,855.56	6	3,599.18	6	3,249.38	6	2,883.81	6	2,518.24	6	2,152.67	6	1,787.11	6	1,421.54	6	1,055.97	6	692.29	6	327.26	6	
1/4		1/4	4,610.74	1/4	4,357.25	1/4	4,103.76	1/4	3,850.28	1/4	3,593.12	1/4	3,241.76	1/4	2,876.19	1/4	2,510.63	1/4	2,145.06	1/4	1,779.49	1/4	1,413.92	1/4	1,048.35	1/4	684.71	1/4	319.66	1/4	
1/2		1/2	4,605.46	1/2	4,351.97	1/2	4,098.48	1/2	3,845.00	1/2	3,587.07	1/2	3,234.15	1/2	2,868.58	1/2	2,503.01	1/2	2,137.44	1/2	1,771.87	1/2	1,406.31	1/2	1,040.74	1/2	677.14	1/2	312.05	1/2	
3/4		3/4	4,600.18	3/4	4,346.69	3/4	4,093.20	3/4	3,839.71	3/4	3,581.01	3/4	3,226.53	3/4	2,860.96	3/4	2,495.39	3/4	2,129.83	3/4	1,764.26	3/4	1,398.69	3/4	1,033.16	3/4	669.53	3/4	304.44	3/4	
7		7	4,594.90	7	4,341.41	7	4,087.92	7	3,834.43	7	3,574.60	7	3,218.91	7	2,853.35	7	2,487.78	7	2,122.21	7	1,756.64	7	1,391.07	7	1,025.59	7	661.93	7	296.84	7	
1/4		1/4	4,589.62	1/4	4,336.13	1/4	4,082.64	1/4	3,829.15	1/4	3,568.20	1/4	3,211.30	1/4	2,845.73	1/4	2,480.16	1/4	2,114.59	1/4	1,749.03	1/4	1,383.46	1/4	1,018.01	1/4	654.32	1/4	289.23	1/4	
1/2		1/2	4,584.34	1/2	4,330.85	1/2	4,077.36	1/2	3,823.87	1/2	3,561.80	1/2	3,203.68	1/2	2,838.11	1/2	2,472.55	1/2	2,106.98	1/2	1,741.41	1/2	1,375.84	1/2	1,010.44	1/2	646.71	1/2	281.63	1/2	
3/4		3/4	4,579.05	3/4	4,325.57	3/4	4,072.08	3/4	3,818.59	3/4	3,555.40	3/4	3,196.07	3/4	2,830.50	3/4	2,464.93	3/4	2,099.36	3/4	1,733.79	3/4	1,368.23	3/4	1,002.86	3/4	639.11	3/4	274.02	3/4	
8		8	4,573.77	8	4,320.29	8	4,066.80	8	3,813.31	8	3,548.65	8	3,188.45	8	2,822.88	8	2,457.31	8	2,091.75	8	1,726.18	8	1,360.61	8	995.29	8	631.50	8	266.41	8	
1/4		1/4	4,568.49	1/4	4,315.00	1/4	4,061.52	1/4	3,808.03	1/4	3,541.90	1/4	3,180.83	1/4	2,815.27	1/4	2,449.70	1/4	2,084.13	1/4	1,718.56	1/4	1,352.99	1/4	987.71	1/4	623.90	1/4	258.81	1/4	
1/2		1/2	4,563.21	1/2	4,309.72	1/2	4,056.24	1/2	3,802.75	1/2	3,535.15	1/2	3,173.22	1/2	2,807.65	1/2	2,442.08	1/2	2,076.51	1/2	1,710.95	1/2	1,345.38	1/2	980.14	1/2	616.29	1/2	251.20	1/2	
3/4		3/4	4,557.93	3/4	4,304.44	3/4	4,050.95	3/4	3,797.47	3/4	3,528.39	3/4	3,165.60	3/4	2,800.03	3/4	2,434.47	3/4	2,068.90	3/4	1,703.33	3/4	1,337.76	3/4	972.56	3/4	608.68	3/4	243.60	3/4	
9		9	4,552.65	9	4,299.16	9	4,045.67	9	3,792.19	9	3,521.30	9	3,157.99	9	2,792.42	9	2,426.85	9	2,061.28	9	1,695.71	9	1,330.15	9	964.99	9	601.08	9	235.99	9	
1/4		1/4	4,547.37	1/4	4,293.88	1/4	4,040.39	1/4	3,786.90	1/4	3,514.20	1/4	3,150.37	1/4	2,784.80	1/4	2,419.23	1/4	2,053.67	1/4	1,688.10	1/4	1,322.53	1/4	95						