

GAUGE HEIGHT - PORT: 5' 4 3/4"
GAUGE HEIGHT - STBD: 5' 5"

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,008	0	2,017	0	3,025	0	4,034	0		0		0		0		0	
1/4	21	1/4	1,029	1/4	2,038	1/4	3,046	1/4	4,055	1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	1,050	1/2	2,059	1/2	3,067	1/2	4,076	1/2		1/2		1/2		1/2		1/2	
3/4	63	3/4	1,071	3/4	2,080	3/4	3,088	3/4	4,097	3/4		3/4		3/4		3/4		3/4	
1	84	1	1,092	1	2,101	1	3,109	1	4,118	1		1		1		1		1	
1/4	105	1/4	1,113	1/4	2,122	1/4	3,130	1/4	4,139	1/4		1/4		1/4		1/4		1/4	
1/2	126	1/2	1,134	1/2	2,143	1/2	3,151	1/2	4,160	1/2		1/2		1/2		1/2		1/2	
3/4	147	3/4	1,156	3/4	2,164	3/4	3,172	3/4	4,181	3/4		3/4		3/4		3/4		3/4	
2	168	2	1,177	2	2,185	2	3,193	2	4,202	2		2		2		2		2	
1/4	189	1/4	1,198	1/4	2,206	1/4	3,214	1/4	4,223	1/4		1/4		1/4		1/4		1/4	
1/2	210	1/2	1,219	1/2	2,227	1/2	3,235	1/2	4,244	1/2		1/2		1/2		1/2		1/2	
3/4	231	3/4	1,240	3/4	2,248	3/4	3,256	3/4	4,265	3/4		3/4		3/4		3/4		3/4	
3	252	3	1,261	3	2,269	3	3,277	3	4,286	3		3		3		3		3	
1/4	273	1/4	1,282	1/4	2,290	1/4	3,298	1/4	4,307	1/4		1/4		1/4		1/4		1/4	
1/2	294	1/2	1,303	1/2	2,311	1/2	3,319	1/2	4,328	1/2		1/2		1/2		1/2		1/2	
3/4	315	3/4	1,324	3/4	2,332	3/4	3,340	3/4	4,349	3/4		3/4		3/4		3/4		3/4	
4	336	4	1,345	4	2,353	4	3,361	4	4,370	4		4		4		4		4	
1/4	357	1/4	1,366	1/4	2,374	1/4	3,382	1/4	4,391	1/4		1/4		1/4		1/4		1/4	
1/2	378	1/2	1,387	1/2	2,395	1/2	3,403	1/2	4,412	1/2		1/2		1/2		1/2		1/2	
3/4	399	3/4	1,408	3/4	2,416	3/4	3,424	3/4	4,433	3/4		3/4		3/4		3/4		3/4	
5	420	5	1,429	5	2,437	5	3,446	5	4,454	5		5		5		5		5	
1/4	441	1/4	1,450	1/4	2,458	1/4	3,467	1/4	4,475	1/4		1/4		1/4		1/4		1/4	
1/2	462	1/2	1,471	1/2	2,479	1/2	3,488	1/2	4,496	1/2		1/2		1/2		1/2		1/2	
3/4	483	3/4	1,492	3/4	2,500	3/4	3,509	3/4	4,517	3/4		3/4		3/4		3/4		3/4	
6	504	6	1,513	6	2,521	6	3,530	6	4,538	6		6		6		6		6	
1/4	525	1/4	1,534	1/4	2,542	1/4	3,551	1/4	4,559	1/4		1/4		1/4		1/4		1/4	
1/2	546	1/2	1,555	1/2	2,563	1/2	3,572	1/2	4,580	1/2		1/2		1/2		1/2		1/2	
3/4	567	3/4	1,576	3/4	2,584	3/4	3,593	3/4	4,601	3/4		3/4		3/4		3/4		3/4	
7	588	7	1,597	7	2,605	7	3,614	7	4,622	7		7		7		7		7	
1/4	609	1/4	1,618	1/4	2,626	1/4	3,635	1/4	4,643	1/4		1/4		1/4		1/4		1/4	
1/2	630	1/2	1,639	1/2	2,647	1/2	3,656	1/2	4,664	1/2		1/2		1/2		1/2		1/2	
3/4	651	3/4	1,660	3/4	2,668	3/4	3,677	3/4	4,685	3/4		3/4		3/4		3/4		3/4	
8	672	8	1,681	8	2,689	8	3,698	8	4,706	8		8		8		8		8	
1/4	693	1/4	1,702	1/4	2,710	1/4	3,719	1/4	4,727	1/4		1/4		1/4		1/4		1/4	
1/2	714	1/2	1,723	1/2	2,731	1/2	3,740	1/2	4,748	1/2		1/2		1/2		1/2		1/2	
3/4	735	3/4	1,744	3/4	2,752	3/4	3,761	3/4	4,769	3/4		3/4		3/4		3/4		3/4	
9	756	9	1,765	9	2,773	9	3,782	9	4,790	9		9		9		9		9	
1/4	777	1/4	1,786	1/4	2,794	1/4	3,803	1/4	4,811	1/4		1/4		1/4		1/4		1/4	
1/2	798	1/2	1,807	1/2	2,815	1/2	3,824	1/2	4,832	1/2		1/2		1/2		1/2		1/2	
3/4	819	3/4	1,828	3/4	2,836	3/4	3,845	3/4	4,853	3/4		3/4		3/4		3/4		3/4	
10	840	10	1,849	10	2,857	10	3,866	10	4,874	10		10		10		10		10	
1/4	861	1/4	1,870	1/4	2,878	1/4	3,887	1/4	4,895	1/4		1/4		1/4		1/4		1/4	
1/2	882	1/2	1,891	1/2	2,899	1/2	3,908	1/2	4,916	1/2		1/2		1/2		1/2		1/2	
3/4	903	3/4	1,912	3/4	2,920	3/4	3,929	3/4	4,937	3/4		3/4		3/4		3/4		3/4	
11	924	11	1,933	11	2,941	11	3,950	11	4,958	11		11		11		11		11	
1/4	945	1/4	1,954	1/4	2,962	1/4	3,971	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	966	1/2	1,975	1/2	2,983	1/2	3,992	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	987	3/4	1,996	3/4	3,004	3/4	4,013	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 9/28/03 BY: BB/JW
DATE COMPUTED: 10/28/03 BY: WHF
DATE ISSUED: 10/27/03

INTERTEK - CALEB BRETT



BARGE "FMT - 3124" FLORIDA MARINE

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 03-2987

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.			
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0	0	4,816.42	0	4,579.68	0	4,317.03	0	4,054.39	0	3,791.75	0	3,507.13	0	3,148.58	0	2,790.04	0	2,431.49	0	2,072.95	0	1,714.41	0	1,355.86	0	997.32	0	638.77	0	280.23			

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 15' 09 1/4" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 9/26/03 BY: BBJ/W
DATE COMPUTED: 10/26/03 BY: WHF
DATE ISSUED: 10/27/03

INTERTEK - CALEB BRETT

Caleb Brett



Caleb Brett

BARGE "FMT - 3124"
FLORIDA MARINE

3 PORT OR STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 03-2987

Table with columns for height (0 FT. to 14 FT.) and diameter (IN 0, 1/4, 1/2, 3/4) and rows for distance from tank edge (0 to 14 FT.).

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 15' 09 1/4" PORT
REFERENCE GAUGE HEIGHT: 15' 09 1/8" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 9/26/03 BY: BB/JW
DATE COMPUTED: 10/26/03 BY: WHF
DATE ISSUED: 10/27/03

INTERTEK - CALEB BRETT

Handwritten signature

BARGE "FMT - 3124"
FLORIDA MARINE

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 03-2987

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.
0		0	5,111.50	0	4,753.07	0	4,394.63	0	4,036.20	0	3,677.77	0	3,319.34	0	2,960.91	0	2,602.48	0	2,244.05	0	1,885.61	0	1,527.18	0	1,168.75	0	810.32	0	451.89	0	93.46

NOTE: GAUGE POINT - TO REFERENCE MARK ON HERMETIC GAUGING UNIT.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 9/26/03 BY: BBJ/W
DATE COMPUTED: 10/26/03 BY: WHF
DATE ISSUED: 10/27/03

INTERTEK - CALEB BRETT





Caleb Brett

BARGE "FMT - 3124" FLORIDA MARINE

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 03-2987

Table with columns for height (IN, 1/4, 1/2, 3/4) and distance from tank bottom (2 FT. to 17 FT.). Each cell contains capacity values in barrels. The table is organized into 17 vertical sections, one for each distance from 2 FT. to 17 FT. Each section has four rows representing different gauge heights.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17' 03 1/4" STBD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 9/26/03 BY: BBJ/W
DATE COMPUTED: 10/26/03 BY: WHF
DATE ISSUED: 10/27/03

INTERTEK - CALEB BRETT