











BARGE "FMT - 3134"
FLORIDA MARINE

3 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 03-2997

Main table with columns for height (IN), diameter (2 FT to 17 FT), and capacity (O, 1/4, 1/2, 3/4) for each diameter. Includes a small '18.75' value in the 17 FT column for diameter 3.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17'-03" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/14/04 BY: BB/JF
DATE COMPUTED: 2/13/04 BY: WHF
DATE ISSUED: 2/16/04

INTERTEK - CALEB BRETT







BARGE "FMT - 3134 FLORIDA MARINE

1 PORT OR STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 03-2997

Table with columns for height (ft) and capacity (barrels) for 14 different tank sections. Each section has 5 rows corresponding to height increments of 1/4, 1/2, and 3/4 feet.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 15' 09" PORT REFERENCE GAUGE HEIGHT: 15' 08-3/4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/13/04 BY: BB/JF DATE COMPUTED: 2/13/04 BY: WHF DATE ISSUED: 2/16/04

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett





**BARGE "FMT - 3134  
FLORIDA MARINE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 03-2997

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
<b>0</b>	18.75	<b>0</b>	360.34	<b>0</b>	716.84	<b>0</b>	1,073.33	<b>0</b>	1,429.82	<b>0</b>	1,786.32	<b>0</b>	2,142.81	<b>0</b>	2,499.30	<b>0</b>	2,855.80	<b>0</b>	3,212.29	<b>0</b>	3,568.78	<b>0</b>	3,839.71	<b>0</b>	4,100.68	<b>0</b>	4,361.66	<b>0</b>	4,622.63
<i>1/4</i>	23.38	<i>1/4</i>	367.77	<i>1/4</i>	724.26	<i>1/4</i>	1,080.76	<i>1/4</i>	1,437.25	<i>1/4</i>	1,793.74	<i>1/4</i>	2,150.24	<i>1/4</i>	2,506.73	<i>1/4</i>	2,863.22	<i>1/4</i>	3,219.72	<i>1/4</i>	3,576.21	<i>1/4</i>	3,845.15	<i>1/4</i>	4,106.12	<i>1/4</i>	4,367.09	<i>1/4</i>	4,628.07
<i>1/2</i>	28.01	<i>1/2</i>	375.20	<i>1/2</i>	731.69	<i>1/2</i>	1,088.18	<i>1/2</i>	1,444.68	<i>1/2</i>	1,801.17	<i>1/2</i>	2,157.66	<i>1/2</i>	2,514.16	<i>1/2</i>	2,870.65	<i>1/2</i>	3,227.14	<i>1/2</i>	3,583.64	<i>1/2</i>	3,850.58	<i>1/2</i>	4,111.56	<i>1/2</i>	4,372.53	<i>1/2</i>	4,633.51
<i>3/4</i>	32.65	<i>3/4</i>	382.62	<i>3/4</i>	739.12	<i>3/4</i>	1,095.61	<i>3/4</i>	1,452.10	<i>3/4</i>	1,808.60	<i>3/4</i>	2,165.09	<i>3/4</i>	2,521.58	<i>3/4</i>	2,878.08	<i>3/4</i>	3,234.57	<i>3/4</i>	3,591.07	<i>3/4</i>	3,856.02	<i>3/4</i>	4,116.99	<i>3/4</i>	4,377.97	<i>3/4</i>	4,638.94
<b>1</b>	37.28	<b>1</b>	390.05	<b>1</b>	746.54	<b>1</b>	1,103.04	<b>1</b>	1,459.53	<b>1</b>	1,816.02	<b>1</b>	2,172.52	<b>1</b>	2,529.01	<b>1</b>	2,885.51	<b>1</b>	3,242.00	<b>1</b>	3,598.49	<b>1</b>	3,861.46	<b>1</b>	4,122.43	<b>1</b>	4,383.41	<b>1</b>	4,644.38
<i>1/4</i>	43.78	<i>1/4</i>	397.48	<i>1/4</i>	753.97	<i>1/4</i>	1,110.46	<i>1/4</i>	1,466.96	<i>1/4</i>	1,823.45	<i>1/4</i>	2,179.95	<i>1/4</i>	2,536.44	<i>1/4</i>	2,892.93	<i>1/4</i>	3,249.43	<i>1/4</i>	3,605.92	<i>1/4</i>	3,866.89	<i>1/4</i>	4,127.87	<i>1/4</i>	4,388.84	<i>1/4</i>	4,649.82
<i>1/2</i>	50.27	<i>1/2</i>	404.90	<i>1/2</i>	761.40	<i>1/2</i>	1,117.89	<i>1/2</i>	1,474.39	<i>1/2</i>	1,830.88	<i>1/2</i>	2,187.37	<i>1/2</i>	2,543.87	<i>1/2</i>	2,900.36	<i>1/2</i>	3,256.85	<i>1/2</i>	3,611.36	<i>1/2</i>	3,872.33	<i>1/2</i>	4,133.30	<i>1/2</i>	4,394.28	<i>1/2</i>	4,655.25
<i>3/4</i>	56.77	<i>3/4</i>	412.33	<i>3/4</i>	768.83	<i>3/4</i>	1,125.32	<i>3/4</i>	1,481.81	<i>3/4</i>	1,838.31	<i>3/4</i>	2,194.80	<i>3/4</i>	2,551.29	<i>3/4</i>	2,907.79	<i>3/4</i>	3,264.28	<i>3/4</i>	3,616.79	<i>3/4</i>	3,877.77	<i>3/4</i>	4,138.74	<i>3/4</i>	4,399.72	<i>3/4</i>	4,660.69
<b>2</b>	63.27	<b>2</b>	419.76	<b>2</b>	776.25	<b>2</b>	1,132.75	<b>2</b>	1,489.24	<b>2</b>	1,845.73	<b>2</b>	2,202.23	<b>2</b>	2,558.72	<b>2</b>	2,915.21	<b>2</b>	3,271.71	<b>2</b>	3,622.23	<b>2</b>	3,883.20	<b>2</b>	4,144.18	<b>2</b>	4,405.15	<b>2</b>	4,666.13
<i>1/4</i>	70.69	<i>1/4</i>	427.19	<i>1/4</i>	783.68	<i>1/4</i>	1,140.17	<i>1/4</i>	1,496.67	<i>1/4</i>	1,853.16	<i>1/4</i>	2,209.65	<i>1/4</i>	2,566.15	<i>1/4</i>	2,922.64	<i>1/4</i>	3,279.13	<i>1/4</i>	3,627.67	<i>1/4</i>	3,888.64	<i>1/4</i>	4,149.62	<i>1/4</i>	4,410.59	<i>1/4</i>	4,671.56
<i>1/2</i>	78.12	<i>1/2</i>	434.61	<i>1/2</i>	791.11	<i>1/2</i>	1,147.60	<i>1/2</i>	1,504.09	<i>1/2</i>	1,860.59	<i>1/2</i>	2,217.08	<i>1/2</i>	2,573.57	<i>1/2</i>	2,930.07	<i>1/2</i>	3,286.56	<i>1/2</i>	3,633.10	<i>1/2</i>	3,894.08	<i>1/2</i>	4,155.05	<i>1/2</i>	4,416.03	<i>1/2</i>	4,677.00
<i>3/4</i>	85.55	<i>3/4</i>	442.04	<i>3/4</i>	798.53	<i>3/4</i>	1,155.03	<i>3/4</i>	1,511.52	<i>3/4</i>	1,868.01	<i>3/4</i>	2,224.51	<i>3/4</i>	2,581.00	<i>3/4</i>	2,937.49	<i>3/4</i>	3,293.99	<i>3/4</i>	3,638.54	<i>3/4</i>	3,899.52	<i>3/4</i>	4,160.49	<i>3/4</i>	4,421.46	<i>3/4</i>	4,682.44
<b>3</b>	92.97	<b>3</b>	449.47	<b>3</b>	805.96	<b>3</b>	1,162.45	<b>3</b>	1,518.95	<b>3</b>	1,875.44	<b>3</b>	2,231.93	<b>3</b>	2,588.43	<b>3</b>	2,944.92	<b>3</b>	3,301.41	<b>3</b>	3,643.98	<b>3</b>	3,904.95	<b>3</b>	4,165.93	<b>3</b>	4,426.90	<b>3</b>	4,687.88
<i>1/4</i>	100.40	<i>1/4</i>	456.89	<i>1/4</i>	813.39	<i>1/4</i>	1,169.88	<i>1/4</i>	1,526.37	<i>1/4</i>	1,882.87	<i>1/4</i>	2,239.36	<i>1/4</i>	2,595.85	<i>1/4</i>	2,952.35	<i>1/4</i>	3,308.84	<i>1/4</i>	3,649.41	<i>1/4</i>	3,910.39	<i>1/4</i>	4,171.36	<i>1/4</i>	4,432.34	<i>1/4</i>	4,693.31
<i>1/2</i>	107.83	<i>1/2</i>	464.32	<i>1/2</i>	820.81	<i>1/2</i>	1,177.31	<i>1/2</i>	1,533.80	<i>1/2</i>	1,890.29	<i>1/2</i>	2,246.79	<i>1/2</i>	2,603.28	<i>1/2</i>	2,959.77	<i>1/2</i>	3,316.27	<i>1/2</i>	3,654.85	<i>1/2</i>	3,915.83	<i>1/2</i>	4,176.80	<i>1/2</i>	4,437.78	<i>1/2</i>	4,698.75
<i>3/4</i>	115.25	<i>3/4</i>	471.75	<i>3/4</i>	828.24	<i>3/4</i>	1,184.73	<i>3/4</i>	1,541.23	<i>3/4</i>	1,897.72	<i>3/4</i>	2,254.21	<i>3/4</i>	2,610.71	<i>3/4</i>	2,967.20	<i>3/4</i>	3,323.69	<i>3/4</i>	3,660.29	<i>3/4</i>	3,921.26	<i>3/4</i>	4,182.24	<i>3/4</i>	4,443.21	<i>3/4</i>	4,704.19
<b>4</b>	122.68	<b>4</b>	479.17	<b>4</b>	835.67	<b>4</b>	1,192.16	<b>4</b>	1,548.65	<b>4</b>	1,905.15	<b>4</b>	2,261.64	<b>4</b>	2,618.13	<b>4</b>	2,974.63	<b>4</b>	3,331.12	<b>4</b>	3,665.73	<b>4</b>	3,926.70	<b>4</b>	4,187.67	<b>4</b>	4,448.65	<b>4</b>	4,709.62
<i>1/4</i>	130.11	<i>1/4</i>	486.60	<i>1/4</i>	843.09	<i>1/4</i>	1,199.59	<i>1/4</i>	1,556.08	<i>1/4</i>	1,912.57	<i>1/4</i>	2,269.07	<i>1/4</i>	2,625.56	<i>1/4</i>	2,982.06	<i>1/4</i>	3,338.55	<i>1/4</i>	3,671.16	<i>1/4</i>	3,932.14	<i>1/4</i>	4,193.11	<i>1/4</i>	4,454.09	<i>1/4</i>	4,715.06
<i>1/2</i>	137.53	<i>1/2</i>	494.03	<i>1/2</i>	850.52	<i>1/2</i>	1,207.01	<i>1/2</i>	1,563.51	<i>1/2</i>	1,920.00	<i>1/2</i>	2,276.50	<i>1/2</i>	2,632.99	<i>1/2</i>	2,989.48	<i>1/2</i>	3,345.98	<i>1/2</i>	3,676.60	<i>1/2</i>	3,937.57	<i>1/2</i>	4,198.55	<i>1/2</i>	4,459.52	<i>1/2</i>	4,720.50
<i>3/4</i>	144.96	<i>3/4</i>	501.45	<i>3/4</i>	857.95	<i>3/4</i>	1,214.44	<i>3/4</i>	1,570.94	<i>3/4</i>	1,927.43	<i>3/4</i>	2,283.92	<i>3/4</i>	2,640.42	<i>3/4</i>	2,996.91	<i>3/4</i>	3,353.40	<i>3/4</i>	3,682.04	<i>3/4</i>	3,943.01	<i>3/4</i>	4,203.99	<i>3/4</i>	4,464.96	<i>3/4</i>	4,725.93
<b>5</b>	152.39	<b>5</b>	508.88	<b>5</b>	865.38	<b>5</b>	1,221.87	<b>5</b>	1,578.36	<b>5</b>	1,934.86	<b>5</b>	2,291.35	<b>5</b>	2,647.84	<b>5</b>	3,004.34	<b>5</b>	3,360.83	<b>5</b>	3,687.47	<b>5</b>	3,948.45	<b>5</b>	4,209.42	<b>5</b>	4,470.40	<b>5</b>	4,731.37
<i>1/4</i>	159.82	<i>1/4</i>	516.31	<i>1/4</i>	872.80	<i>1/4</i>	1,229.30	<i>1/4</i>	1,585.79	<i>1/4</i>	1,942.28	<i>1/4</i>	2,298.78	<i>1/4</i>	2,655.27	<i>1/4</i>	3,011.76	<i>1/4</i>	3,368.26	<i>1/4</i>	3,692.91	<i>1/4</i>	3,953.88	<i>1/4</i>	4,214.86	<i>1/4</i>	4,475.83	<i>1/4</i>	4,736.81
<i>1/2</i>	167.24	<i>1/2</i>	523.74	<i>1/2</i>	880.23	<i>1/2</i>	1,236.72	<i>1/2</i>	1,593.22	<i>1/2</i>	1,949.71	<i>1/2</i>	2,306.20	<i>1/2</i>	2,662.70	<i>1/2</i>	3,019.19	<i>1/2</i>	3,375.68	<i>1/2</i>	3,698.35	<i>1/2</i>	3,959.32	<i>1/2</i>	4,220.30	<i>1/2</i>	4,481.27	<i>1/2</i>	4,742.25
<i>3/4</i>	174.67	<i>3/4</i>	531.16	<i>3/4</i>	887.66	<i>3/4</i>	1,244.15	<i>3/4</i>	1,600.64	<i>3/4</i>	1,957.14	<i>3/4</i>	2,313.63	<i>3/4</i>	2,670.12	<i>3/4</i>	3,026.62	<i>3/4</i>	3,383.11	<i>3/4</i>	3,703.78	<i>3/4</i>	3,964.76	<i>3/4</i>	4,225.73	<i>3/4</i>	4,486.71	<i>3/4</i>	4,747.68
<b>6</b>	182.10	<b>6</b>	538.59	<b>6</b>	895.08	<b>6</b>	1,251.58	<b>6</b>	1,608.07	<b>6</b>	1,964.56	<b>6</b>	2,321.06	<b>6</b>	2,677.55	<b>6</b>	3,034.04	<b>6</b>	3,390.54	<b>6</b>	3,709.22	<b>6</b>	3,970.20	<b>6</b>	4,231.17	<b>6</b>	4,492.14	<b>6</b>	4,753.12
<i>1/4</i>	189.52	<i>1/4</i>	546.02	<i>1/4</i>	902.51	<i>1/4</i>	1,259.00	<i>1/4</i>	1,615.50	<i>1/4</i>	1,971.99	<i>1/4</i>	2,328.48	<i>1/4</i>	2,684.98	<i>1/4</i>	3,041.47	<i>1/4</i>	3,397.96	<i>1/4</i>	3,714.66	<i>1/4</i>	3,975.63	<i>1/4</i>	4,236.61	<i>1/4</i>	4,497.58	<i>1/4</i>	4,758.56
<i>1/2</i>	196.95	<i>1/2</i>	553.44	<i>1/2</i>	909.94	<i>1/2</i>	1,266.43	<i>1/2</i>	1,622.92	<i>1/2</i>	1,979.42	<i>1/2</i>	2,335.91	<i>1/2</i>	2,692.40	<i>1/2</i>	3,048.90	<i>1/2</i>	3,405.39	<i>1/2</i>	3,720.10	<i>1/2</i>	3,981.07	<i>1/2</i>	4,242.04	<i>1/2</i>	4,503.02	<i>1/2</i>	4,763.99
<i>3/4</i>	204.38	<i>3/4</i>	560.87	<i>3/4</i>	917.36	<i>3/4</i>	1,273.86	<i>3/4</i>	1,630.35	<i>3/4</i>	1,986.84	<i>3/4</i>	2,343.34	<i>3/4</i>	2,699.83	<i>3/4</i>	3,056.32	<i>3/4</i>	3,412.82	<i>3/4</i>	3,725.53	<i>3/4</i>	3,986.51	<i>3/4</i>	4,247.48	<i>3/4</i>	4,508.46	<i>3/4</i>	4,769.43
<b>7</b>	211.80	<b>7</b>	568.30	<b>7</b>	924.79	<b>7</b>	1,281.28	<b>7</b>	1,637.78	<b>7</b>	1,994.27	<b>7</b>	2,350.76	<b>7</b>	2,707.26	<b>7</b>	3,063.75	<b>7</b>	3,420.25	<b>7</b>	3,730.97	<b>7</b>	3,991.94	<b>7</b>	4,252.92	<b>7</b>	4,513.89	<b>7</b>	4,774.87
<i>1/4</i>	219.23	<i>1/4</i>	575.72	<i>1/4</i>	932.22	<i>1/4</i>	1,288.71	<i>1/4</i>	1,645.20	<i>1/4</i>	2,001.70	<i>1/4</i>	2,358.19	<i>1/4</i>	2,714.69	<i>1/4</i>	3,071.18	<i>1/4</i>	3,427.67	<i>1/4</i>	3,736.41	<i>1/4</i>	3,997.38	<i>1/4</i>	4,258.36	<i>1/4</i>	4,519.33	<i>1/4</i>	4,780.30
<i>1/2</i>	226.66	<i>1/2</i>	583.15	<i>1/2</i>	939.64	<i>1/2</i>	1,296.14	<i>1/2</i>	1,652.63	<i>1/2</i>	2,009.13	<i>1/2</i>	2,365.62	<i>1/2</i>	2,722.11	<i>1/2</i>	3,078.61	<i>1/2</i>	3,435.10	<i>1/2</i>	3,741.84	<i>1/2</i>	4,002.82	<i>1/2</i>	4,263.79	<i>1/2</i>	4,524.77	<i>1/2</i>	4,785.74
<i>3/4</i>	234.08	<i>3/4</i>	590.58	<i>3/4</i>	947.07	<i>3/4</i>	1,303.57	<i>3/4</i>	1,660.06	<i>3/4</i>	2,016.55	<i>3/4</i>	2,373.05	<i>3/4</i>	2,729.54	<i>3/4</i>	3,086.03	<i>3/4</i>	3,442.53	<i>3/4</i>	3,747.28	<i>3/4</i>	4,008.25	<i>3/4</i>	4,269.23	<i>3/4</i>	4,530.20	<i>3/4</i>	4,791.18

BARGE "FMT - 3134"  
FLORIDA MARINE

1 PORT  
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 03-2997

Table with columns for IN, 0 FT., 1 FT., 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT. and rows for measurements 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE.  
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
REFERENCE GAUGE HEIGHT: 15' 09" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES  
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/14/04 BY: BB/JF  
DATE COMPUTED: 2/13/04 BY: WHF  
DATE ISSUED: 2/16/04













CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 03-2997

Main data table with columns for height (0 FT. to 15 FT.), length (0 to 15 FT.), and capacity. Includes rows for 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, and 11 feet, each subdivided into 1/4, 1/2, and 3/4 increments.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE.  
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
REFERENCE GAUGE HEIGHT: 15' 09-1/2" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 1/14/04 BY: BB/JF  
DATE COMPUTED: 2/13/04 BY: WHF  
DATE ISSUED: 2/16/04

Signature