

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 15 Nov 2024 Expiration Date: 15 Nov 2029

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	IMO Numi	per	Call Sign	Service	
FMT 3156	1167902				Tank B	Barge
Hailing Port						
NEW ORLEANS, LA	Hull Material	Horse	power	Propulsion		
	Steel					
UNITED STATES						
Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
JEFFERSONVILLE, IN	12May2005	11Feb2005	R-1619	R-1619		R-297.5
UNITED STATES	12141442000	111 002000	-	I-		1-0
ONITED STATES						
Owner FMT INDUSTRIES LLC		Operato FLOF	r RIDA MARII	NELLC.		
2360 5TH ST			Fifth Street			
MANDEVILLE, LA 70471			leville, LA 7			
UNITED STATES		UNII	ED STATE	S		
This vessel must be manne	ed with the following licensed	and unlicensed	Personnel	Included in w	hich there m	uset he
0 Certified Lifeboatmen, 0	Certified Tankermen, 0 HSC	Type Rating, a	and 0 GMDS	SS Operators	mon there m	iusi be
0 Masters	0 Licensed Mates 0 Chief	Engineers	0 Oi	lers		
0 Chief Mates	0 First Class Pilots 0 First A	Assistant Enginee	rs .			
0 Second Mates		nd Assistant Engir				
0 Third Mates		Assistant Enginee	ers			
0 Master First Class Pilot		sed Engineers				
0 Mate First Class Pilots		fied Member Engir				
Persons allowed: 0	carry 0 Passengers, 0 Other	r Persons in cre	w, 0 Persoi	ns in addition to	crew, and	no Others. Total
Route Permitted And Co	onditions Of Operation:					
Lakes, Bays, and	•					
Also, Lake Michigan, in than five (5) miles from Carrabelle, Florida.	fair weather on voyages m shore and coastwise not	between Chica more than tw	go, Illino enty (20)	is, and Burns miles from sh	Harbor, In ore between	ndiana not more n St. Marks and
31.10-21(b); if this ve	anted a fresh water servingsel is operated in salt water in ccurs.	water more th	an six (6)	months in an	v twelve (12) month period.
SEE NEXT PAGE FO	R ADDITIONAL CERTIFIC	CATE INFORM	IATION			
With this Inspection for Cer Inspection, Sector New Orl	rtification having been completed the vessel, in a rescribed the reunder.	eted at New Or Ill respects, is in	eans, LA, U conformity	INITED STATE with the applic	S, the Offic able vessel	er in Charge, Marin inspection laws and

This certificate issued by

Officer in Charge, Marine Inspection

Inspection Zone

D. VELEZ COMMANDER, By direction

Sector New Orleans

Dept. of Home Sec., USCG, CG-841 (Rev 4-2000)(v2)

Zone

Date

Annual/Periodic/Re-Inspection

A/P/R

Signature



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 15 Nov 2024 15 Nov 2029 Expiration Date:

Certificate of Inspection

This tank barge is participating in the Eighth-Ninth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan. Inspection issues concerning this barge should be directed to Sector New Orleans OCMI.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Oct2034

28Oct2024

09Jul2020

Internal Structure

30Nov2029

08Nov2024

09Jul2020

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

GRADE "A" AND LOWER & SPECIFIED HAZARDOUS CARGOES

Total Capacity

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

30670

Barrels

Α

No

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	840	13.6
2 P/S	859	13.6
3 P/S	801	13.6

Port Slop

Stbd Slop

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
П	3762	9ft 6in	13.6	R, LBS
III	4763	11ft 6in	13.6	R, LBS

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial C1-1303585, dated October 23, 2013 and Grade "A" and lower cargoes may be carried, and then only in the tanks indicated.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "COMPAT GRP" column listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person In Charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

In accordance with 46 CFR Part 39.1017 and 39.5001(e) this vessel's VCS has been evaluated and approved for multibreasted tandem loading with other vessels specifically approved to tandem load with this vessel.

Stability and Trim

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter "O" cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 15 Nov 2024 Expiration Date: 15 Nov 2029

Certificate of Inspection

Vessel Name: FMT 3156

The maximum density of cargo which may be filled to the tank top is 8.754 lbs/gal. Cargoes with higher densities, up to 13.6 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

In accordance with 46 CFR 39, excluding 46 CFR 39.4000, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter Serial C2-0504402 dated April 29, 2005 and the list of authorized cargoes on the CAA, Serial C1-1303585 dated October 23, 2013 and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

--- Inspection Status ---

Cargo Tanks

	Internal Exam			External Exam	1	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/S	09Jul2020	08Nov2024	08Nov2034	-	→)	-
2 P/S	09Jul2020	08Nov2024	08Nov2034	ing.	= //	-
3 P/S	09Jul2020	08Nov2024	08Nov2034			•
Port Slop	09Jul2020	08Nov2024	08Nov2034	:#	2)	-
Stbd Slop	09Jul2020	08Nov2024	08Nov2034	1 <u>4</u>	3	-
			Hydro Test			
Tank Id	Safety Valves		Previous	Last	Next	
1 P/S	-		-	-	-	
2 P/S	-		-	-	≅	
3 P/S	-		-	-	-	
Port Slop	-		-	-	₩0	
Stbd Slop	-		_	_	8	

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity Class Type 2 40-B

END

^{*}Vapor Control Authorization*





Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3156 Official #: 1167902

Shipyard: Jeffboat

Hull #: 04-2197

Serial #:

C1-1303585

23-Oct-13

46 CFR 151 Tank Group Characteristics Environmental Cargo Cargo Identification Special Requirements Transfer Control Fire Cargo Trik Grp Tanks in Group Protection Hull Handling Pipe Elec Temp Density Press Temp. Vent Provided Cont Tanks Space Construction Haz A #1-3, P/S 13.6 Atmos. Amb. G-1 .50-60, .50-70(a), .50-70(b), .50-73, Integral NR Portable No (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g), 50-81(a), .50-

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identification	on ————					Conditions of Carriage						
							Vapor Re					
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Authorized Subchapter O Cargoes												
Acetonitrile	ATN	37	0	С	111	Α	Yes	3	No	G		
Acrylonitrile	ACN	15 ²	0	С	11	Α	No	N/A	.50-70(a), .55-1(e)	G		
Adiponitrile	ADN	37	0	Е	H	Α	Yes	1	No	G		
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	Ш	Α	No	N/A	.50-81, .50-86	G		
Aminoethylethanolamine	AEE	8	0	Е	III	Α	Yes	1	.55-1(b)	G		
Ammonium bisulfite solution (70% or less)	ABX	43 2	0	NA	111	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G		
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	III	Α.	No	N/A	.56-1(a), (b), (c), (f), (g)	G		
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	11	Α	No	N/A	No	G		
Benzene	BNZ	32	0	С	III	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 ²	0	С	111	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	111	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G		
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	Ö	B/C	Ш	Α	Yes	1	.50-60	G		
Butyl acrylate (all isomers)	BAR	14	0	D	III	Α	No	N/A	.50-70(a), .50-81(a), (b)	G		
Butyl methacrylate	ВМН	14	0	D	III	Α	No	N/A	.50-70(a), 50-81(a), (b)	G		
Butyraldehyde (all isomers)	BAE	19	0	C	Ш	Α	Yes	1	.55-1(h)	G		
Camphor oil (light)	CPO	18	0	D	Н	A	No	N/A	No	G		
Carbon tetrachloride	CBT	36	0	NA	Ш	Α	No	N/A	No	G		
Caustic potash solution	CPS	5 2	0	NA	Ш	Α	No	N/A	50-73, .55-1()	G		
Caustic soda solution	CSS	5 ²	0	NA	III	A	No	N/A	.50-73, .55-1(j)	G		
Chemical Oil (refined, containing phenolics)	COD	21	0	E	II.	A	No	N/A	.50-73	G		
Chlorobenzene	CRB	36	0	D	III	A	Yes	1	No	G		
Chloroform	CRF	36	0	NA	III	A	Yes	3	No	G		
Coal tar naphtha solvent	NCT	33	0	D	III	A	Yes	1	.50-73	G		
Creosote	CCW	21 ²	0	E	141	A	Yes	1	No	G		
Cresols (all isomers)	CRS	21	0	Ε	Ш	Α	Yes	1	No	G		
Cresylate spent caustic	CSC	5	0	NA	111	A	No	N/A	50-73, .55-1(b)	G		
Cresylic acid tar	CRX	21	0	E	111	A	Yes	1	.55-1(f)	G		
Crotonaldehyde	СТА	19 ²	0	С	13	A	No	N/A	.55-1(h)	G		
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	19 ²	0	С	111	Ā	Yes	1	No	G		
Cyclohexanone	ССН	18	0	D	111	Α	Yes	1	.56-1(a), (b)	G		
Cyclohexanone, Cyclohexanol mixture	CYX	18 ²	0	Е	Ш	Α	Yes	1	,56-1 (b)	G		
Cyclohexylamine	CHA	7	0	D	111	Α.	Yes	1	.56-1(a), (b), (c), (g)	G		

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Serial #: C1-1303585 Dated: 23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3156 Official #: 1167902

Page 2 of 8

Shipyard: Jeffboat

Cargo Identification	on							Condi	tions of Carriage	
-								Recovery	or ournage	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	VCS Calegory	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	m	Α	Yes	1	.50-60, .56-1(b)	G
iso-Decyl acrylate	IAI	14	0	E	III	Α	No	N/A	50-70(a), .50-81(a), (b), .55-1(c)	G
Dichlorobenzene (all isomers)	DBX	36	0	E	111	Α	Yes	3	.56-1(a), (b)	G
1,1-Dichloroethane	DCH	36	0	С	111	Α	Yes	1	No	G
2,2'-Dichloroethyl ether	DEE	41	0	D	11	Α	Yes	1	.55-1(1)	G
Dichloromethane	DCM	36	0	NA	[]]	Α	No	N/A	No	G
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	E	111	Α	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1,2	0	Α	Ш	Α	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 ²	0	E	IH	A	No	N/A	.56-1(a), (b), (c), (g)	G
1,1-Dichloropropane	DPB	36	0	С	Ш	Α	Yes	3	No	G
1,2-Dichloropropane	DPP	36	0	С	III	Α	Yes	3	No	G
1,3-Dichloropropane	DPC	36	0	С	III	Α	Yes	3	No	G
1,3-Dichloropropene	DPU	15	0	D	П	Α	No	N/A	No	G
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	Н	Α	Yes	1	No	G
Diethanolamine	DEA	8	0	Ε	- 111	A	Yes	1	.55-1(c)	G
Diethylamine	DEN	7	0	С	III	A	Yes	3	.55-1(c)	G
Diethylenetriamine	DET	7 2	0	E	III	Α	Yes	1	.55-1(c)	G
Diisobutylamine	DBU	7	0	D	Ш	Α	Yes	3	.55-1(c)	G
Diisopropanolamine	DIP	8	0	E	111	Α	Yes	1	.55-1(c)	G
Diisopropylamine	DIA	7	0	С	II	Α	Yes	3	.55-1(c)	G
N,N-Dimethylacetamide	DAC	10	0	Е	III	Α	Yes	3	.56-1(b)	G
Dimethylethanolamine	DMB	8	0	D	HI	Α	Yes	1	.56-1(b), (c)	G
Dimethylformamide	DMF	10	0	D	III	Α	Yes	1	.55-1(e)	G
Di-n-propylamine	DNA	7	0	С	11	Α	Yes	3	.55-1(c)	G
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	101	Α	No	N/A	.56-1(b)	G
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	11	Α	No	N/A	No	G
EE Glycol Ether Mixture	EEG	40	0	D	III	Α	No	N/A	No	G
Ethanolamine	MEA	8	0	Ε	III	A	Yes	1	.55-1(c)	G
Ethyl acrylate	EAC	14	0	С	Ш	Α	No	N/A	.50-70(a), .50-81(a), (b)	G
Ethylamine solution (72% or less)	EAN	7	0	Α	II	Α	Yes	6	.55-1(b)	G
N-Ethylbutylamine	EBA	7	0	D	IK	Α	Yes	3	.55-1(b)	G
N-Ethylcyclohexylamine	ECC	7	0	D	III	Α	Yes	1	.55-1(b)	G
Ethylene cyanohydrin	ETC	20	0	Е	Ш	Α	Yes	1	No	G
Ethylenediamine	EDA	7 2	0	D	Ш	Α	Yes	1	.55-1(c)	G
Ethylene dichloride	EDC	36 ²	0	С	111	A	Yes	1	No	G
Ethylene glycol hexyl ether	EGH	40	0	Ē	m	A	No	N/A	No	G
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	101	A	Yes	1	No	G
Ethylene glycol propyl ether	EGP	40	0	E	m	Α	Yes	11	No	G
2-Ethylhexyl acrylate	EAI	14	0	E	III	A	No	N/A	.50-70(a), 50-81(a), (b)	G
Ethyl methacrylate	ETM	14	0	D/E	111	A	No	N/A	.50-70(a)	G
2-Ethyl-3-propylacrolein	EPA	19 ²	0	E	III	A	Yes		No	G
Formaldehyde solution (37% to 50%)	FMS	19 ²	0	D/E	101	A		1	.55-1(h)	G
Furfural	FFA	19	0	D	111	A	Yes Yes	- 1	.55-1(h)	G
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	[]]	A			No	G
Hexamethylenediamine solution	HMC	7	0	E	III		No	N/A	.55-1(c)	
Hexamethyleneimine	HMI	7	0	C		Α	Yes	1	.56-1(b), (c)	G
Hydrocarbon 5-9	HFN	31	0	C	111	A	Yes	1		G
Isoprene	IPR				111	A	Yes	1	.50-70(a), .50-81(a), (b)	G
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	IPK	30	0	A	111	Α	No	N/A	.50-70(a), .50-81(a), (b)	G



Serial #: C1-1303585 Dated:

23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3156 Official #: 1167902

Page 3 of 8

Shipyard: Jeffboat

Cargo Identification	1						Conditions of Carriage						
	01						The second of th	Recovery					
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Perio			
Isoprene, Pentadiene mixture	IPN	30	0	В	111	Α	No	N/A	.50-70(a), .55-1(c)	G			
Kraft pulping liquors (free alkali content 3% or more)(including: Black Green, or White liquor)	, KPL	5	0	NA	Ш	Α	No	N/A	50-73, .56-1(a), (c), (g)	G			
Mesityl oxide	MSO	18 ²	0	D	Ш	Α	Yes	. 1	No	G			
Methyl acrylate	MAM	14	0	С	111	Α	No	N/A	.50-70(a), .50-81(a), (b)	G			
Methylcyclopentadiene dimer	MCK	30	0	С	Ш	Α	Yes	1	No	G			
Methyl diethanolamine	MDE	8	0	Ε	III	Α	Yes	1	56-1(b), (c)	G			
2-Methyl-5-ethylpyridine	MEP	9	0	E	III	Α	Yes	1	.55-1(e)	G			
Methyl methacrylate	MMM	14	0	С	III	Α	No	N/A	.50-70(a), .50-81(a), (b)	G			
2-Methylpyridine	MPR	9	0	D	III	A	Ýes	3	.55-1(c)	G			
alpha-Methylstyrene	MSR	30	0	D	III	A							
Morpholine	MPL	7 2	0	D			No	N/A	.50-70(a), _50-81(a), (b)	G			
Nitroethane					- !!!	- A	Yes	1	.55-1(c)	G			
1- or 2-Nitropropane	NTE	42	0	D -		Α	No	N/A	.50-81, 56-1(b)	G			
1,3-Pentadiene	NPM	42	0	D	111	A	Yes	1	.50-81	G			
Perchloroethylene	PDE	30	0	A	III	Α	No	N/A	50-70(a), 50-81	G			
United State (Control of the Control	PER	36	0	NA	III	Α	No	N/A	No	G			
Polyethylene polyamines	PEB	7 ²	0	Е	!!!	Α	Yes	1	55-1(e)	G			
iso-Propanolamine	MPA	8	0	Е	111	Α	Yes	1	.55-1(c)	G			
Propanolamine (iso-, n-)	PAX	8	0	Е	Iff	Α	Yes	1	.56-1(b), (c)	G			
iso-Propylamine	IPP	7	0	Α	Ш	Α	No	N/A	.55-1(c)	G			
Pyridine	PRD	9	0	С	111	Α	Yes	1	.55-1(e)	G			
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP	5	0		ш	Α	No	N/A	.50-7355-1(j)	G			
Sodium aluminate solution (45% or less)	SAU	5	0	NA	111	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G			
Sodium chlorate solution (50% or less)	SDD	0 1,2	0	NA	III	Α	No	N/A	.50-73	G			
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	HI	Α	No	N/A	.50-73, .56-1(a), (b)	G			
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,2	0	NA	III	A	Yes	1	.50-73, .55-1(b)				
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1,2	0	NA	III	A	No	N/A	.50-73, .55-1(b)	G G			
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,2	0	NA	Œ	Α	No	NI/A	50.73 EE 1/L)	_			
Styrene (crude)	STX	30	0	D	ш		No	N/A	.50-73, .55-1(b)	G			
Styrene monomer	STY	30			1241	A	No	N/A	No	G			
1,1,2,2-Tetrachloroethane		5998	0	D	Ш	Α	No	N/A	.50-70(a), .50-81(a), (b)	G			
	TEC	36	0	NA _	Ш	Α	No	N/A	No	G			
Tetraethylenepentamine	TTP	7	0	E	111	A	Yes	11	.55-1(c)	G			
Tetrahydrofuran	THF	41	0	С	HI	Α	Yes	11	.50-70(ь)	G			
1,2,4-Trichlorobenzene	TCB	36	0	E	III	Α	Yes	1	No	G			
1,1,2-Trichloroethane	ТСМ	36	0	NA	Ш	Α	Yes	1	.50-73, .56-1(a)	G			
Trichloroethylene	TCL	36 ²	0	NA	III	A	Yes	1	No	G			
1,2,3-Trichloropropane	TCN	36	0	E	11	Α	Yes	3	.50-73, .56-1(a)	G			
Triethanolamine	TEA	8 ²	0	E	111	Α	Yes	1	.55-1(b)	G			
Triethylamine	TEN	7	0	С	11	Α	Yes	3	.55-1(e)	G			
Triethylenetetramine	TET	7 2	0	E	111	Α	Yes	1	.55-1(b)	G			
Triphenylborane (10% or less), caustic soda solution	TPB	5	0	NA	III	A	No	N/A	.56-1(a), (b), (c)	G			
Trisodium phosphate solution	TSP	5	0	NA	III	A	No	N/A	.50-73, .56-1(a), (c)	G			
Jrea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	o	NA	Ш	A	No	N/A	.56-1(b)	G			
Vanillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA	111	A	No	N/A	.50-73, .56-1(a), (c), (g)	G			
/inyl acetate	VAM	13	0	С	III	A		N/A	.50-70(a), .50-81(a), (b)	G			
/inyl neodecanate	VND	13	0	E	Ш	A A	No No	N/A N/A	.50-70(a), .50-81(a), (b)	G			



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3156 Official #: 1167902

Page 4 of 8

Shipyard: Jeffboat

C1-1303585

23-Oct-13

Cargo Identification	n					Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period	
Subchapter D Cargoes Authorized for Vapor Contr	ol				_					4	
Acetone	ACT	18 ²	D	С		Α	Yes	1		-	
Acetophenone	ACP	18	D	E		A	Yes	- ;			
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		A	Yes	1			
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		A	Yes	1			
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1			
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		A	Yes	1			
Benzyl alcohol	BAL	21		E		A	Yes	1			
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	Ē		A	Yes	1			
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1			
Butyl alcohol (iso-)	IAL	20 ²	D	D		Α	Yes	1		-	
Butyl alcohol (n-)	BAN	20 ²	D	D		Α	Yes	1			
Butyl alcohol (sec-)	BAS	20 ²	D	С		A	Yes	1		-	
Butyl alcohol (tert-)	BAT	20 ²	D	С		Α	Yes	1			
Butyl benzyl phthalate	BPH	34	D	E		Α	Yes	1			
Butyl toluene	BUE	32	D	D		Α	Yes	1			
Caprolactam solutions	CLS	22	D	Ε		Α	Yes	1			
Cyclohexane	CHX	31	D	С		Α	Yes	1			
Cyclohexanol	CHN	20	D	E		Α	Yes	1			
p-Cymene	CMP	32	D	D		Α	Yes	1			
iso-Decaldehyde	IDA	19	D	E		Α	Yes	1			
n-Decaldehyde	DAL	19	D	E		Α	Yes	-			
Decene	DCE	30	D	D		Α	Yes	1			
Decyl alcohol (all isomers)	DAX	20 ²		E		A	Yes	1			
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		Α	Yes	1		-	
Diacetone alcohol	DAA	20 2	D	D		Α	Yes	1			
ortho-Dibutyl phthalate	DPA	34	 D	E		A	Yes	1			
Diethylbenzene	DEB	32	D	D		A	Yes	1			
Diethylene glycol	DEG	40 2	D	E		A	Yes	1			
Diisobutylene	DBL	30	D	С		A	Yes	1			
Diisobutyl ketone	DIK	18	D	D		A	Yes	1			
Diisopropylbenzene (all isomers)	DIX	32	D	E		A	Yes	1		_	
Dimethyl phthalate	DTL	34	D	E		A	Yes	1			
Dioctyl phthalate	DOP	34	D	E	-	A	Yes				
Dipentene	DPN	30	D	D		A	Yes	1			
Diphenyl	DIL	32	D	_	-			7.			
Diphenyl, Diphenyl ether mixtures	DDO	33	D	D/E E		A	Yes Yes	1	11 1155-21		
Diphenyl ether	DPE	41		{E}		A	Yes	1			
Dipropylene glycol	DPG	40	D	E		A	Yes	1			
Distillates: Flashed feed stocks	DFF	33	D	E		- A	Yes				
Distillates: Straight run	DSR	33	D	E		A	Yes	1			
Dodecene (all isomers)	DOZ	30		D	-	A	Yes	1.			
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E	-	A	Yes	1			
2-Ethoxyethyl acetate	EEA	34		D D		A	Yes	1		-	
Ethoxy triglycol (crude)	ETG	40		E		A					
	-10	40	L			^	Yes	1			
Ethyl acetate	ETA	34	D	C		A	Yes	1			



C1-1303585 Dated:

23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3156 Official #: 1167902

Page 5 of 8

Shipyard: Jeffboat

Cargo Identificati	on						Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period			
Ethyl alcohol	EAL	20 ²	D	С		Α	Yes	1					
Ethylbenzene	ETB	32	D	С		Α	Yes	1					
Ethyl butanol	EBT	20	D	D		Α	Yes	1					
Ethyl tert-butyl ether	EBE	41	D	С		Α	Yes	1					
Ethyl butyrate	EBR	34	D	D		Α	Yes	1					
Ethyl cyclohexane	ECY	31	D	D		Α	Yes	1					
Ethylene glycol	EGL	20 ²	D	Е		Α	Yes	1					
Ethylene glycol butyl ether acetate	EMA	34	D	Е		Α	Yes	1					
Ethylene glycol diacetate	EGY	34	D	Е		Α	Yes	1					
Ethylene glycol phenyl ether	EPE	40	D	E		A	Yes	1					
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α	Yes	1					
2-Ethylhexanol	EHX	20	D	Е		Α	Yes	1					
Ethyl propionate	EPR	34	D	С		Α	Yes	1					
Ethyl toluene	ETE	32	D	D		Α	Yes	1		-			
Formamide	FAM	10	D	Ε		Α	Yes	1					
Furfuryl alcohol	FAL	20 ²	D	E		Α	Yes	1					
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		Α	Yes	1					
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	1					
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		Α	Yes	1					
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1					
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	7					
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1					
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1					
Glycerine	GCR	20 ²	D	E		Α	Yes	1					
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1					
Heptanoic acid	HEP	4	D	Е		Α	Yes	1					
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1					
Heptyl acetate	HPE	34	D	E		Α	Yes	1					
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 ²	D	B/C		Α	Yes	1					
Hexanoic acid	НХО	4	D	E		Α	Yes	1					
Hexanol	HXN	20	D	D		Α	Yes	1					
Hexylene glycol	HXG	20	D	E		Α	Yes	1					
Isophorone	IPH	18 2	D	E		Α	Yes	1					
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1					
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		A	Yes	1					
Kerosene	KRS	33	D	D		Α	Yes	1	71-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-				
Methyl acetate	МТТ	34	D	D		Α	Yes	1					
Methyl alcohol	MAL	20 ²	D	C		Α	Yes	1					
Methylamyl acetate	MAC	34	D	D		Α	Yes	1					
Methylamyl alcohol	MAA	20	D	D		Α	Yes	1					
Methyl amyl ketone	MAK	18	D	D		A	Yes	1					
Methyl tert-butyl ether	MBE	41 ²	D	С		Α	Yes	1					
Methyl butyl ketone	MBK	18	D	С		Α	Yes	1					
Methyl butyrate	MBU	34	D	С	-	A	Yes	1					
Methyl ethyl ketone	MEK	18 ²	D	С		Α	Yes	1					
Methyl heptyl ketone	MHK	18	D	D		Α	Yes	1					
Methyl isobutyl ketone	MIK	18 ²	D	С		A	Yes	1					



Serial #: C1-1303585 Dated: 23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3156 Official #: 1167902

Page 6 of 8

Shipyard: Jeffboat

Cargo Identifi	Conditions of Carriage									
	Chem	Compat	Sub		Hull	Tank	Vapor App'd	Recovery VCS		1
Name	Code	Group No	Chapte	Grade	Туре	Group		Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1		
Mineral spirits	MNS	33	D	D		Α	Yes	1		
Myrcene	MRE	30	D	D		Α	Yes	1		
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1		
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	1		
Naphtha: Solvent	NSV	33	D	D		A	Yes	1		
Naphtha: Stoddard solvent	NSS	33	D	D		A	Yes	1		
Naphtha: Varnish makers and painters (75%)	NVM	33	D	C		A	Yes			
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D	***	A				_
Nonyl alcohol (all isomers)	NNS	20 ²	D	E			Yes	1		
Nonyl phenol	NNP	21	D	E		A	Yes			
Nonyl phenol poly(4+)ethoxylates	NPE	40	D			_A	Yes	1		
Octane (all isomers), see Alkanes (C6-C9)	OAX	31		E		A	Yes	1		
Octanoic acid (all isomers)	OAY		D	С		A	Yes	_1_		
Octanol (all isomers)	OCX	4 20 ²	D	E		A	Yes	1		
Oil, fuel: No. 2			D	E		A	Yes	1		
Oil, fuel: No. 2-D	OTO	33	D	D/E		Α	Yes	1		
Oil, fuel: No. 4	OTD	33	D	D		Α	Yes	1		
Oil, fuel: No. 5	OFR	_ 33	D	D/E		Α	Yes	1		
Oil, fuel: No. 6	OFV	33	D	D/E		Α	Yes	1		
Oil, misc: Crude	OSX	33	D	E		Α	Yes	1		
AND THE COURSE OF THE COURSE O	OIL	33	D	A/D		Α	Yes	1		
Oil, misc: Diesel	ODS	33	D	D/E		Α	Yes	1		
Oil, misc: Gas, high pour	OGP	33	D	Ε		Α	Yes	1		
Oil, misc: Lubricating	OLB	33	D	E		Α	Yes	1		
Oil, misc: Residual	ORL	33	D	E		Α	Yes	1		
Oil, misc: Turbine	ОТВ	33	D	E		Α	Yes	1		
n-Pentyl propionate	PPE	34	D	D		Α	Yes	1		
alpha-Pinene	PIO	30	D	D		Α	Yes	1		
beta-Pinene	PIP	30	D	D		Α	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	E		Α	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		Α	Yes	1		
Polybutene	PLB	30	D	E		Α	Yes	1		
Polypropylene glycol	PGC	40	D	E		Α	Yes	1		
iso-Propyl acetate	IAC	34	D	С		A	Yes	1		
n-Propyl acetate	PAT	34	D	С		Α	Yes	1		
iso-Propyl alcohol	IPA	20 ²		С		A	Yes	1		
n-Propyl alcohol	PAL	20 2		C		A	Yes	· -		
Propylbenzene (all isomers)	PBY	32		D		Α	Yes	1		
iso-Propylcyclohexane	IPX	31		D		A	Yes	1		
Propylene glycol	PPG	20 ²		E	_	A	Yes			
Propylene glycol methyl ether acetate	PGN	34		- D		A		1		
Propylene tetramer	PTT	30		5			Yes	1		
Sulfolane	SFL	39		E		A A	Yes	1		
Tetraethylene glycol	TTG					_	Yes	1		
Tetrahydronaphthalene	THN	32				Α	Yes	1		
Toluene	TOL			= }		A	Yes	1		
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP		D 1		_	A	Yes	1		
Friethylbenzene	101	V-T	<u> </u>	-		Α	Yes	1		



C1-1303585

23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3156 Official #: 1167902

Page 7 of 8

Shipyard: Jeffboat

Hull #: 04-	2197
-------------	------

Cargo Ide	entification					Conditions of Carriage						
Name	Chern Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Triethylene glycol	TEG	40	D .	E		Α	Yes	1				
Triethyl phosphate	TPS	34	D	E		Α	Yes	1				
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1				
Trixylenyl phosphate	TRP	34	D	Ε		Α	Yes	1				
Undecene	UDC	30	D	D/E		Α	Yes	1				
1-Undecyl alcohol	UND	20	D	Ε		Α	Yes	1				
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1				



Department of Homeland Security **United States Coast Guard**

Serial #: Dated:

C1-1303585

23-Oct-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 3156 Official #: 1167902

Page 8 of 8

Shipyard: Jeffboat

Hull #: 04-2197

Explanation of terms & symbols used in the Table:

Cargo Identification

Name

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

Chem Code none

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 48 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

Note 1

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

Subchapter Subchapter D Subchapter O Note 3

Note 2

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.
Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
Flammable liquid cargoes, as defined in 46 CFR 30-10.22.

A, B, C D, E Note 4

Combustible liquid cargoes, as defined in 46 CFR 30-10.15. Comoustible figure cargoes, as defined in 40 CFR 30-10,15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

NA

Hull Type

NA

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(3). Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4). Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group

Vapor Recovery Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recoven Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category:

The specified cargo's provisional classification for vapor control systems.

Category 1

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirements is in addition to the requirements of Category 1.

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems.