

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 07-2152

Table with 24 columns (IN 0 FT. to IN 14 FT.) and multiple rows for each depth (0, 1/4, 1/2, 3/4). Each cell contains a numerical value representing capacity in barrels.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE.

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

REFERENCE GAUGE HEIGHT: 15' 9" PORT
REFERENCE GAUGE HEIGHT: 15' 8 3/4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6-20-2008 BY: JF

DATE COMPUTED: 6/27/08 BY: WHF

DATE ISSUED: 6/27/08



FMT 3240 FLORIDA MARINE

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 07-2152

Main data table with columns for height (0 FT. to 15 FT.) and corresponding capacity values for various gauging points (0, 1/4, 1/2, 3/4).

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 15' 8 3/4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6-20-2008 BY: JF DATE COMPUTED: 6/27/08 BY: WHF DATE ISSUED: 6/27/08

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 07-2152

Table with columns for height (IN) and capacity (0 FT. to 15 FT.) for various tank levels (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11). Each cell contains a capacity value and a gauge height fraction (e.g., 1/4, 1/2, 3/4).

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 15' 8 1/2" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6-20-2008 BY: JF DATE COMPUTED: 6/27/08 BY: WHF DATE ISSUED: 6/27/08

INTERTEK - CALEB BRETT

Signature of Caleb Brett

FMT 3240 FLORIDA MARINE

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 07-2152

Table with columns for depth (0 FT. to 15 FT.) and rows for gauge points (0, 1/4, 1/2, 3/4). Each cell contains capacity values in barrels.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 15' 9 1/2" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6-20-2008 BY: JF DATE COMPUTED: 6/27/08 BY: WHF DATE ISSUED: 6/27/08

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 07-2152

Table with columns for depth (IN), gauge height (2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT., 16 FT., 17 FT.) and capacity (IN, 0, 1/4, 1/2, 3/4). Rows represent different gauge heights from 0 to 11 feet.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17'-3" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6-20-2008 BY: JF
DATE COMPUTED: 6/27/08 BY: WHF
DATE ISSUED: 6/27/08

INTERTEK - CALEB BRETT

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 07-2152

Main table with columns for height (IN, 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT., 16 FT., 17 FT.) and corresponding capacity values.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17'-4" STBD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6-20-2008 BY: JF
DATE COMPUTED: 6/27/08 BY: WHF
DATE ISSUED: 6/27/08

INTERTEK - CALEB BRETT

Signature of Caleb Brett

