



**BARGE "FMT-3074"**

**FLORIDA MARINE**

HULL NO. 2099-2

CORRECTION TABLE FOR TRIM AFT.

**FOR INNAGE GAUGES ONLY**

TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	NIL	(-) 0' - 0 1/8"	NIL
1'-0"	NIL	(-) 0' - 0 1/8"	NIL
1'-6"	NIL	(-) 0' - 0 1/4"	NIL
2'-0"	NIL	(-) 0' - 0 3/8"	NIL
2'-6"	NIL	(-) 0' - 0 3/8"	NIL
3'-0"	NIL	(-) 0' - 0 1/2"	NIL
3'-6"	NIL	(-) 0' - 0 5/8"	NIL
4'-0"	NIL	(-) 0' - 0 3/4"	NIL
4'-6"	NIL	(-) 0' - 0 3/4"	NIL
5'-0"	NIL	(-) 0' - 0 7/8"	NIL

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED, TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "OUTAGE" GAUGES, REVERSE SIGNS.

DATE: 10/25/01

BY:

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-3074" FLORIDA MARINE INNAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2099-2

Table with columns for gauge height (0 FT. to 14 FT.) and corresponding capacity values in barrels of 42 U.S. gallons.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 10/25/01

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-4 1/4" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-3074" FLORIDA MARINE INNAGE TABLE

2 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2099-2

Table with columns for height (0 FT. to 14 FT.) and capacity (IN, 1/4, 1/2, 3/4) for each foot. Includes a note 'CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS' at the bottom left of the table area.

\* CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT : 15'-4" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STAR REFERENCE GAUGE HEIGHT : 15'-4 1/4" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 10/25/01

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Handwritten signature of an inspector.

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-3074"
FLORIDA MARINE
INNAGE TABLE

3 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2099-2

Table with columns for height (0 FT. to 14 FT.) and rows for depth (0, 1/4, 1/2, 3/4). Contains numerical data for capacity in gallons.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 10/25/01

\* CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT : 15'-4" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STAR REFERENCE GAUGE HEIGHT : 15'-3 3/4" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-3074" FLORIDA MARINE

OUTAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2099-2

Table with 30 columns (0 FT. to 15 FT.) and 30 rows (0 to 3 3/4). Each cell contains three values: a top value, a middle value with a fraction (e.g., 1/4, 1/2, 3/4), and a bottom value. The values represent capacity in barrels of 42 U.S. gallons.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-4 1/4" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 10/25/01

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Signature of inspector

INSPECTORATE AMERICA CORPORATION





BARGE "FMT-3074"  
FLORIDA MARINE

OUTAGE TABLE

2 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2099-2

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	0	5,478.33	0	5,137.65	0	4,752.45	0	4,367.25	0	3,982.05	0	3,596.85	0	3,211.65	0	2,826.45	0	2,441.25	0	2,056.05	0	1,670.85	0	1,285.65	0	901.11	0	516.64	0	131.55	
1/4	1/4	5,475.65	1/4	5,129.62	1/4	4,744.42	1/4	4,359.22	1/4	3,974.02	1/4	3,588.82	1/4	3,203.62	1/4	2,818.42	1/4	2,433.22	1/4	2,048.02	1/4	1,662.82	1/4	1,277.62	1/4	893.12	1/4	508.61	1/4	123.56	
1/2	1/2	5,471.97	1/2	5,121.60	1/2	4,736.40	1/2	4,351.20	1/2	3,966.00	1/2	3,580.80	1/2	3,195.60	1/2	2,810.40	1/2	2,425.20	1/2	2,040.00	1/2	1,654.80	1/2	1,269.60	1/2	885.12	1/2	500.59	1/2	115.57	
3/4	3/4	5,468.29	3/4	5,113.57	3/4	4,728.37	3/4	4,343.17	3/4	3,957.97	3/4	3,572.77	3/4	3,187.57	3/4	2,802.37	3/4	2,417.17	3/4	2,031.97	3/4	1,646.77	3/4	1,261.57	3/4	877.12	3/4	492.56	3/4	107.58	
1	1	5,464.60	1	5,105.55	1	4,720.35	1	4,335.15	1	3,949.95	1	3,564.75	1	3,179.55	1	2,794.35	1	2,409.15	1	2,023.95	1	1,638.75	1	1,253.55	1	869.13	1	484.54	1	99.60	
1/4	1/4	5,460.92	1/4	5,097.52	1/4	4,712.32	1/4	4,327.12	1/4	3,941.92	1/4	3,556.72	1/4	3,171.52	1/4	2,786.32	1/4	2,401.12	1/4	2,015.92	1/4	1,630.72	1/4	1,245.52	1/4	861.13	1/4	476.51	1/4	91.61	
1/2	1/2	5,455.87	1/2	5,089.50	1/2	4,704.30	1/2	4,319.10	1/2	3,933.90	1/2	3,548.70	1/2	3,163.50	1/2	2,778.30	1/2	2,393.10	1/2	2,007.90	1/2	1,622.70	1/2	1,237.50	1/2	853.14	1/2	468.49	1/2	83.62	
3/4	3/4	5,450.82	3/4	5,081.47	3/4	4,696.27	3/4	4,311.07	3/4	3,925.87	3/4	3,540.67	3/4	3,155.47	3/4	2,770.27	3/4	2,385.07	3/4	1,999.87	3/4	1,614.67	3/4	1,229.47	3/4	845.14	3/4	460.46	3/4	75.63	
2	2	5,445.77	2	5,073.45	2	4,688.25	2	4,303.05	2	3,917.85	2	3,532.65	2	3,147.45	2	2,762.25	2	2,377.05	2	1,991.85	2	1,606.65	2	1,221.45	2	837.14	2	452.44	2	67.64	
1/4	1/4	5,440.72	1/4	5,065.42	1/4	4,680.22	1/4	4,295.02	1/4	3,909.82	1/4	3,524.62	1/4	3,139.42	1/4	2,754.22	1/4	2,369.02	1/4	1,983.82	1/4	1,598.62	1/4	1,213.42	1/4	829.15	1/4	444.41	1/4	59.66	
1/2	1/2	5,434.57	1/2	5,057.40	1/2	4,672.20	1/2	4,287.00	1/2	3,901.80	1/2	3,516.60	1/2	3,131.40	1/2	2,746.20	1/2	2,361.00	1/2	1,975.80	1/2	1,590.60	1/2	1,205.40	1/2	821.15	1/2	436.39	1/2	53.24	
3/4	3/4	5,428.43	3/4	5,049.37	3/4	4,664.17	3/4	4,278.97	3/4	3,893.77	3/4	3,508.57	3/4	3,123.37	3/4	2,738.17	3/4	2,352.97	3/4	1,967.77	3/4	1,582.57	3/4	1,197.37	3/4	813.16	3/4	428.36	3/4	46.81	
3	3	5,422.28	3	5,041.35	3	4,656.15	3	4,270.95	3	3,885.75	3	3,500.55	3	3,115.35	3	2,730.15	3	2,344.95	3	1,959.75	3	1,574.55	3	1,189.35	3	805.16	3	420.34	3	40.39	
1/4	1/4	5,416.14	1/4	5,033.32	1/4	4,648.12	1/4	4,262.92	1/4	3,877.72	1/4	3,492.52	1/4	3,107.32	1/4	2,722.12	1/4	2,336.92	1/4	1,951.72	1/4	1,566.52	1/4	1,181.32	1/4	797.16	1/4	412.31	1/4	33.97	
1/2	1/2	5,408.71	1/2	5,025.30	1/2	4,640.10	1/2	4,254.90	1/2	3,869.70	1/2	3,484.50	1/2	3,099.30	1/2	2,714.10	1/2	2,328.90	1/2	1,943.70	1/2	1,558.50	1/2	1,173.30	1/2	789.17	1/2	404.29	1/2	29.56	
3/4	3/4	5,401.28	3/4	5,017.27	3/4	4,632.07	3/4	4,246.87	3/4	3,861.67	3/4	3,476.47	3/4	3,091.27	3/4	2,706.07	3/4	2,320.87	3/4	1,935.67	3/4	1,550.47	3/4	1,165.27	3/4	781.17	3/4	396.26	3/4	25.15	
4	4	5,393.85	4	5,009.25	4	4,624.05	4	4,238.85	4	3,853.65	4	3,468.45	4	3,083.25	4	2,698.05	4	2,312.85	4	1,927.65	4	1,542.45	4	1,157.25	4	773.18	4	388.24	4	20.74	
1/4	1/4	5,386.42	1/4	5,001.22	1/4	4,616.02	1/4	4,230.82	1/4	3,845.62	1/4	3,460.42	1/4	3,075.22	1/4	2,690.02	1/4	2,304.82	1/4	1,919.62	1/4	1,534.42	1/4	1,149.22	1/4	765.18	1/4	380.21	1/4		
1/2	1/2	5,378.39	1/2	4,993.20	1/2	4,608.00	1/2	4,222.80	1/2	3,837.60	1/2	3,452.40	1/2	3,067.20	1/2	2,682.00	1/2	2,296.80	1/2	1,911.60	1/2	1,526.40	1/2	1,141.20	1/2	757.18	1/2	372.19	1/2		
3/4	3/4	5,370.37	3/4	4,985.17	3/4	4,599.97	3/4	4,214.77	3/4	3,829.57	3/4	3,444.37	3/4	3,059.17	3/4	2,673.97	3/4	2,288.77	3/4	1,903.57	3/4	1,518.37	3/4	1,133.17	3/4	749.19	3/4	364.16	3/4		
5	5	5,362.34	5	4,977.15	5	4,591.95	5	4,206.75	5	3,821.55	5	3,436.35	5	3,051.15	5	2,665.95	5	2,280.75	5	1,895.55	5	1,510.35	5	1,125.15	5	741.19	5	356.14	5		
1/4	1/4	5,354.32	1/4	4,969.12	1/4	4,583.92	1/4	4,198.72	1/4	3,813.52	1/4	3,428.32	1/4	3,043.12	1/4	2,657.92	1/4	2,272.72	1/4	1,887.52	1/4	1,502.32	1/4	1,117.12	1/4	733.20	1/4	348.11	1/4		
1/2	1/2	5,346.30	1/2	4,961.10	1/2	4,575.90	1/2	4,190.70	1/2	3,805.50	1/2	3,420.30	1/2	3,035.10	1/2	2,649.90	1/2	2,264.70	1/2	1,879.50	1/2	1,494.30	1/2	1,109.10	1/2	725.20	1/2	340.09	1/2		
3/4	3/4	5,338.27	3/4	4,953.07	3/4	4,567.87	3/4	4,182.67	3/4	3,797.47	3/4	3,412.27	3/4	3,027.07	3/4	2,641.87	3/4	2,256.67	3/4	1,871.47	3/4	1,486.27	3/4	1,101.07	3/4	717.20	3/4	332.06	3/4		
6	6	5,330.25	6	4,945.05	6	4,559.85	6	4,174.65	6	3,789.45	6	3,404.25	6	3,019.05	6	2,633.85	6	2,248.65	6	1,863.45	6	1,478.25	6	1,093.05	6	709.21	6	324.04	6		
1/4	1/4	5,322.22	1/4	4,937.02	1/4	4,551.82	1/4	4,166.62	1/4	3,781.42	1/4	3,396.22	1/4	3,011.02	1/4	2,625.82	1/4	2,240.62	1/4	1,855.42	1/4	1,470.22	1/4	1,085.02	1/4	701.21	1/4	316.01	1/4		
1/2	1/2	5,314.20	1/2	4,929.00	1/2	4,543.80	1/2	4,158.60	1/2	3,773.40	1/2	3,388.20	1/2	3,003.00	1/2	2,617.80	1/2	2,232.60	1/2	1,847.40	1/2	1,462.20	1/2	1,077.02	1/2	693.19	1/2	307.99	1/2		
3/4	3/4	5,306.17	3/4	4,920.97	3/4	4,535.77	3/4	4,150.57	3/4	3,765.37	3/4	3,380.17	3/4	2,994.97	3/4	2,609.77	3/4	2,224.57	3/4	1,839.37	3/4	1,454.17	3/4	1,069.03	3/4	685.16	3/4	299.96	3/4		
7	7	5,298.15	7	4,912.95	7	4,527.75	7	4,142.55	7	3,757.35	7	3,372.15	7	2,986.95	7	2,601.75	7	2,216.55	7	1,831.35	7	1,446.15	7	1,061.03	7	677.14	7	291.94	7		
1/4	1/4	5,290.12	1/4	4,904.92	1/4	4,519.72	1/4	4,134.52	1/4	3,749.32	1/4	3,364.12	1/4	2,978.92	1/4	2,593.72	1/4	2,208.52	1/4	1,823.32	1/4	1,438.12	1/4	1,053.04	1/4	669.11	1/4	283.91	1/4		
1/2	1/2	5,282.10	1/2	4,896.90	1/2	4,511.70	1/2	4,126.50	1/2	3,741.30	1/2	3,356.10	1/2	2,970.90	1/2	2,585.70	1/2	2,200.50	1/2	1,815.30	1/2	1,430.10	1/2	1,045.04	1/2	661.09	1/2	275.89	1/2		
3/4	3/4	5,274.07	3/4	4,888.87	3/4	4,503.67	3/4	4,118.47	3/4	3,733.27	3/4	3,348.07	3/4	2,962.87	3/4	2,577.67	3/4	2,192.47	3/4	1,807.27	3/4	1,422.07	3/4	1,037.04	3/4	653.06	3/4	267.86	3/4		
8	8	5,266.05	8	4,880.85	8	4,495.65	8	4,110.45	8	3,725.25	8	3,340.05	8	2,954.85	8	2,569.65	8	2,184.45	8	1,799.25	8	1,414.05	8	1,029.05	8	645.04	8	259.84	8		
1/4	1/4	5,258.02	1/4	4,872.82	1/4	4,487.62	1/4	4,102.42	1/4	3,717.22	1/4	3,332.02	1/4	2,946.82	1/4	2,561.62	1/4	2,176.42	1/4	1,791.22	1/4	1,									



# BARGE "FMT-3074" FLORIDA MARINE

## OUTAGE TABLE

2 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2099-2

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
0	0	5,481.00	0	5,145.67	0	4,760.47	0	4,375.27	0	3,990.07	0	3,604.87	0	3,219.67	0	2,834.47	0	2,449.27	0	2,064.07	0	1,678.87	0	1,293.67	0	909.11	0	524.66	0	139.54	0
1/4	1/4	5,478.33	1/4	5,137.65	1/4	4,752.45	1/4	4,367.25	1/4	3,982.05	1/4	3,596.85	1/4	3,211.65	1/4	2,826.45	1/4	2,441.25	1/4	2,056.05	1/4	1,670.85	1/4	1,285.65	1/4	901.11	1/4	516.64	1/4	131.55	1/4
1/2	1/2	5,475.65	1/2	5,129.62	1/2	4,744.42	1/2	4,359.22	1/2	3,974.02	1/2	3,588.82	1/2	3,203.62	1/2	2,818.42	1/2	2,433.22	1/2	2,048.02	1/2	1,662.82	1/2	1,277.62	1/2	893.12	1/2	508.61	1/2	123.56	1/2
3/4	3/4	5,471.97	3/4	5,121.60	3/4	4,736.40	3/4	4,351.20	3/4	3,966.00	3/4	3,580.80	3/4	3,195.60	3/4	2,810.40	3/4	2,425.20	3/4	2,040.00	3/4	1,654.80	3/4	1,269.60	3/4	885.12	3/4	500.59	3/4	115.57	3/4
1	1	5,468.29	1	5,113.57	1	4,728.37	1	4,343.17	1	3,957.97	1	3,572.77	1	3,187.57	1	2,802.37	1	2,417.17	1	2,031.97	1	1,646.77	1	1,261.57	1	877.12	1	492.56	1	107.58	1
1/4	1/4	5,464.60	1/4	5,105.55	1/4	4,720.35	1/4	4,335.15	1/4	3,949.95	1/4	3,564.75	1/4	3,179.55	1/4	2,794.35	1/4	2,409.15	1/4	2,023.95	1/4	1,638.75	1/4	1,253.55	1/4	869.13	1/4	484.54	1/4	99.60	1/4
1/2	1/2	5,460.92	1/2	5,097.52	1/2	4,712.32	1/2	4,327.12	1/2	3,941.92	1/2	3,556.72	1/2	3,171.52	1/2	2,786.32	1/2	2,401.12	1/2	2,015.92	1/2	1,630.72	1/2	1,245.52	1/2	861.13	1/2	476.51	1/2	91.61	1/2
3/4	3/4	5,455.87	3/4	5,089.50	3/4	4,704.30	3/4	4,319.10	3/4	3,933.90	3/4	3,548.70	3/4	3,163.50	3/4	2,778.30	3/4	2,393.10	3/4	2,007.90	3/4	1,622.70	3/4	1,237.50	3/4	853.14	3/4	468.49	3/4	83.62	3/4
2	2	5,450.82	2	5,081.47	2	4,696.27	2	4,311.07	2	3,925.87	2	3,540.67	2	3,155.47	2	2,770.27	2	2,385.07	2	1,999.87	2	1,614.67	2	1,229.47	2	845.14	2	460.46	2	75.63	2
1/4	1/4	5,445.77	1/4	5,073.45	1/4	4,688.25	1/4	4,303.05	1/4	3,917.85	1/4	3,532.65	1/4	3,147.45	1/4	2,762.25	1/4	2,377.05	1/4	1,991.85	1/4	1,606.65	1/4	1,221.45	1/4	837.14	1/4	452.44	1/4	67.64	1/4
1/2	1/2	5,440.72	1/2	5,065.42	1/2	4,680.22	1/2	4,295.02	1/2	3,909.82	1/2	3,524.62	1/2	3,139.42	1/2	2,754.22	1/2	2,369.02	1/2	1,983.82	1/2	1,598.62	1/2	1,213.42	1/2	829.15	1/2	444.41	1/2	59.66	1/2
3/4	3/4	5,434.57	3/4	5,057.40	3/4	4,672.20	3/4	4,287.00	3/4	3,901.80	3/4	3,516.60	3/4	3,131.40	3/4	2,746.20	3/4	2,361.00	3/4	1,975.80	3/4	1,590.60	3/4	1,205.40	3/4	821.15	3/4	436.39	3/4	53.24	3/4
3	3	5,428.43	3	5,049.37	3	4,664.17	3	4,278.97	3	3,893.77	3	3,508.57	3	3,123.37	3	2,738.17	3	2,352.97	3	1,967.77	3	1,582.57	3	1,197.37	3	813.16	3	428.36	3	46.81	3
1/4	1/4	5,422.28	1/4	5,041.35	1/4	4,656.15	1/4	4,270.95	1/4	3,885.75	1/4	3,500.55	1/4	3,115.35	1/4	2,730.15	1/4	2,344.95	1/4	1,959.75	1/4	1,574.55	1/4	1,189.35	1/4	805.16	1/4	420.34	1/4	40.39	1/4
1/2	1/2	5,416.14	1/2	5,033.32	1/2	4,648.12	1/2	4,262.92	1/2	3,877.72	1/2	3,492.52	1/2	3,107.32	1/2	2,722.12	1/2	2,336.92	1/2	1,951.72	1/2	1,566.52	1/2	1,181.32	1/2	797.16	1/2	412.31	1/2	33.97	1/2
3/4	3/4	5,408.71	3/4	5,025.30	3/4	4,640.10	3/4	4,254.90	3/4	3,869.70	3/4	3,484.50	3/4	3,099.30	3/4	2,714.10	3/4	2,328.90	3/4	1,943.70	3/4	1,558.50	3/4	1,173.30	3/4	789.17	3/4	404.29	3/4	29.56	3/4
4	4	5,401.28	4	5,017.27	4	4,632.07	4	4,246.87	4	3,861.67	4	3,476.47	4	3,091.27	4	2,706.07	4	2,320.87	4	1,935.67	4	1,550.47	4	1,165.27	4	781.17	4	396.26	4	25.15	4
1/4	1/4	5,393.85	1/4	5,009.25	1/4	4,624.05	1/4	4,238.85	1/4	3,853.65	1/4	3,468.45	1/4	3,083.25	1/4	2,698.05	1/4	2,312.85	1/4	1,927.65	1/4	1,542.45	1/4	1,157.25	1/4	773.18	1/4	388.24	1/4	20.74	1/4
1/2	1/2	5,386.42	1/2	5,001.22	1/2	4,616.02	1/2	4,230.82	1/2	3,845.62	1/2	3,460.42	1/2	3,075.22	1/2	2,690.02	1/2	2,304.82	1/2	1,919.62	1/2	1,534.42	1/2	1,149.22	1/2	765.18	1/2	380.21	1/2		1/2
3/4	3/4	5,378.39	3/4	4,993.20	3/4	4,608.00	3/4	4,222.80	3/4	3,837.60	3/4	3,452.40	3/4	3,067.20	3/4	2,682.00	3/4	2,296.80	3/4	1,911.60	3/4	1,526.40	3/4	1,141.20	3/4	757.18	3/4	372.19	3/4		3/4
5	5	5,370.37	5	4,985.17	5	4,599.97	5	4,214.77	5	3,829.57	5	3,444.37	5	3,059.17	5	2,673.97	5	2,288.77	5	1,903.57	5	1,518.37	5	1,133.17	5	749.19	5	364.16	5		5
1/4	1/4	5,362.34	1/4	4,977.15	1/4	4,591.95	1/4	4,206.75	1/4	3,821.55	1/4	3,436.35	1/4	3,051.15	1/4	2,665.95	1/4	2,280.75	1/4	1,895.55	1/4	1,510.35	1/4	1,125.15	1/4	741.19	1/4	356.14	1/4		1/4
1/2	1/2	5,354.32	1/2	4,969.12	1/2	4,583.92	1/2	4,198.72	1/2	3,813.52	1/2	3,428.32	1/2	3,043.12	1/2	2,657.92	1/2	2,272.72	1/2	1,887.52	1/2	1,502.32	1/2	1,117.12	1/2	733.20	1/2	348.11	1/2		1/2
3/4	3/4	5,346.30	3/4	4,961.10	3/4	4,575.90	3/4	4,190.70	3/4	3,805.50	3/4	3,420.30	3/4	3,035.10	3/4	2,649.90	3/4	2,264.70	3/4	1,879.50	3/4	1,494.30	3/4	1,109.10	3/4	725.20	3/4	340.09	3/4		3/4
6	6	5,338.27	6	4,953.07	6	4,567.87	6	4,182.67	6	3,797.47	6	3,412.27	6	3,027.07	6	2,641.87	6	2,256.67	6	1,871.47	6	1,486.27	6	1,101.07	6	717.20	6	332.06	6		6
1/4	1/4	5,330.25	1/4	4,945.05	1/4	4,559.85	1/4	4,174.65	1/4	3,789.45	1/4	3,404.25	1/4	3,019.05	1/4	2,633.85	1/4	2,248.65	1/4	1,863.45	1/4	1,478.25	1/4	1,093.05	1/4	709.21	1/4	324.04	1/4		1/4
1/2	1/2	5,322.22	1/2	4,937.02	1/2	4,551.82	1/2	4,166.62	1/2	3,781.42	1/2	3,396.22	1/2	3,011.02	1/2	2,625.82	1/2	2,240.62	1/2	1,855.42	1/2	1,470.22	1/2	1,085.02	1/2	701.21	1/2	316.01	1/2		1/2
3/4	3/4	5,314.20	3/4	4,929.00	3/4	4,543.80	3/4	4,158.60	3/4	3,773.40	3/4	3,388.20	3/4	3,003.00	3/4	2,617.80	3/4	2,232.60	3/4	1,847.40	3/4	1,462.20	3/4	1,077.02	3/4	693.19	3/4	307.99	3/4		3/4
7	7	5,306.17	7	4,920.97	7	4,535.77	7	4,150.57	7	3,765.37	7	3,380.17	7	2,994.97	7	2,609.77	7	2,224.57	7	1,839.37	7	1,454.17	7	1,069.03	7	685.16	7	299.96	7		7
1/4	1/4	5,298.15	1/4	4,912.95	1/4	4,527.75	1/4	4,142.55	1/4	3,757.35	1/4	3,372.15	1/4	2,986.95	1/4	2,601.75	1/4	2,216.55	1/4	1,831.35	1/4	1,446.15	1/4	1,061.03	1/4	677.14	1/4	291.94	1/4		1/4
1/2	1/2	5,290.12	1/2	4,904.92	1/2	4,519.72	1/2	4,134.52	1/2	3,749.32	1/2	3,364.12	1/2	2,978.92	1/2	2,593.72	1/2	2,208.52	1/2	1,823.32	1/2	1,438.12	1/2	1,053.04	1/2	669.11	1/2	283.91	1/2		1/2
3/4	3/4	5,282.10	3/4	4,896.90	3/4	4,511.70	3/4	4,126.50	3/4	3,741.30	3/4	3,356.10	3/4	2,970.90	3/4	2,585.70	3/4	2,200.50	3/4	1,815.30	3/4	1,430.10	3/4	1,045.04	3/4	661.09	3/4	275.89	3/4		3/4
8	8	5,274.07	8	4,888.87	8	4,503.67	8	4,118.47	8	3,733.27	8	3,348.07	8	2,962.87	8	2,577.67	8	2,192.47	8	1,807.27	8	1,422.07	8	1,037.04	8	653.06	8	267.86	8		8
1/4	1/4	5,266.05	1/4	4,880.85	1/4	4,495.65	1/4	4,110.45	1/4	3,725.25	1/4	3,340.05	1/4	2,954.85	1/4	2,569.65	1/4	2,184.45	1/4	1,799.25	1/4	1,414.05	1/4	1,029.05	1/4	645.04	1/4	259.84	1/4		1/4
1/2	1/2	5,258.02	1/2	4,872.82	1/2	4,487.62	1/2	4,102.42	1/2	3,717.22	1/2	3,332.02	1/2	2,946.82	1/2	2,561.62	1/2	2,176.42	1/2	1,791.22	1/2	1,406.02	1/2	1,021.05	1/2	637.01	1/2	251.81	1/2		1/2
3/4	3/4	5,250.00	3/4	4,864.80	3/4	4,479.60	3/4																								



# BARGE "FMT-3074" FLORIDA MARINE

## OUTAGE TABLE

## 3 PORT

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2099-2

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	0	4,686.84	0	4,462.65	0	4,209.97	0	3,957.30	0	3,704.63	0	3,405.34	0	3,040.21	0	2,675.07	0	2,309.93	0	1,944.80	0	1,579.66	0	1,214.53	0	851.83	0	489.34	0	124.32	
1/4	1/4	4,685.09	1/4	4,457.38	1/4	4,204.71	1/4	3,952.04	1/4	3,699.37	1/4	3,397.74	1/4	3,032.60	1/4	2,667.46	1/4	2,302.33	1/4	1,937.19	1/4	1,572.06	1/4	1,206.92	1/4	844.33	1/4	481.74	1/4	116.75	
1/2	1/2	4,682.55	1/2	4,452.12	1/2	4,199.45	1/2	3,946.77	1/2	3,694.10	1/2	3,390.13	1/2	3,024.99	1/2	2,659.86	1/2	2,294.72	1/2	1,929.58	1/2	1,564.45	1/2	1,199.31	1/2	836.83	1/2	474.13	1/2	109.18	
3/4	3/4	4,680.02	3/4	4,446.86	3/4	4,194.18	3/4	3,941.51	3/4	3,688.84	3/4	3,382.52	3/4	3,017.39	3/4	2,652.25	3/4	2,287.11	3/4	1,921.98	3/4	1,556.84	3/4	1,191.71	3/4	829.33	3/4	466.52	3/4	101.61	
1	1	4,677.49	1	4,441.59	1	4,188.92	1	3,936.25	1	3,683.57	1	3,374.91	1	3,009.78	1	2,644.64	1	2,279.51	1	1,914.37	1	1,549.23	1	1,184.10	1	821.82	1	458.91	1	94.04	
1/4	1/4	4,674.96	1/4	4,436.33	1/4	4,183.65	1/4	3,930.98	1/4	3,678.31	1/4	3,367.31	1/4	3,002.17	1/4	2,637.04	1/4	2,271.90	1/4	1,906.76	1/4	1,541.63	1/4	1,176.49	1/4	814.32	1/4	451.31	1/4	86.48	
1/2	1/2	4,671.64	1/2	4,431.06	1/2	4,178.39	1/2	3,925.72	1/2	3,673.05	1/2	3,359.70	1/2	2,994.56	1/2	2,629.43	1/2	2,264.29	1/2	1,899.16	1/2	1,534.02	1/2	1,168.88	1/2	806.82	1/2	443.70	1/2	78.91	
3/4	3/4	4,668.33	3/4	4,425.80	3/4	4,173.13	3/4	3,920.45	3/4	3,667.78	3/4	3,352.09	3/4	2,986.96	3/4	2,621.82	3/4	2,256.69	3/4	1,891.55	3/4	1,526.41	3/4	1,161.28	3/4	799.32	3/4	436.09	3/4	71.34	
2	2	4,665.01	2	4,420.53	2	4,167.86	2	3,915.19	2	3,662.52	2	3,344.49	2	2,979.35	2	2,614.21	2	2,249.08	2	1,883.94	2	1,518.81	2	1,153.67	2	791.82	2	428.49	2	63.77	
1/4	1/4	4,661.70	1/4	4,415.27	1/4	4,162.60	1/4	3,909.93	1/4	3,657.25	1/4	3,336.88	1/4	2,971.74	1/4	2,606.61	1/4	2,241.47	1/4	1,876.34	1/4	1,511.20	1/4	1,146.06	1/4	784.32	1/4	420.88	1/4	56.20	
1/2	1/2	4,657.61	1/2	4,410.01	1/2	4,157.33	1/2	3,904.66	1/2	3,651.99	1/2	3,329.27	1/2	2,964.14	1/2	2,599.00	1/2	2,233.86	1/2	1,868.73	1/2	1,503.59	1/2	1,138.46	1/2	776.82	1/2	413.27	1/2	50.15	
3/4	3/4	4,653.51	3/4	4,404.74	3/4	4,152.07	3/4	3,899.40	3/4	3,646.73	3/4	3,321.67	3/4	2,956.53	3/4	2,591.39	3/4	2,226.26	3/4	1,861.12	3/4	1,495.99	3/4	1,130.85	3/4	769.32	3/4	405.67	3/4	44.10	
3	3	4,649.42	3	4,399.48	3	4,146.81	3	3,894.13	3	3,641.46	3	3,314.06	3	2,948.92	3	2,583.79	3	2,218.65	3	1,853.51	3	1,488.38	3	1,123.24	3	761.82	3	398.06	3	38.05	
1/4	1/4	4,645.33	1/4	4,394.21	1/4	4,141.54	1/4	3,888.87	1/4	3,636.20	1/4	3,306.45	1/4	2,941.32	1/4	2,576.18	1/4	2,211.04	1/4	1,845.91	1/4	1,480.77	1/4	1,115.64	1/4	754.32	1/4	390.45	1/4	32.00	
1/2	1/2	4,640.45	1/2	4,388.95	1/2	4,136.28	1/2	3,883.61	1/2	3,630.93	1/2	3,298.84	1/2	2,933.71	1/2	2,568.57	1/2	2,203.44	1/2	1,838.30	1/2	1,473.16	1/2	1,108.03	1/2	746.81	1/2	382.84	1/2	27.85	
3/4	3/4	4,635.58	3/4	4,383.69	3/4	4,131.01	3/4	3,878.34	3/4	3,625.67	3/4	3,291.24	3/4	2,926.10	3/4	2,560.97	3/4	2,195.83	3/4	1,830.69	3/4	1,465.56	3/4	1,100.42	3/4	739.31	3/4	375.24	3/4	23.71	
4	4	4,630.71	4	4,378.42	4	4,125.75	4	3,873.08	4	3,620.41	4	3,283.63	4	2,918.49	4	2,553.36	4	2,188.22	4	1,823.09	4	1,457.95	4	1,092.81	4	731.81	4	367.63	4	19.56	
1/4	1/4	4,625.83	1/4	4,373.16	1/4	4,120.49	1/4	3,867.81	1/4	3,614.96	1/4	3,276.02	1/4	2,910.89	1/4	2,545.75	1/4	2,180.62	1/4	1,815.48	1/4	1,450.34	1/4	1,085.21	1/4	724.31	1/4	360.02	1/4		
1/2	1/2	4,620.57	1/2	4,367.89	1/2	4,115.22	1/2	3,862.55	1/2	3,609.51	1/2	3,268.42	1/2	2,903.28	1/2	2,538.14	1/2	2,173.01	1/2	1,807.87	1/2	1,442.74	1/2	1,077.60	1/2	716.81	1/2	352.42	1/2		
3/4	3/4	4,615.30	3/4	4,362.63	3/4	4,109.96	3/4	3,857.29	3/4	3,604.06	3/4	3,260.81	3/4	2,895.67	3/4	2,530.54	3/4	2,165.40	3/4	1,800.27	3/4	1,435.13	3/4	1,069.99	3/4	709.31	3/4	344.81	3/4		
5	5	4,610.04	5	4,357.37	5	4,104.69	5	3,852.02	5	3,598.61	5	3,253.20	5	2,888.07	5	2,522.93	5	2,157.79	5	1,792.66	5	1,427.52	5	1,062.39	5	701.81	5	337.20	5		
1/4	1/4	4,604.78	1/4	4,352.10	1/4	4,099.43	1/4	3,846.76	1/4	3,592.79	1/4	3,245.60	1/4	2,880.46	1/4	2,515.32	1/4	2,150.19	1/4	1,785.05	1/4	1,419.92	1/4	1,054.78	1/4	694.31	1/4	329.60	1/4		
1/2	1/2	4,599.51	1/2	4,346.84	1/2	4,094.17	1/2	3,841.49	1/2	3,586.98	1/2	3,237.99	1/2	2,872.85	1/2	2,507.72	1/2	2,142.58	1/2	1,777.44	1/2	1,412.31	1/2	1,047.17	1/2	686.81	1/2	321.99	1/2		
3/4	3/4	4,594.25	3/4	4,341.57	3/4	4,088.90	3/4	3,836.23	3/4	3,581.16	3/4	3,230.38	3/4	2,865.25	3/4	2,500.11	3/4	2,134.97	3/4	1,769.84	3/4	1,404.70	3/4	1,039.57	3/4	679.31	3/4	314.38	3/4		
6	6	4,588.98	6	4,336.31	6	4,083.64	6	3,830.97	6	3,575.35	6	3,222.77	6	2,857.64	6	2,492.50	6	2,127.37	6	1,762.23	6	1,397.09	6	1,031.96	6	671.80	6	306.77	6		
1/4	1/4	4,583.72	1/4	4,331.05	1/4	4,078.37	1/4	3,825.70	1/4	3,569.12	1/4	3,215.17	1/4	2,850.03	1/4	2,484.90	1/4	2,119.76	1/4	1,754.62	1/4	1,389.49	1/4	1,024.35	1/4	664.30	1/4	299.17	1/4		
1/2	1/2	4,578.46	1/2	4,325.78	1/2	4,073.11	1/2	3,820.44	1/2	3,562.88	1/2	3,207.56	1/2	2,842.42	1/2	2,477.29	1/2	2,112.15	1/2	1,747.02	1/2	1,381.88	1/2	1,016.85	1/2	656.70	1/2	291.56	1/2		
3/4	3/4	4,573.19	3/4	4,320.52	3/4	4,067.85	3/4	3,815.17	3/4	3,556.65	3/4	3,199.95	3/4	2,834.82	3/4	2,469.68	3/4	2,104.55	3/4	1,739.41	3/4	1,374.27	3/4	1,009.35	3/4	649.09	3/4	283.95	3/4		
7	7	4,567.93	7	4,315.25	7	4,062.58	7	3,809.91	7	3,550.42	7	3,192.35	7	2,827.21	7	2,462.07	7	2,096.94	7	1,731.80	7	1,366.67	7	1,001.85	7	641.48	7	276.35	7		
1/4	1/4	4,562.66	1/4	4,309.99	1/4	4,057.32	1/4	3,804.65	1/4	3,543.79	1/4	3,184.74	1/4	2,819.60	1/4	2,454.47	1/4	2,089.33	1/4	1,724.20	1/4	1,359.06	1/4	994.35	1/4	633.88	1/4	268.74	1/4		
1/2	1/2	4,557.40	1/2	4,304.73	1/2	4,052.05	1/2	3,799.38	1/2	3,537.17	1/2	3,177.13	1/2	2,812.00	1/2	2,446.86	1/2	2,081.72	1/2	1,716.59	1/2	1,351.45	1/2	986.85	1/2	626.27	1/2	261.13	1/2		
3/4	3/4	4,552.14	3/4	4,299.46	3/4	4,046.79	3/4	3,794.12	3/4	3,530.54	3/4	3,169.53	3/4	2,804.39	3/4	2,439.25	3/4	2,074.12	3/4	1,708.98	3/4	1,343.85	3/4	979.35	3/4	618.66	3/4	253.53	3/4		
8	8	4,546.87	8	4,294.20	8	4,041.53	8	3,788.85	8	3,523.91	8	3,161.92	8	2,796.78	8	2,431.65	8	2,066.51	8	1,701.37	8	1,336.24	8	971.84	8	611.05	8	245.92	8		
1/4	1/4	4,541.61	1/4	4,288.93	1/4	4,036.26	1/4	3,783.59	1/4	3,516.90	1/4	3,154.31	1/4	2,789.18	1/4	2,424.04	1/4	2,058.90	1/4	1,693.77	1/4	1,328.63	1/4	964.34	1/4	603.45	1/4	238.31	1/4		
1/2	1/2	4,536.34	1/2	4,283.67	1/2	4,031.00	1/2	3,778.33	1/2	3,509.88	1/2	3,146.70	1/2	2,781.57	1/2	2,416.43	1/2	2,051.30	1/2	1,686.16	1/2	1,321.02	1/2	956.84	1/2	595.84	1/2	230.70	1/2		
3/4	3/4	4,531.08	3/4	4,278.41	3/4	4,025.73	3/4	3,773.06	3/4	3,502.86	3/4	3,139.10	3/4	2,773.96	3/4	2,408.83	3/4	2,043.69	3/4	1,678.55	3/4	1,313.42	3/4	949.34	3/4	588.23	3/4	223.10	3/4		
9	9	4,525.82	9	4,273.14	9	4,020.47	9	3,767.80	9	3,495.84	9	3,131.49	9	2,766.35	9	2,401.22	9	2,036.08	9	1,670.95	9	1,305.81	9	941.84	9	580.63	9	215.49	9		
1/4	1/4	4,520.55	1/4	4,267.88	1/4	4,015.21	1/4	3,762.53	1/4	3,488.43	1/4	3,123.88	1/4	2,758.75	1/4	2,393.61	1/4	2,028.48	1/4	1,663.34	1/4	1,298.20	1/4	934.34	1/4	573.02	1/4	207.88	1/4		





BARGE "FMT-3074" FLORIDA MARINE

OUTAGE TABLE

3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2099-2

Large table with columns for height (0 FT. to 15 FT.) and corresponding capacity values. Includes a diagonal line across the first 10 columns.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-3/4" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 10/25/01

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Signature of Inspector

INSPECTORATE AMERICA CORPORATION



BARGE "FMT-3074" FLORIDA MARINE

OUTAGE TABLE

1 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2099-2

Table with columns for gauge height (2 FT. to 16 FT.) and rows for various measurements (0, 1/4, 1/2, 3/4, 1, 1/4, 1/2, 3/4, etc.). Each cell contains numerical values representing capacity in barrels.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

STRAPPED: 10/25/01

• CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 16'-10 3/4" (GAUGE POINT LOCATED NEAR CENTER OF TANK) GAUGE WITH HERMETIC GAUGE TAPE ONLY

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation logo and name



BARGE "FMT-3074" FLORIDA MARINE

OUTAGE TABLE

2 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2099-2

Table with columns for gauge height (IN) and capacity (U.S. GALLONS) for various tank sections (2 FT. to 16 FT.). Includes a diagonal line in the first few rows.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 16'-10 1/2" (GAUGE POINT LOCATED NEAR CENTER OF TANK) GAUGE WITH HERMETIC GAUGE TAPE ONLY

STRAPPED: 10/25/01

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA CORPORATION text



BARGE "FMT-3074" FLORIDA MARINE

OUTAGE TABLE

2 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2099-2

Table with columns for gauge height (IN) and capacity (CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS) for various tank levels (2 FT. to 16 FT.). Each level has three entries for different gauge heights (0, 1/4, 1/2, 3/4). The table contains numerical data for each gauge height and level.

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 16'-10 3/4" (GAUGE POINT LOCATED NEAR CENTER OF TANK) GAUGE WITH HERMETIC GAUGE TAPE ONLY

STRAPPED: 10/25/01

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Signature and INSPECTORATE AMERICA CORPORATION







# BARGE "FMT-3074" FLORIDA MARINE

## OUTAGE TABLE

### 3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 2099-2

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.
0	0	4,594.25	0	4,341.57	0	4,088.90	0	3,836.23	0	3,581.16	0	3,230.38	0	2,865.25	0	2,500.11	0	2,134.97	0	1,769.84	0	1,404.70	0	1,039.57	0	679.31	0	314.38	
1/4	1/4	4,588.98	1/4	4,336.31	1/4	4,083.64	1/4	3,830.97	1/4	3,575.35	1/4	3,222.77	1/4	2,857.64	1/4	2,492.50	1/4	2,127.37	1/4	1,762.23	1/4	1,397.09	1/4	1,031.96	1/4	671.80	1/4	306.77	
1/2	1/2	4,583.72	1/2	4,331.05	1/2	4,078.37	1/2	3,825.70	1/2	3,569.12	1/2	3,215.17	1/2	2,850.03	1/2	2,484.90	1/2	2,119.76	1/2	1,754.62	1/2	1,389.49	1/2	1,024.35	1/2	664.30	1/2	299.17	
3/4	3/4	4,578.46	3/4	4,325.78	3/4	4,073.11	3/4	3,820.44	3/4	3,562.88	3/4	3,207.56	3/4	2,842.42	3/4	2,477.29	3/4	2,112.15	3/4	1,747.02	3/4	1,381.88	3/4	1,016.85	3/4	656.70	3/4	291.56	
1	1	4,573.19	1	4,320.52	1	4,067.85	1	3,815.17	1	3,556.65	1	3,199.95	1	2,834.82	1	2,469.68	1	2,104.55	1	1,739.41	1	1,374.27	1	1,009.35	1	649.09	1	283.95	
1/4	1/4	4,567.93	1/4	4,315.25	1/4	4,062.58	1/4	3,809.91	1/4	3,550.42	1/4	3,192.35	1/4	2,827.21	1/4	2,462.07	1/4	2,096.94	1/4	1,731.80	1/4	1,366.67	1/4	1,001.85	1/4	641.48	1/4	276.35	
1/2	1/2	4,562.66	1/2	4,309.99	1/2	4,057.32	1/2	3,804.65	1/2	3,543.79	1/2	3,184.74	1/2	2,819.60	1/2	2,454.47	1/2	2,089.33	1/2	1,724.20	1/2	1,359.06	1/2	994.35	1/2	633.88	1/2	268.74	
3/4	3/4	4,557.40	3/4	4,304.73	3/4	4,052.05	3/4	3,799.38	3/4	3,537.17	3/4	3,177.13	3/4	2,812.00	3/4	2,446.86	3/4	2,081.72	3/4	1,716.59	3/4	1,351.45	3/4	986.85	3/4	626.27	3/4	261.13	
2	2	4,552.14	2	4,299.46	2	4,046.79	2	3,794.12	2	3,530.54	2	3,169.53	2	2,804.39	2	2,439.25	2	2,074.12	2	1,708.98	2	1,343.85	2	979.35	2	618.66	2	253.53	
1/4	1/4	4,546.87	1/4	4,294.20	1/4	4,041.53	1/4	3,788.85	1/4	3,523.91	1/4	3,161.92	1/4	2,796.78	1/4	2,431.65	1/4	2,066.51	1/4	1,701.37	1/4	1,336.24	1/4	971.84	1/4	611.05	1/4	245.92	
1/2	1/2	4,541.61	1/2	4,288.93	1/2	4,036.26	1/2	3,783.59	1/2	3,516.90	1/2	3,154.31	1/2	2,789.18	1/2	2,424.04	1/2	2,058.90	1/2	1,693.77	1/2	1,328.63	1/2	964.34	1/2	603.45	1/2	238.31	
3/4	3/4	4,536.34	3/4	4,283.67	3/4	4,031.00	3/4	3,778.33	3/4	3,509.88	3/4	3,146.70	3/4	2,781.57	3/4	2,416.43	3/4	2,051.30	3/4	1,686.16	3/4	1,321.02	3/4	956.84	3/4	595.84	3/4	230.70	
3	3	4,531.08	3	4,278.41	3	4,025.73	3	3,773.06	3	3,502.86	3	3,139.10	3	2,773.96	3	2,408.83	3	2,043.69	3	1,678.55	3	1,313.42	3	949.34	3	588.23	3	223.10	
1/4	1/4	4,525.82	1/4	4,273.14	1/4	4,020.47	1/4	3,767.80	1/4	3,495.84	1/4	3,131.49	1/4	2,766.35	1/4	2,401.22	1/4	2,036.08	1/4	1,670.95	1/4	1,305.81	1/4	941.84	1/4	580.63	1/4	215.49	
1/2	1/2	4,520.55	1/2	4,267.88	1/2	4,015.21	1/2	3,762.53	1/2	3,488.43	1/2	3,123.88	1/2	2,758.75	1/2	2,393.61	1/2	2,028.48	1/2	1,663.34	1/2	1,298.20	1/2	934.34	1/2	573.02	1/2	207.88	
3/4	3/4	4,515.29	3/4	4,262.61	3/4	4,009.94	3/4	3,757.27	3/4	3,481.02	3/4	3,116.28	3/4	2,751.14	3/4	2,386.00	3/4	2,020.87	3/4	1,655.73	3/4	1,290.60	3/4	926.84	3/4	565.41	3/4	200.28	
4	4	4,510.02	4	4,257.35	4	4,004.68	4	3,752.01	4	3,473.61	4	3,108.67	4	2,743.53	4	2,378.40	4	2,013.26	4	1,648.13	4	1,282.99	4	919.34	4	557.81	4	192.67	
1/4	1/4	4,504.76	1/4	4,252.09	1/4	3,999.41	1/4	3,746.74	1/4	3,466.20	1/4	3,101.06	1/4	2,735.93	1/4	2,370.79	1/4	2,005.65	1/4	1,640.52	1/4	1,275.38	1/4	911.84	1/4	550.20	1/4	185.06	
1/2	1/2	4,499.50	1/2	4,246.82	1/2	3,994.15	1/2	3,741.48	1/2	3,458.59	1/2	3,093.46	1/2	2,728.32	1/2	2,363.18	1/2	1,998.05	1/2	1,632.91	1/2	1,267.78	1/2	904.34	1/2	542.59	1/2	177.46	
3/4	3/4	4,494.23	3/4	4,241.56	3/4	3,988.89	3/4	3,736.21	3/4	3,450.98	3/4	3,085.85	3/4	2,720.71	3/4	2,355.58	3/4	1,990.44	3/4	1,625.30	3/4	1,260.17	3/4	896.83	3/4	534.98	3/4	169.85	
5	5	4,488.97	5	4,236.29	5	3,983.62	5	3,730.95	5	3,443.38	5	3,078.24	5	2,713.11	5	2,347.97	5	1,982.83	5	1,617.70	5	1,252.56	5	889.33	5	527.38	5	162.24	
1/4	1/4	4,483.70	1/4	4,231.03	1/4	3,978.36	1/4	3,725.69	1/4	3,435.77	1/4	3,070.63	1/4	2,705.50	1/4	2,340.36	1/4	1,975.23	1/4	1,610.09	1/4	1,244.95	1/4	881.83	1/4	519.77	1/4	154.63	
1/2	1/2	4,478.44	1/2	4,225.77	1/2	3,973.09	1/2	3,720.42	1/2	3,428.16	1/2	3,063.03	1/2	2,697.89	1/2	2,332.76	1/2	1,969.62	1/2	1,602.48	1/2	1,237.35	1/2	874.33	1/2	512.16	1/2	147.03	
3/4	3/4	4,473.18	3/4	4,220.50	3/4	3,967.83	3/4	3,715.16	3/4	3,420.56	3/4	3,055.42	3/4	2,690.28	3/4	2,325.15	3/4	1,960.01	3/4	1,594.88	3/4	1,229.74	3/4	866.83	3/4	504.56	3/4	139.46	
6	6	4,467.91	6	4,215.24	6	3,962.57	6	3,709.89	6	3,412.95	6	3,047.81	6	2,682.68	6	2,317.54	6	1,952.41	6	1,587.27	6	1,222.13	6	859.33	6	496.95	6	131.89	
1/4	1/4	4,462.65	1/4	4,209.97	1/4	3,957.30	1/4	3,704.63	1/4	3,405.34	1/4	3,040.21	1/4	2,675.07	1/4	2,309.93	1/4	1,944.80	1/4	1,579.66	1/4	1,214.53	1/4	851.83	1/4	489.34	1/4	124.32	
1/2	1/2	4,457.38	1/2	4,204.71	1/2	3,952.04	1/2	3,699.37	1/2	3,397.74	1/2	3,032.60	1/2	2,667.46	1/2	2,302.33	1/2	1,937.19	1/2	1,572.06	1/2	1,206.92	1/2	844.33	1/2	481.74	1/2	116.75	
3/4	3/4	4,452.12	3/4	4,199.45	3/4	3,946.77	3/4	3,694.10	3/4	3,390.13	3/4	3,024.99	3/4	2,659.86	3/4	2,294.72	3/4	1,929.58	3/4	1,564.45	3/4	1,199.31	3/4	836.83	3/4	474.13	3/4	109.18	
7	7	4,446.86	7	4,194.18	7	3,941.51	7	3,688.84	7	3,382.52	7	3,017.39	7	2,652.25	7	2,287.11	7	1,921.98	7	1,556.84	7	1,191.71	7	829.33	7	466.52	7	101.61	
1/4	1/4	4,441.59	1/4	4,188.92	1/4	3,936.25	1/4	3,683.57	1/4	3,374.91	1/4	3,009.78	1/4	2,644.64	1/4	2,279.51	1/4	1,914.37	1/4	1,549.23	1/4	1,184.10	1/4	821.82	1/4	458.91	1/4	94.04	
1/2	1/2	4,436.33	1/2	4,183.65	1/2	3,930.98	1/2	3,678.31	1/2	3,367.31	1/2	3,002.17	1/2	2,637.04	1/2	2,271.90	1/2	1,906.76	1/2	1,541.63	1/2	1,176.49	1/2	814.32	1/2	451.31	1/2	86.48	
3/4	3/4	4,431.06	3/4	4,178.39	3/4	3,925.72	3/4	3,673.05	3/4	3,359.70	3/4	2,994.56	3/4	2,629.43	3/4	2,264.29	3/4	1,899.16	3/4	1,534.02	3/4	1,168.88	3/4	806.82	3/4	443.70	3/4	78.91	
8	8	4,425.80	8	4,173.13	8	3,920.45	8	3,667.78	8	3,352.09	8	2,986.96	8	2,621.82	8	2,256.69	8	1,891.55	8	1,526.41	8	1,161.28	8	799.32	8	436.09	8	71.34	
1/4	1/4	4,420.53	1/4	4,167.86	1/4	3,915.19	1/4	3,662.52	1/4	3,344.49	1/4	2,979.35	1/4	2,614.21	1/4	2,249.08	1/4	1,883.94	1/4	1,518.81	1/4	1,153.67	1/4	791.82	1/4	428.49	1/4	63.77	
1/2	1/2	4,415.27	1/2	4,162.60	1/2	3,909.93	1/2	3,657.25	1/2	3,336.88	1/2	2,971.74	1/2	2,606.61	1/2	2,241.47	1/2	1,876.34	1/2	1,511.20	1/2	1,146.06	1/2	784.32	1/2	420.88	1/2	56.20	
3/4	3/4	4,410.01	3/4	4,157.33	3/4	3,904.66	3/4	3,651.99	3/4	3,329.27	3/4	2,964.14	3/4	2,599.00	3/4	2,233.86	3/4	1,868.73	3/4	1,503.59	3/4	1,138.46	3/4	776.82	3/4	413.27	3/4	50.15	
9	9	4,404.74	9	4,152.07	9	3,899.40	9	3,646.73	9	3,321.67	9	2,956.53	9	2,591.39	9	2,226.26	9	1,861.12	9	1,495.99	9	1,130.85	9	769.32	9	405.67	9	44.10	
1/4	1/4	4,399.48	1/4	4,146.81	1/4	3,894.13	1/4	3,641.46	1/4	3,314.06	1/4	2,948.92	1/4	2,583.79	1/4	2,218.65	1/4	1,853.51	1/4	1,488.38	1/4	1,123.24	1/4	761.82	1/4	398.06	1/4	38.05	
1/2	1/2	4,394.21	1/2	4,141.54	1/2	3,888.87	1/2	3,636.20	1/2	3,306.45	1/2	2,941.32	1/2	2,576.18	1/2	2,211.04	1/2	1,845.91	1/2	1,480.77	1/2	1,115.64	1/2	754.32	1/2	390.45	1/2	32.00	
3/4	3/4	4,388.95	3/4	4,136.28	3/4	3,883.61	3/4	3,630.93	3/4	3,298.84	3/4	2,933.71	3/4	2,568.57	3/4	2,203.44	3/4	1,838.30											