

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 07-2145

Table with 24 columns (IN, 0 FT., IN, 1 FT., IN, 2 FT., IN, 3 FT., IN, 4 FT., IN, 5 FT., IN, 6 FT., IN, 7 FT., IN, 8 FT., IN, 9 FT., IN, 10 FT., IN, 11 FT., IN, 12 FT., IN, 13 FT., IN, 14 FT.) and 24 rows (0, 1/4, 1/2, 3/4, 1, 1/4, 1/2, 3/4, 2, 1/4, 1/2, 3/4, 3, 1/4, 1/2, 3/4, 4, 1/4, 1/2, 3/4, 5, 1/4, 1/2, 3/4, 6, 1/4, 1/2, 3/4, 7, 1/4, 1/2, 3/4, 8, 1/4, 1/2, 3/4, 9, 1/4, 1/2, 3/4, 10, 1/4, 1/2, 3/4, 11, 1/4, 1/2, 3/4) containing capacity values in barrels.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 15' 9 1/4" PORT
REFERENCE GAUGE HEIGHT: 15' 9 1/2" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5-2-2008 BY: JF
DATE COMPUTED: 5/13/08 BY: WHF
DATE ISSUED: 5/13/08



FMT 3075 FLORIDA MARINE

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 07-2145

Table with columns for depth (0 to 15 FT) and capacity (0 to 280.54 barrels), including sub-columns for 1/4, 1/2, and 3/4 inch increments.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 15' 9 1/4" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5-2-2008 BY: JF DATE COMPUTED: 5/13/08 BY: WHF DATE ISSUED: 5/13/08

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett

FMT 3075 FLORIDA MARINE

2 PORT ULLAGE TABLE CLOSED GAUGING

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 07-2145

Main table with columns for height (IN), 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT., 16 FT., 17 FT. and rows for gauge numbers 0 through 11.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 17'-3 3/4" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5-2-2008 BY: JF DATE COMPUTED: 5/13/08 BY: WHF DATE ISSUED: 5/13/08



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 07-2145

Table with columns for IN, 2 FT., IN, 3 FT., IN, 4 FT., IN, 5 FT., IN, 6 FT., IN, 7 FT., IN, 8 FT., IN, 9 FT., IN, 10 FT., IN, 11 FT., IN, 12 FT., IN, 13 FT., IN, 14 FT., IN, 15 FT., IN, 16 FT., IN, 17 FT. and rows for gauges 0 through 11.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17'-4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5-2-2008 BY: JF
DATE COMPUTED: 5/13/08 BY: WHF
DATE ISSUED: 5/13/08

INTERTEK - CALEB BRETT

Handwritten signature

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 07-2145

Main data table with 33 columns (Hull No., 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT., 16 FT., 17 FT.) and 10 rows of capacity data for each height (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 feet).

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT. DATE STRAPPED: 5-2-2008 BY: JF

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE COMPUTED: 5/13/08 BY: WHF. DATE ISSUED: 5/13/08

INTERTEK - CALEB BRETT

Signature of Caleb Brett

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 07-2145

Table with columns for height (IN, 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT., 16 FT., 17 FT.) and rows for gauge points (0, 1/4, 1/2, 3/4) for each height. The table contains capacity values in barrels for each combination.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17'-3 1/4" STBD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5-2-2008 BY: JF
DATE COMPUTED: 5/13/08 BY: WHF
DATE ISSUED: 5/13/08

INTERTEK - CALEB BRETT

Handwritten signature

GAUGE HEIGHT - PORT: 5'5"
GAUGE HEIGHT - STBD: 5'5"

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,858	0	3,845	0	5,831	0	7,818	0		0		0		0		0	
1/4	5	1/4	1,899	1/4	3,886	1/4	5,873	1/4	7,860	1/4		1/4		1/4		1/4		1/4	
1/2	16	1/2	1,940	1/2	3,927	1/2	5,914	1/2	7,901	1/2		1/2		1/2		1/2		1/2	
3/4	26	3/4	1,982	3/4	3,969	3/4	5,956	3/4	7,943	3/4		3/4		3/4		3/4		3/4	
1	36	1	2,023	1	4,010	1	5,997	1	7,984	1		1		1		1		1	
1/4	78	1/4	2,065	1/4	4,052	1/4	6,038	1/4	8,025	1/4		1/4		1/4		1/4		1/4	
1/2	119	1/2	2,106	1/2	4,093	1/2	6,080	1/2	8,067	1/2		1/2		1/2		1/2		1/2	
3/4	160	3/4	2,147	3/4	4,134	3/4	6,121	3/4	8,108	3/4		3/4		3/4		3/4		3/4	
2	202	2	2,189	2	4,176	2	6,163	2	8,150	2		2		2		2		2	
1/4	243	1/4	2,230	1/4	4,217	1/4	6,204	1/4	8,191	1/4		1/4		1/4		1/4		1/4	
1/2	285	1/2	2,272	1/2	4,258	1/2	6,245	1/2	8,232	1/2		1/2		1/2		1/2		1/2	
3/4	326	3/4	2,313	3/4	4,300	3/4	6,287	3/4	8,274	3/4		3/4		3/4		3/4		3/4	
3	367	3	2,354	3	4,341	3	6,328	3	8,315	3		3		3		3		3	
1/4	409	1/4	2,396	1/4	4,383	1/4	6,370	1/4	8,357	1/4		1/4		1/4		1/4		1/4	
1/2	450	1/2	2,437	1/2	4,424	1/2	6,411	1/2	8,398	1/2		1/2		1/2		1/2		1/2	
3/4	492	3/4	2,479	3/4	4,465	3/4	6,452	3/4	8,439	3/4		3/4		3/4		3/4		3/4	
4	533	4	2,520	4	4,507	4	6,494	4	8,481	4		4		4		4		4	
1/4	574	1/4	2,561	1/4	4,548	1/4	6,535	1/4	8,522	1/4		1/4		1/4		1/4		1/4	
1/2	616	1/2	2,603	1/2	4,590	1/2	6,577	1/2	8,564	1/2		1/2		1/2		1/2		1/2	
3/4	657	3/4	2,644	3/4	4,631	3/4	6,618	3/4	8,605	3/4		3/4		3/4		3/4		3/4	
5	699	5	2,685	5	4,672	5	6,659	5	8,646	5		5		5		5		5	
1/4	740	1/4	2,727	1/4	4,714	1/4	6,701	1/4	8,688	1/4		1/4		1/4		1/4		1/4	
1/2	781	1/2	2,768	1/2	4,755	1/2	6,742	1/2	8,729	1/2		1/2		1/2		1/2		1/2	
3/4	823	3/4	2,810	3/4	4,797	3/4	6,784	3/4	8,770	3/4		3/4		3/4		3/4		3/4	
6	864	6	2,851	6	4,838	6	6,825	6	8,812	6		6		6		6		6	
1/4	906	1/4	2,892	1/4	4,879	1/4	6,866	1/4	8,853	1/4		1/4		1/4		1/4		1/4	
1/2	947	1/2	2,934	1/2	4,921	1/2	6,908	1/2	8,895	1/2		1/2		1/2		1/2		1/2	
3/4	988	3/4	2,975	3/4	4,962	3/4	6,949	3/4	8,936	3/4		3/4		3/4		3/4		3/4	
7	1,030	7	3,017	7	5,004	7	6,991	7	8,977	7		7		7		7		7	
1/4	1,071	1/4	3,058	1/4	5,045	1/4	7,032	1/4	9,019	1/4		1/4		1/4		1/4		1/4	
1/2	1,112	1/2	3,099	1/2	5,086	1/2	7,073	1/2	9,060	1/2		1/2		1/2		1/2		1/2	
3/4	1,154	3/4	3,141	3/4	5,128	3/4	7,115	3/4	9,102	3/4		3/4		3/4		3/4		3/4	
8	1,195	8	3,182	8	5,169	8	7,156	8	9,143	8		8		8		8		8	
1/4	1,237	1/4	3,224	1/4	5,211	1/4	7,198	1/4	9,184	1/4		1/4		1/4		1/4		1/4	
1/2	1,278	1/2	3,265	1/2	5,252	1/2	7,239	1/2	9,226	1/2		1/2		1/2		1/2		1/2	
3/4	1,319	3/4	3,306	3/4	5,293	3/4	7,280	3/4	9,267	3/4		3/4		3/4		3/4		3/4	
9	1,361	9	3,348	9	5,335	9	7,322	9	9,309	9		9		9		9		9	
1/4	1,402	1/4	3,389	1/4	5,376	1/4	7,363	1/4	9,350	1/4		1/4		1/4		1/4		1/4	
1/2	1,444	1/2	3,431	1/2	5,418	1/2	7,404	1/2	9,391	1/2		1/2		1/2		1/2		1/2	
3/4	1,485	3/4	3,472	3/4	5,459	3/4	7,446	3/4	9,433	3/4		3/4		3/4		3/4		3/4	
10	1,526	10	3,513	10	5,500	10	7,487	10	9,474	10		10		10		10		10	
1/4	1,568	1/4	3,555	1/4	5,542	1/4	7,529	1/4	9,516	1/4		1/4		1/4		1/4		1/4	
1/2	1,609	1/2	3,596	1/2	5,583	1/2	7,570	1/2	9,557	1/2		1/2		1/2		1/2		1/2	
3/4	1,651	3/4	3,638	3/4	5,625	3/4	7,611	3/4	9,598	3/4		3/4		3/4		3/4		3/4	
11	1,692	11	3,679	11	5,666	11	7,653	11	9,640	11		11		11		11		11	
1/4	1,733	1/4	3,720	1/4	5,707	1/4	7,694	1/4	9,681	1/4		1/4		1/4		1/4		1/4	
1/2	1,775	1/2	3,762	1/2	5,749	1/2	7,736	1/2	9,723	1/2		1/2		1/2		1/2		1/2	
3/4	1,816	3/4	3,803	3/4	5,790	3/4	7,777	3/4	9,764	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 5-2-2008 BY: JF
DATE COMPUTED: 5/13/08 BY: WHF
DATE ISSUED: 5/13/08

