

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 07-2146

Main innage table with columns for depth (IN), length (FT.), and capacity (BARRELS). Rows are organized by depth intervals from 0 to 11 feet, with sub-rows for 1/4, 1/2, and 3/4 foot increments.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 15' 9 1/2" PORT 15' 9 1/2" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5-2-2008 BY: JF DATE COMPUTED: 5/13/08 BY: WHF DATE ISSUED: 5/13/08



FMT 3077 FLORIDA MARINE

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 07-2146

Table with columns for depth (0 FT. to 15 FT.) and corresponding capacity values in barrels. The table is organized into 16 vertical sections, one for each foot of depth. Each section contains rows for different gauge heights: 0, 1/4, 1/2, and 3/4 feet. The capacity values generally decrease as the depth increases.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.. REFERENCE GAUGE HEIGHT: 15' 9" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5-2-2008 BY: JF DATE COMPUTED: 5/13/08 BY: WHF DATE ISSUED: 5/13/08

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 07-2146

Table with columns for length (0 FT. to 15 FT.) and rows for depth (0, 1/4, 1/2, 3/4) for each foot. Contains capacity values in barrels.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 15' 9 1/2" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5-2-2008 BY: JF DATE COMPUTED: 5/13/08 BY: WHF DATE ISSUED: 5/13/08

INTERTEK - CALEB BRETT

Handwritten signature

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

Table with columns for IN, 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT., 16 FT., 17 FT. and rows for gauges 0 through 11.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT... REFERENCE GAUGE HEIGHT: 17'-4" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5-2-2008 BY: JF... DATE COMPUTED: 5/13/08 BY: WHF... DATE ISSUED: 5/13/08



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 07-2146

Main data table with columns for gauge height (IN) and capacity (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 FT.) for various tank diameters (2 FT. to 17 FT.).

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT... REFERENCE GAUGE HEIGHT: 17-3 1/2" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5-2-2008 BY: JF... DATE ISSUED: 5/13/08

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 07-2146

Table with columns for Gauge Height (IN, 1/4, 1/2, 3/4), Capacity (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17 FT.), and Tank Dimensions (IN, FT.).

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17'-4" STBD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 5-2-2008 BY: JF
DATE COMPUTED: 5/13/08 BY: WHF
DATE ISSUED: 5/13/08

GAUGE HEIGHT - PORT: 5'5"
GAUGE HEIGHT - STBD: 5'5"

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,857	0	3,844	0	5,831	0	7,818	0		0		0		0		0	
1/4	5	1/4	1,899	1/4	3,885	1/4	5,872	1/4	7,859	1/4		1/4		1/4		1/4		1/4	
1/2	16	1/2	1,940	1/2	3,927	1/2	5,914	1/2	7,900	1/2		1/2		1/2		1/2		1/2	
3/4	26	3/4	1,982	3/4	3,968	3/4	5,955	3/4	7,942	3/4		3/4		3/4		3/4		3/4	
1	36	1	2,023	1	4,010	1	5,996	1	7,983	1		1		1		1		1	
1/4	78	1/4	2,064	1/4	4,051	1/4	6,038	1/4	8,024	1/4		1/4		1/4		1/4		1/4	
1/2	119	1/2	2,106	1/2	4,092	1/2	6,079	1/2	8,066	1/2		1/2		1/2		1/2		1/2	
3/4	160	3/4	2,147	3/4	4,134	3/4	6,121	3/4	8,107	3/4		3/4		3/4		3/4		3/4	
2	202	2	2,188	2	4,175	2	6,162	2	8,149	2		2		2		2		2	
1/4	243	1/4	2,230	1/4	4,217	1/4	6,203	1/4	8,190	1/4		1/4		1/4		1/4		1/4	
1/2	285	1/2	2,271	1/2	4,258	1/2	6,245	1/2	8,231	1/2		1/2		1/2		1/2		1/2	
3/4	326	3/4	2,313	3/4	4,299	3/4	6,286	3/4	8,273	3/4		3/4		3/4		3/4		3/4	
3	367	3	2,354	3	4,341	3	6,328	3	8,314	3		3		3		3		3	
1/4	409	1/4	2,395	1/4	4,382	1/4	6,369	1/4	8,356	1/4		1/4		1/4		1/4		1/4	
1/2	450	1/2	2,437	1/2	4,424	1/2	6,410	1/2	8,397	1/2		1/2		1/2		1/2		1/2	
3/4	492	3/4	2,478	3/4	4,465	3/4	6,452	3/4	8,438	3/4		3/4		3/4		3/4		3/4	
4	533	4	2,520	4	4,506	4	6,493	4	8,480	4		4		4		4		4	
1/4	574	1/4	2,561	1/4	4,548	1/4	6,534	1/4	8,521	1/4		1/4		1/4		1/4		1/4	
1/2	616	1/2	2,602	1/2	4,589	1/2	6,576	1/2	8,563	1/2		1/2		1/2		1/2		1/2	
3/4	657	3/4	2,644	3/4	4,631	3/4	6,617	3/4	8,604	3/4		3/4		3/4		3/4		3/4	
5	698	5	2,685	5	4,672	5	6,659	5	8,645	5		5		5		5		5	
1/4	740	1/4	2,727	1/4	4,713	1/4	6,700	1/4	8,687	1/4		1/4		1/4		1/4		1/4	
1/2	781	1/2	2,768	1/2	4,755	1/2	6,741	1/2	8,728	1/2		1/2		1/2		1/2		1/2	
3/4	823	3/4	2,809	3/4	4,796	3/4	6,783	3/4	8,770	3/4		3/4		3/4		3/4		3/4	
6	864	6	2,851	6	4,837	6	6,824	6	8,811	6		6		6		6		6	
1/4	905	1/4	2,892	1/4	4,879	1/4	6,866	1/4	8,852	1/4		1/4		1/4		1/4		1/4	
1/2	947	1/2	2,934	1/2	4,920	1/2	6,907	1/2	8,894	1/2		1/2		1/2		1/2		1/2	
3/4	988	3/4	2,975	3/4	4,962	3/4	6,948	3/4	8,935	3/4		3/4		3/4		3/4		3/4	
7	1,030	7	3,016	7	5,003	7	6,990	7	8,976	7		7		7		7		7	
1/4	1,071	1/4	3,058	1/4	5,044	1/4	7,031	1/4	9,018	1/4		1/4		1/4		1/4		1/4	
1/2	1,112	1/2	3,099	1/2	5,086	1/2	7,073	1/2	9,059	1/2		1/2		1/2		1/2		1/2	
3/4	1,154	3/4	3,140	3/4	5,127	3/4	7,114	3/4	9,101	3/4		3/4		3/4		3/4		3/4	
8	1,195	8	3,182	8	5,169	8	7,155	8	9,142	8		8		8		8		8	
1/4	1,237	1/4	3,223	1/4	5,210	1/4	7,197	1/4	9,183	1/4		1/4		1/4		1/4		1/4	
1/2	1,278	1/2	3,265	1/2	5,251	1/2	7,238	1/2	9,225	1/2		1/2		1/2		1/2		1/2	
3/4	1,319	3/4	3,306	3/4	5,293	3/4	7,279	3/4	9,266	3/4		3/4		3/4		3/4		3/4	
9	1,361	9	3,347	9	5,334	9	7,321	9	9,308	9		9		9		9		9	
1/4	1,402	1/4	3,389	1/4	5,376	1/4	7,362	1/4	9,349	1/4		1/4		1/4		1/4		1/4	
1/2	1,443	1/2	3,430	1/2	5,417	1/2	7,404	1/2	9,390	1/2		1/2		1/2		1/2		1/2	
3/4	1,485	3/4	3,472	3/4	5,458	3/4	7,445	3/4	9,432	3/4		3/4		3/4		3/4		3/4	
10	1,526	10	3,513	10	5,500	10	7,486	10	9,473	10		10		10		10		10	
1/4	1,568	1/4	3,554	1/4	5,541	1/4	7,528	1/4	9,515	1/4		1/4		1/4		1/4		1/4	
1/2	1,609	1/2	3,596	1/2	5,582	1/2	7,569	1/2	9,556	1/2		1/2		1/2		1/2		1/2	
3/4	1,650	3/4	3,637	3/4	5,624	3/4	7,611	3/4	9,597	3/4		3/4		3/4		3/4		3/4	
11	1,692	11	3,679	11	5,665	11	7,652	11	9,639	11		11		11		11		11	
1/4	1,733	1/4	3,720	1/4	5,707	1/4	7,693	1/4	9,680	1/4		1/4		1/4		1/4		1/4	
1/2	1,775	1/2	3,761	1/2	5,748	1/2	7,735	1/2	9,721	1/2		1/2		1/2		1/2		1/2	
3/4	1,816	3/4	3,803	3/4	5,789	3/4	7,776	3/4	9,763	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 5-2-2008 BY: JF
DATE COMPUTED: 5/13/08 BY: WHF
DATE ISSUED: 5/13/08

