

BARGE "FMT - 3164" FLORIDA MARINE

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 04-2284

Table with columns for depth (0 to 15 FT) and ullage measurements for various gauge points (0 to 15 FT). Each depth row contains 25 columns of data for different gauge points, each with a fractional gauge point value.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 15' 8 3/4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 08/26/05 BY: LJ DATE COMPUTED: 08/31/05 BY: WHF DATE ISSUED: 08/31/05



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 04-2284

Main data table with columns for IN, 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT., 16 FT., 17 FT. and rows for 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17' 03 1/4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 08/26/05 BY: LJ
DATE COMPUTED: 08/31/05 BY: WHF
DATE ISSUED: 08/31/05

INTERTEK - CALEB BRETT



GAUGE HEIGHT - PORT: 5' 4 3/4"
GAUGE HEIGHT - STBD: 5' 4 1/2"

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,008	0	2,017	0	3,025	0	4,034	0		0		0		0		0	
1/4	21	1/4	1,029	1/4	2,038	1/4	3,046	1/4	4,055	1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	1,050	1/2	2,059	1/2	3,067	1/2	4,076	1/2		1/2		1/2		1/2		1/2	
3/4	63	3/4	1,071	3/4	2,080	3/4	3,088	3/4	4,097	3/4		3/4		3/4		3/4		3/4	
1	84	1	1,092	1	2,101	1	3,109	1	4,118	1		1		1		1		1	
1/4	105	1/4	1,113	1/4	2,122	1/4	3,130	1/4	4,139	1/4		1/4		1/4		1/4		1/4	
1/2	126	1/2	1,134	1/2	2,143	1/2	3,151	1/2	4,160	1/2		1/2		1/2		1/2		1/2	
3/4	147	3/4	1,156	3/4	2,164	3/4	3,172	3/4	4,181	3/4		3/4		3/4		3/4		3/4	
2	168	2	1,177	2	2,185	2	3,193	2	4,202	2		2		2		2		2	
1/4	189	1/4	1,198	1/4	2,206	1/4	3,214	1/4	4,223	1/4		1/4		1/4		1/4		1/4	
1/2	210	1/2	1,219	1/2	2,227	1/2	3,235	1/2	4,244	1/2		1/2		1/2		1/2		1/2	
3/4	231	3/4	1,240	3/4	2,248	3/4	3,256	3/4	4,265	3/4		3/4		3/4		3/4		3/4	
3	252	3	1,261	3	2,269	3	3,277	3	4,286	3		3		3		3		3	
1/4	273	1/4	1,282	1/4	2,290	1/4	3,298	1/4	4,307	1/4		1/4		1/4		1/4		1/4	
1/2	294	1/2	1,303	1/2	2,311	1/2	3,319	1/2	4,328	1/2		1/2		1/2		1/2		1/2	
3/4	315	3/4	1,324	3/4	2,332	3/4	3,340	3/4	4,349	3/4		3/4		3/4		3/4		3/4	
4	336	4	1,345	4	2,353	4	3,361	4	4,370	4		4		4		4		4	
1/4	357	1/4	1,366	1/4	2,374	1/4	3,382	1/4	4,391	1/4		1/4		1/4		1/4		1/4	
1/2	378	1/2	1,387	1/2	2,395	1/2	3,403	1/2	4,412	1/2		1/2		1/2		1/2		1/2	
3/4	399	3/4	1,408	3/4	2,416	3/4	3,424	3/4	4,433	3/4		3/4		3/4		3/4		3/4	
5	420	5	1,429	5	2,437	5	3,446	5	4,454	5		5		5		5		5	
1/4	441	1/4	1,450	1/4	2,458	1/4	3,467	1/4	4,475	1/4		1/4		1/4		1/4		1/4	
1/2	462	1/2	1,471	1/2	2,479	1/2	3,488	1/2	4,496	1/2		1/2		1/2		1/2		1/2	
3/4	483	3/4	1,492	3/4	2,500	3/4	3,509	3/4	4,517	3/4		3/4		3/4		3/4		3/4	
6	504	6	1,513	6	2,521	6	3,530	6	4,538	6		6		6		6		6	
1/4	525	1/4	1,534	1/4	2,542	1/4	3,551	1/4	4,559	1/4		1/4		1/4		1/4		1/4	
1/2	546	1/2	1,555	1/2	2,563	1/2	3,572	1/2	4,580	1/2		1/2		1/2		1/2		1/2	
3/4	567	3/4	1,576	3/4	2,584	3/4	3,593	3/4	4,601	3/4		3/4		3/4		3/4		3/4	
7	588	7	1,597	7	2,605	7	3,614	7	4,622	7		7		7		7		7	
1/4	609	1/4	1,618	1/4	2,626	1/4	3,635	1/4	4,643	1/4		1/4		1/4		1/4		1/4	
1/2	630	1/2	1,639	1/2	2,647	1/2	3,656	1/2	4,664	1/2		1/2		1/2		1/2		1/2	
3/4	651	3/4	1,660	3/4	2,668	3/4	3,677	3/4	4,685	3/4		3/4		3/4		3/4		3/4	
8	672	8	1,681	8	2,689	8	3,698	8	4,706	8		8		8		8		8	
1/4	693	1/4	1,702	1/4	2,710	1/4	3,719	1/4	4,727	1/4		1/4		1/4		1/4		1/4	
1/2	714	1/2	1,723	1/2	2,731	1/2	3,740	1/2	4,748	1/2		1/2		1/2		1/2		1/2	
3/4	735	3/4	1,744	3/4	2,752	3/4	3,761	3/4	4,769	3/4		3/4		3/4		3/4		3/4	
9	756	9	1,765	9	2,773	9	3,782	9	4,790	9		9		9		9		9	
1/4	777	1/4	1,786	1/4	2,794	1/4	3,803	1/4	4,811	1/4		1/4		1/4		1/4		1/4	
1/2	798	1/2	1,807	1/2	2,815	1/2	3,824	1/2	4,832	1/2		1/2		1/2		1/2		1/2	
3/4	819	3/4	1,828	3/4	2,836	3/4	3,845	3/4	4,853	3/4		3/4		3/4		3/4		3/4	
10	840	10	1,849	10	2,857	10	3,866	10	4,874	10		10		10		10		10	
1/4	861	1/4	1,870	1/4	2,878	1/4	3,887	1/4	4,895	1/4		1/4		1/4		1/4		1/4	
1/2	882	1/2	1,891	1/2	2,899	1/2	3,908	1/2	4,916	1/2		1/2		1/2		1/2		1/2	
3/4	903	3/4	1,912	3/4	2,920	3/4	3,929	3/4	4,937	3/4		3/4		3/4		3/4		3/4	
11	924	11	1,933	11	2,941	11	3,950	11	4,958	11		11		11		11		11	
1/4	945	1/4	1,954	1/4	2,962	1/4	3,971	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	966	1/2	1,975	1/2	2,983	1/2	3,992	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	987	3/4	1,996	3/4	3,004	3/4	4,013	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

INTERTEK - CALEB BRETT

DATE STRAPPED: 08/25/05 BY: BB
DATE COMPUTED: 08/31/05 BY: WHF
DATE ISSUED: 08/31/05

