

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

Main data table with columns for height (0 to 15 FT) and sub-columns for gauging points (0, 1/4, 1/2, 3/4). Values represent capacity in barrels for each configuration.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 15' 8 3/4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 08/25/05 BY: BB DATE COMPUTED: 08/31/05 BY: WHF DATE ISSUED: 08/31/05



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

Table with 28 columns (IN 0 FT. to IN 15 FT.) and 11 rows (0 to 11). Each cell contains capacity data for different gauging depths and heights.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 15' 8 1/4" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 08/25/05 BY: BB DATE COMPUTED: 08/31/05 BY: WHF DATE ISSUED: 08/31/05

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

Table with 28 columns (IN 2 FT. to IN 17 FT.) and 28 rows (0 to 11) for each height, showing capacity values in barrels of 42 U.S. gallons.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17' 02 3/4" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 08/25/05 BY: BB
DATE COMPUTED: 08/31/05 BY: WHF
DATE ISSUED: 08/31/05



BARGE "FMT - 3168"
FLORIDA MARINE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

Table with 26 columns (IN, 2 FT., IN, 3 FT., IN, 4 FT., IN, 5 FT., IN, 6 FT., IN, 7 FT., IN, 8 FT., IN, 9 FT., IN, 10 FT., IN, 11 FT., IN, 12 FT., IN, 13 FT., IN, 14 FT., IN, 15 FT., IN, 16 FT., IN, 17 FT.) and rows for various tank depths and gauging points.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17' 3 1/2" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 08/25/05 BY: BB
DATE COMPUTED: 08/31/05 BY: WHF
DATE ISSUED: 08/31/05

INTERTEK - CALEB BRETT

Handwritten signature

GAUGE HEIGHT - PORT: 5' 4 1/4"
GAUGE HEIGHT - STBD: 5' 4"

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,008	0	2,017	0	3,025	0	4,034	0		0		0		0		0	
1/4	21	1/4	1,029	1/4	2,038	1/4	3,046	1/4	4,055	1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	1,050	1/2	2,059	1/2	3,067	1/2	4,076	1/2		1/2		1/2		1/2		1/2	
3/4	63	3/4	1,071	3/4	2,080	3/4	3,088	3/4	4,097	3/4		3/4		3/4		3/4		3/4	
1	84	1	1,092	1	2,101	1	3,109	1	4,118	1		1		1		1		1	
1/4	105	1/4	1,113	1/4	2,122	1/4	3,130	1/4	4,139	1/4		1/4		1/4		1/4		1/4	
1/2	126	1/2	1,134	1/2	2,143	1/2	3,151	1/2	4,160	1/2		1/2		1/2		1/2		1/2	
3/4	147	3/4	1,156	3/4	2,164	3/4	3,172	3/4	4,181	3/4		3/4		3/4		3/4		3/4	
2	168	2	1,177	2	2,185	2	3,193	2	4,202	2		2		2		2		2	
1/4	189	1/4	1,198	1/4	2,206	1/4	3,214	1/4	4,223	1/4		1/4		1/4		1/4		1/4	
1/2	210	1/2	1,219	1/2	2,227	1/2	3,235	1/2	4,244	1/2		1/2		1/2		1/2		1/2	
3/4	231	3/4	1,240	3/4	2,248	3/4	3,256	3/4	4,265	3/4		3/4		3/4		3/4		3/4	
3	252	3	1,261	3	2,269	3	3,277	3	4,286	3		3		3		3		3	
1/4	273	1/4	1,282	1/4	2,290	1/4	3,298	1/4	4,307	1/4		1/4		1/4		1/4		1/4	
1/2	294	1/2	1,303	1/2	2,311	1/2	3,319	1/2	4,328	1/2		1/2		1/2		1/2		1/2	
3/4	315	3/4	1,324	3/4	2,332	3/4	3,340	3/4	4,349	3/4		3/4		3/4		3/4		3/4	
4	336	4	1,345	4	2,353	4	3,361	4	4,370	4		4		4		4		4	
1/4	357	1/4	1,366	1/4	2,374	1/4	3,382	1/4	4,391	1/4		1/4		1/4		1/4		1/4	
1/2	378	1/2	1,387	1/2	2,395	1/2	3,403	1/2	4,412	1/2		1/2		1/2		1/2		1/2	
3/4	399	3/4	1,408	3/4	2,416	3/4	3,424	3/4	4,433	3/4		3/4		3/4		3/4		3/4	
5	420	5	1,429	5	2,437	5	3,446	5	4,454	5		5		5		5		5	
1/4	441	1/4	1,450	1/4	2,458	1/4	3,467	1/4	4,475	1/4		1/4		1/4		1/4		1/4	
1/2	462	1/2	1,471	1/2	2,479	1/2	3,488	1/2	4,496	1/2		1/2		1/2		1/2		1/2	
3/4	483	3/4	1,492	3/4	2,500	3/4	3,509	3/4	4,517	3/4		3/4		3/4		3/4		3/4	
6	504	6	1,513	6	2,521	6	3,530	6	4,538	6		6		6		6		6	
1/4	525	1/4	1,534	1/4	2,542	1/4	3,551	1/4	4,559	1/4		1/4		1/4		1/4		1/4	
1/2	546	1/2	1,555	1/2	2,563	1/2	3,572	1/2	4,580	1/2		1/2		1/2		1/2		1/2	
3/4	567	3/4	1,576	3/4	2,584	3/4	3,593	3/4	4,601	3/4		3/4		3/4		3/4		3/4	
7	588	7	1,597	7	2,605	7	3,614	7	4,622	7		7		7		7		7	
1/4	609	1/4	1,618	1/4	2,626	1/4	3,635	1/4	4,643	1/4		1/4		1/4		1/4		1/4	
1/2	630	1/2	1,639	1/2	2,647	1/2	3,656	1/2	4,664	1/2		1/2		1/2		1/2		1/2	
3/4	651	3/4	1,660	3/4	2,668	3/4	3,677	3/4	4,685	3/4		3/4		3/4		3/4		3/4	
8	672	8	1,681	8	2,689	8	3,698	8	4,706	8		8		8		8		8	
1/4	693	1/4	1,702	1/4	2,710	1/4	3,719	1/4	4,727	1/4		1/4		1/4		1/4		1/4	
1/2	714	1/2	1,723	1/2	2,731	1/2	3,740	1/2	4,748	1/2		1/2		1/2		1/2		1/2	
3/4	735	3/4	1,744	3/4	2,752	3/4	3,761	3/4	4,769	3/4		3/4		3/4		3/4		3/4	
9	756	9	1,765	9	2,773	9	3,782	9	4,790	9		9		9		9		9	
1/4	777	1/4	1,786	1/4	2,794	1/4	3,803	1/4	4,811	1/4		1/4		1/4		1/4		1/4	
1/2	798	1/2	1,807	1/2	2,815	1/2	3,824	1/2	4,832	1/2		1/2		1/2		1/2		1/2	
3/4	819	3/4	1,828	3/4	2,836	3/4	3,845	3/4	4,853	3/4		3/4		3/4		3/4		3/4	
10	840	10	1,849	10	2,857	10	3,866	10	4,874	10		10		10		10		10	
1/4	861	1/4	1,870	1/4	2,878	1/4	3,887	1/4	4,895	1/4		1/4		1/4		1/4		1/4	
1/2	882	1/2	1,891	1/2	2,899	1/2	3,908	1/2	4,916	1/2		1/2		1/2		1/2		1/2	
3/4	903	3/4	1,912	3/4	2,920	3/4	3,929	3/4	4,937	3/4		3/4		3/4		3/4		3/4	
11	924	11	1,933	11	2,941	11	3,950	11	4,958	11		11		11		11		11	
1/4	945	1/4	1,954	1/4	2,962	1/4	3,971	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	966	1/2	1,975	1/2	2,983	1/2	3,992	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	987	3/4	1,996	3/4	3,004	3/4	4,013	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

INTERTEK - CALEB BRETT

DATE STRAPPED: 08/25/05 BY: BB
DATE COMPUTED: 08/31/05 BY: WHF
DATE ISSUED: 08/31/05

