

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 05-2516

Main data table with columns for height (0 to 15 FT.) and depth (0 to 15 FT.), providing capacity values in barrels for various gauging depths.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.. REFERENCE GAUGE HEIGHT: 15' 9" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 08/23/06 BY: THF DATE COMPUTED: 08/28/06 BY: WHF DATE ISSUED: 08/29/06

INTERTEK - CALEB BRETT

Handwritten signature

**BARGE "FMT - 3184"
FLORIDA MARINE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

Table with columns: IN, 2 FT., IN, 3 FT., IN, 4 FT., IN, 5 FT., IN, 6 FT., IN, 7 FT., IN, 8 FT., IN, 9 FT., IN, 10 FT., IN, 11 FT., IN, 12 FT., IN, 13 FT., IN, 14 FT., IN, 15 FT., IN, 16 FT., IN, 17 FT.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17'-4 1/4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 08/23/06 BY: THF
DATE COMPUTED: 08/28/06 BY: WHF
DATE ISSUED: 08/29/06

Handwritten signature

BARGE "FMT - 3184" FLORIDA MARINE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 05-2516

Main table with columns for height (IN) and capacity (O, 1/4, 1/2, 3/4) for each 1-foot interval from 0 to 11 feet.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT... NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK... REFERENCE GAUGE HEIGHT: 17-3" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 08/23/06 BY: THF... DATE COMPUTED: 08/28/06 BY: WHF... DATE ISSUED: 08/29/06



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

Table with 25 columns (IN 2 FT. to IN 17 FT.) and 26 rows (0 to 11). Each row contains capacity values in barrels for different gauging heights (0, 1/4, 1/2, 3/4).

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT... NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK... REFERENCE GAUGE HEIGHT: 17'-3 1/2" STBD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 08/23/06 BY: THF DATE COMPUTED: 08/28/06 BY: WHF DATE ISSUED: 08/29/06

GAUGE HEIGHT - PORT: 5' 4 1/2"
GAUGE HEIGHT - STBD: 5' 4"

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	994	0	1,988	0	2,982	0	3,976	0		0		0		0		0	
1/4	21	1/4	1,015	1/4	2,009	1/4	3,003	1/4	3,997	1/4		1/4		1/4		1/4		1/4	
1/2	41	1/2	1,036	1/2	2,036	1/2	3,024	1/2	4,018	1/2		1/2		1/2		1/2		1/2	
3/4	62	3/4	1,056	3/4	2,050	3/4	3,044	3/4	4,039	3/4		3/4		3/4		3/4		3/4	
1	83	1	1,077	1	2,071	1	3,065	1	4,059	1		1		1		1		1	
1/4	104	1/4	1,098	1/4	2,092	1/4	3,086	1/4	4,080	1/4		1/4		1/4		1/4		1/4	
1/2	124	1/2	1,118	1/2	2,113	1/2	3,107	1/2	4,101	1/2		1/2		1/2		1/2		1/2	
3/4	145	3/4	1,139	3/4	2,133	3/4	3,127	3/4	4,121	3/4		3/4		3/4		3/4		3/4	
2	166	2	1,160	2	2,154	2	3,148	2	4,142	2		2		2		2		2	
1/4	186	1/4	1,181	1/4	2,175	1/4	3,169	1/4	4,163	1/4		1/4		1/4		1/4		1/4	
1/2	207	1/2	1,201	1/2	2,195	1/2	3,189	1/2	4,184	1/2		1/2		1/2		1/2		1/2	
3/4	228	3/4	1,222	3/4	2,216	3/4	3,210	3/4	4,204	3/4		3/4		3/4		3/4		3/4	
3	249	3	1,243	3	2,237	3	3,231	3	4,225	3		3		3		3		3	
1/4	269	1/4	1,263	1/4	2,257	1/4	3,252	1/4	4,246	1/4		1/4		1/4		1/4		1/4	
1/2	290	1/2	1,284	1/2	2,278	1/2	3,272	1/2	4,266	1/2		1/2		1/2		1/2		1/2	
3/4	311	3/4	1,305	3/4	2,299	3/4	3,293	3/4	4,287	3/4		3/4		3/4		3/4		3/4	
4	331	4	1,325	4	2,320	4	3,314	4	4,308	4		4		4		4		4	
1/4	352	1/4	1,346	1/4	2,340	1/4	3,334	1/4	4,329	1/4		1/4		1/4		1/4		1/4	
1/2	373	1/2	1,367	1/2	2,361	1/2	3,355	1/2	4,349	1/2		1/2		1/2		1/2		1/2	
3/4	394	3/4	1,388	3/4	2,382	3/4	3,376	3/4	4,370	3/4		3/4		3/4		3/4		3/4	
5	414	5	1,408	5	2,402	5	3,397	5	4,391	5		5		5		5		5	
1/4	435	1/4	1,429	1/4	2,423	1/4	3,417	1/4	4,411	1/4		1/4		1/4		1/4		1/4	
1/2	456	1/2	1,450	1/2	2,444	1/2	3,438	1/2	4,432	1/2		1/2		1/2		1/2		1/2	
3/4	476	3/4	1,470	3/4	2,465	3/4	3,459	3/4	4,453	3/4		3/4		3/4		3/4		3/4	
6	497	6	1,491	6	2,485	6	3,479	6	4,474	6		6		6		6		6	
1/4	518	1/4	1,512	1/4	2,506	1/4	3,500	1/4	4,494	1/4		1/4		1/4		1/4		1/4	
1/2	538	1/2	1,533	1/2	2,527	1/2	3,521	1/2	4,515	1/2		1/2		1/2		1/2		1/2	
3/4	559	3/4	1,553	3/4	2,547	3/4	3,542	3/4	4,536	3/4		3/4		3/4		3/4		3/4	
7	580	7	1,574	7	2,568	7	3,562	7	4,556	7		7		7		7		7	
1/4	601	1/4	1,595	1/4	2,589	1/4	3,583	1/4	4,577	1/4		1/4		1/4		1/4		1/4	
1/2	621	1/2	1,615	1/2	2,610	1/2	3,604	1/2	4,598	1/2		1/2		1/2		1/2		1/2	
3/4	642	3/4	1,636	3/4	2,630	3/4	3,624	3/4	4,619	3/4		3/4		3/4		3/4		3/4	
8	663	8	1,657	8	2,651	8	3,645	8	4,639	8		8		8		8		8	
1/4	683	1/4	1,678	1/4	2,672	1/4	3,666	1/4	4,660	1/4		1/4		1/4		1/4		1/4	
1/2	704	1/2	1,698	1/2	2,692	1/2	3,687	1/2	4,681	1/2		1/2		1/2		1/2		1/2	
3/4	725	3/4	1,719	3/4	2,713	3/4	3,707	3/4	4,701	3/4		3/4		3/4		3/4		3/4	
9	746	9	1,740	9	2,734	9	3,728	9	4,722	9		9		9		9		9	
1/4	766	1/4	1,760	1/4	2,755	1/4	3,749	1/4	4,743	1/4		1/4		1/4		1/4		1/4	
1/2	787	1/2	1,781	1/2	2,775	1/2	3,769	1/2	4,763	1/2		1/2		1/2		1/2		1/2	
3/4	808	3/4	1,802	3/4	2,796	3/4	3,790	3/4	4,784	3/4		3/4		3/4		3/4		3/4	
10	828	10	1,823	10	2,817	10	3,811	10	4,805	10		10		10		10		10	
1/4	849	1/4	1,843	1/4	2,837	1/4	3,832	1/4	4,826	1/4		1/4		1/4		1/4		1/4	
1/2	870	1/2	1,864	1/2	2,858	1/2	3,852	1/2	4,846	1/2		1/2		1/2		1/2		1/2	
3/4	891	3/4	1,885	3/4	2,879	3/4	3,873	3/4	4,867	3/4		3/4		3/4		3/4		3/4	
11	911	11	1,905	11	2,900	11	3,894	11	4,888	11		11		11		11		11	
1/4	932	1/4	1,926	1/4	2,920	1/4	3,914	1/4	4,888	1/4		1/4		1/4		1/4		1/4	
1/2	953	1/2	1,947	1/2	2,941	1/2	3,935	1/2	4,888	1/2		1/2		1/2		1/2		1/2	
3/4	973	3/4	1,968	3/4	2,962	3/4	3,956	3/4	4,888	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

INTERTEK - CALEB BRETT

DATE STRAPPED: 08/23/06 BY: THF
DATE COMPUTED: 08/28/06 BY: WHF
DATE ISSUED: 08/29/06

