

GAUGE HEIGHT - PORT: 5' 4 1/2"  
GAUGE HEIGHT - STBD: 5' 4"

CAPACITIES GIVEN IN WHOLE GALLONS

| IN        | 0 FT. | IN        | 1 FT. | IN        | 2 FT. | IN        | 3 FT. | IN        | 4 FT. | IN        | 5 FT. | IN        | 6 FT. | IN        | 7 FT. | IN        | 8 FT. | IN        | 9 FT. |
|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|
| <b>0</b>  | 0     | <b>0</b>  | 999   | <b>0</b>  | 1,998 | <b>0</b>  | 2,997 | <b>0</b>  | 3,997 | <b>0</b>  |       | <b>0</b>  |       | <b>0</b>  |       | <b>0</b>  |       | <b>0</b>  |       |
| 1/4       | 21    | 1/4       | 1,020 | 1/4       | 2,019 | 1/4       | 3,018 | 1/4       | 4,017 | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       |
| 1/2       | 42    | 1/2       | 1,041 | 1/2       | 2,040 | 1/2       | 3,039 | 1/2       | 4,038 | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       |
| 3/4       | 62    | 3/4       | 1,062 | 3/4       | 2,061 | 3/4       | 3,060 | 3/4       | 4,059 | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       |
| <b>1</b>  | 83    | <b>1</b>  | 1,082 | <b>1</b>  | 2,082 | <b>1</b>  | 3,081 | <b>1</b>  | 4,080 | <b>1</b>  |       | <b>1</b>  |       | <b>1</b>  |       | <b>1</b>  |       | <b>1</b>  |       |
| 1/4       | 104   | 1/4       | 1,103 | 1/4       | 2,102 | 1/4       | 3,102 | 1/4       | 4,101 | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       |
| 1/2       | 125   | 1/2       | 1,124 | 1/2       | 2,123 | 1/2       | 3,122 | 1/2       | 4,122 | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       |
| 3/4       | 146   | 3/4       | 1,145 | 3/4       | 2,144 | 3/4       | 3,143 | 3/4       | 4,142 | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       |
| <b>2</b>  | 167   | <b>2</b>  | 1,166 | <b>2</b>  | 2,165 | <b>2</b>  | 3,164 | <b>2</b>  | 4,163 | <b>2</b>  |       | <b>2</b>  |       | <b>2</b>  |       | <b>2</b>  |       | <b>2</b>  |       |
| 1/4       | 187   | 1/4       | 1,187 | 1/4       | 2,186 | 1/4       | 3,185 | 1/4       | 4,184 | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       |
| 1/2       | 208   | 1/2       | 1,207 | 1/2       | 2,206 | 1/2       | 3,206 | 1/2       | 4,205 | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       |
| 3/4       | 229   | 3/4       | 1,228 | 3/4       | 2,227 | 3/4       | 3,226 | 3/4       | 4,226 | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       |
| <b>3</b>  | 250   | <b>3</b>  | 1,249 | <b>3</b>  | 2,248 | <b>3</b>  | 3,247 | <b>3</b>  | 4,246 | <b>3</b>  |       | <b>3</b>  |       | <b>3</b>  |       | <b>3</b>  |       | <b>3</b>  |       |
| 1/4       | 271   | 1/4       | 1,270 | 1/4       | 2,269 | 1/4       | 3,268 | 1/4       | 4,267 | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       |
| 1/2       | 291   | 1/2       | 1,291 | 1/2       | 2,290 | 1/2       | 3,289 | 1/2       | 4,288 | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       |
| 3/4       | 312   | 3/4       | 1,311 | 3/4       | 2,311 | 3/4       | 3,310 | 3/4       | 4,309 | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       |
| <b>4</b>  | 333   | <b>4</b>  | 1,332 | <b>4</b>  | 2,331 | <b>4</b>  | 3,331 | <b>4</b>  | 4,330 | <b>4</b>  |       | <b>4</b>  |       | <b>4</b>  |       | <b>4</b>  |       | <b>4</b>  |       |
| 1/4       | 354   | 1/4       | 1,353 | 1/4       | 2,352 | 1/4       | 3,351 | 1/4       | 4,351 | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       |
| 1/2       | 375   | 1/2       | 1,374 | 1/2       | 2,373 | 1/2       | 3,372 | 1/2       | 4,371 | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       |
| 3/4       | 396   | 3/4       | 1,395 | 3/4       | 2,394 | 3/4       | 3,393 | 3/4       | 4,392 | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       |
| <b>5</b>  | 416   | <b>5</b>  | 1,415 | <b>5</b>  | 2,415 | <b>5</b>  | 3,414 | <b>5</b>  | 4,413 | <b>5</b>  |       | <b>5</b>  |       | <b>5</b>  |       | <b>5</b>  |       | <b>5</b>  |       |
| 1/4       | 437   | 1/4       | 1,436 | 1/4       | 2,435 | 1/4       | 3,435 | 1/4       | 4,434 | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       |
| 1/2       | 458   | 1/2       | 1,457 | 1/2       | 2,456 | 1/2       | 3,455 | 1/2       | 4,455 | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       |
| 3/4       | 479   | 3/4       | 1,478 | 3/4       | 2,477 | 3/4       | 3,476 | 3/4       | 4,475 | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       |
| <b>6</b>  | 500   | <b>6</b>  | 1,499 | <b>6</b>  | 2,498 | <b>6</b>  | 3,497 | <b>6</b>  | 4,496 | <b>6</b>  |       | <b>6</b>  |       | <b>6</b>  |       | <b>6</b>  |       | <b>6</b>  |       |
| 1/4       | 520   | 1/4       | 1,520 | 1/4       | 2,519 | 1/4       | 3,518 | 1/4       | 4,517 | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       |
| 1/2       | 541   | 1/2       | 1,540 | 1/2       | 2,540 | 1/2       | 3,539 | 1/2       | 4,538 | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       |
| 3/4       | 562   | 3/4       | 1,561 | 3/4       | 2,560 | 3/4       | 3,560 | 3/4       | 4,559 | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       |
| <b>7</b>  | 583   | <b>7</b>  | 1,582 | <b>7</b>  | 2,581 | <b>7</b>  | 3,580 | <b>7</b>  | 4,580 | <b>7</b>  |       | <b>7</b>  |       | <b>7</b>  |       | <b>7</b>  |       | <b>7</b>  |       |
| 1/4       | 604   | 1/4       | 1,603 | 1/4       | 2,602 | 1/4       | 3,601 | 1/4       | 4,600 | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       |
| 1/2       | 624   | 1/2       | 1,624 | 1/2       | 2,623 | 1/2       | 3,622 | 1/2       | 4,621 | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       |
| 3/4       | 645   | 3/4       | 1,644 | 3/4       | 2,644 | 3/4       | 3,643 | 3/4       | 4,642 | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       |
| <b>8</b>  | 666   | <b>8</b>  | 1,665 | <b>8</b>  | 2,664 | <b>8</b>  | 3,664 | <b>8</b>  | 4,663 | <b>8</b>  |       | <b>8</b>  |       | <b>8</b>  |       | <b>8</b>  |       | <b>8</b>  |       |
| 1/4       | 687   | 1/4       | 1,686 | 1/4       | 2,685 | 1/4       | 3,684 | 1/4       | 4,684 | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       |
| 1/2       | 708   | 1/2       | 1,707 | 1/2       | 2,706 | 1/2       | 3,705 | 1/2       | 4,704 | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       |
| 3/4       | 729   | 3/4       | 1,728 | 3/4       | 2,727 | 3/4       | 3,726 | 3/4       | 4,725 | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       |
| <b>9</b>  | 749   | <b>9</b>  | 1,749 | <b>9</b>  | 2,748 | <b>9</b>  | 3,747 | <b>9</b>  | 4,746 | <b>9</b>  |       | <b>9</b>  |       | <b>9</b>  |       | <b>9</b>  |       | <b>9</b>  |       |
| 1/4       | 770   | 1/4       | 1,769 | 1/4       | 2,769 | 1/4       | 3,768 | 1/4       | 4,767 | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       |
| 1/2       | 791   | 1/2       | 1,790 | 1/2       | 2,789 | 1/2       | 3,788 | 1/2       | 4,788 | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       |
| 3/4       | 812   | 3/4       | 1,811 | 3/4       | 2,810 | 3/4       | 3,809 | 3/4       | 4,808 | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       |
| <b>10</b> | 833   | <b>10</b> | 1,832 | <b>10</b> | 2,831 | <b>10</b> | 3,830 | <b>10</b> | 4,829 | <b>10</b> |       | <b>10</b> |       | <b>10</b> |       | <b>10</b> |       | <b>10</b> |       |
| 1/4       | 853   | 1/4       | 1,853 | 1/4       | 2,852 | 1/4       | 3,851 | 1/4       | 4,850 | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       |
| 1/2       | 874   | 1/2       | 1,873 | 1/2       | 2,873 | 1/2       | 3,872 | 1/2       | 4,871 | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       |
| 3/4       | 895   | 3/4       | 1,894 | 3/4       | 2,893 | 3/4       | 3,893 | 3/4       | 4,892 | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       |
| <b>11</b> | 916   | <b>11</b> | 1,915 | <b>11</b> | 2,914 | <b>11</b> | 3,913 | <b>11</b> |       | <b>11</b> |       | <b>11</b> |       | <b>11</b> |       | <b>11</b> |       | <b>11</b> |       |
| 1/4       | 937   | 1/4       | 1,936 | 1/4       | 2,935 | 1/4       | 3,934 | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       | 1/4       |       |
| 1/2       | 958   | 1/2       | 1,957 | 1/2       | 2,956 | 1/2       | 3,955 | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       | 1/2       |       |
| 3/4       | 978   | 3/4       | 1,978 | 3/4       | 2,977 | 3/4       | 3,976 | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       | 3/4       |       |

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

**INTERTEK - CALEB BRETT**

DATE STRAPPED: 09/13/06 BY: THF  
DATE COMPUTED: 09/18/06 BY: WHF  
DATE ISSUED: 09/18/06







CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 05-2518

Table with columns for IN, 0 FT., 1 FT., 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT. and rows for levels 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 15' 9" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 09/13/06 BY: THF DATE COMPUTED: 09/18/06 BY: WHF DATE ISSUED: 09/18/06











CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 05-2518

Main data table with 24 columns for different heights (2 FT. to 17 FT.) and 4 rows per height. Each cell contains a numerical value representing capacity.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK..
REFERENCE GAUGE HEIGHT: 17'-3" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 09/13/06 BY: THF
DATE COMPUTED: 09/18/06 BY: WHF
DATE ISSUED: 09/18/06





CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 05-2518

Table with columns for height (IN) and capacity (BARRELS) for various ullage gauges (0 to 11) at different heights (2 FT. to 17 FT.).

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17-3 1/2" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 09/13/06 BY: THF
DATE COMPUTED: 09/18/06 BY: WHF
DATE ISSUED: 09/18/06

INTERTEK - CALEB BRETT











CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

Table with 26 columns (IN, 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT., 16 FT., 17 FT.) and multiple rows (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11) for each height. Each cell contains a numerical value representing capacity.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17'-3 3/4" STBD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 09/13/06 BY: THF
DATE COMPUTED: 09/18/06 BY: WHF
DATE ISSUED: 09/18/06



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 05-2518

Table with 25 columns (0 to 14 FT. depth) and 25 rows (0 to 3/4 depth increments). Each cell contains capacity values in barrels.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE.  
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
REFERENCE GAUGE HEIGHT: 15' 8 1/2" PORT  
REFERENCE GAUGE HEIGHT: 15' 9" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 09/13/06 BY: THF  
DATE COMPUTED: 09/18/06 BY: WHF  
DATE ISSUED: 09/18/06

**INTERTEK - CALEB BRETT**



