

GAUGE HEIGHT - PORT: 5' 4 1/4"
GAUGE HEIGHT - STBD: 5' 4 1/4"

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	990	0	1,979	0	2,969	0	3,958	0		0		0		0		0	
1/4	21	1/4	1,010	1/4	2,000	1/4	2,989	1/4	3,979	1/4		1/4		1/4		1/4		1/4	
1/2	41	1/2	1,031	1/2	2,020	1/2	3,010	1/2	3,999	1/2		1/2		1/2		1/2		1/2	
3/4	62	3/4	1,051	3/4	2,041	3/4	3,030	3/4	4,020	3/4		3/4		3/4		3/4		3/4	
1	82	1	1,072	1	2,062	1	3,051	1	4,041	1		1		1		1		1	
1/4	103	1/4	1,093	1/4	2,082	1/4	3,072	1/4	4,061	1/4		1/4		1/4		1/4		1/4	
1/2	124	1/2	1,113	1/2	2,103	1/2	3,092	1/2	4,082	1/2		1/2		1/2		1/2		1/2	
3/4	144	3/4	1,134	3/4	2,123	3/4	3,113	3/4	4,102	3/4		3/4		3/4		3/4		3/4	
2	165	2	1,154	2	2,144	2	3,134	2	4,123	2		2		2		2		2	
1/4	186	1/4	1,175	1/4	2,165	1/4	3,154	1/4	4,144	1/4		1/4		1/4		1/4		1/4	
1/2	206	1/2	1,196	1/2	2,185	1/2	3,175	1/2	4,164	1/2		1/2		1/2		1/2		1/2	
3/4	227	3/4	1,216	3/4	2,206	3/4	3,195	3/4	4,185	3/4		3/4		3/4		3/4		3/4	
3	247	3	1,237	3	2,226	3	3,216	3	4,206	3		3		3		3		3	
1/4	268	1/4	1,258	1/4	2,247	1/4	3,237	1/4	4,226	1/4		1/4		1/4		1/4		1/4	
1/2	289	1/2	1,278	1/2	2,268	1/2	3,257	1/2	4,247	1/2		1/2		1/2		1/2		1/2	
3/4	309	3/4	1,299	3/4	2,288	3/4	3,278	3/4	4,267	3/4		3/4		3/4		3/4		3/4	
4	330	4	1,319	4	2,309	4	3,298	4	4,288	4		4		4		4		4	
1/4	350	1/4	1,340	1/4	2,330	1/4	3,319	1/4	4,309	1/4		1/4		1/4		1/4		1/4	
1/2	371	1/2	1,361	1/2	2,350	1/2	3,340	1/2	4,329	1/2		1/2		1/2		1/2		1/2	
3/4	392	3/4	1,381	3/4	2,371	3/4	3,360	3/4	4,350	3/4		3/4		3/4		3/4		3/4	
5	412	5	1,402	5	2,391	5	3,381	5	4,370	5		5		5		5		5	
1/4	433	1/4	1,422	1/4	2,412	1/4	3,402	1/4	4,391	1/4		1/4		1/4		1/4		1/4	
1/2	454	1/2	1,443	1/2	2,433	1/2	3,422	1/2	4,412	1/2		1/2		1/2		1/2		1/2	
3/4	474	3/4	1,464	3/4	2,453	3/4	3,443	3/4	4,432	3/4		3/4		3/4		3/4		3/4	
6	495	6	1,484	6	2,474	6	3,463	6	4,453	6		6		6		6		6	
1/4	515	1/4	1,505	1/4	2,494	1/4	3,484	1/4	4,474	1/4		1/4		1/4		1/4		1/4	
1/2	536	1/2	1,526	1/2	2,515	1/2	3,505	1/2	4,494	1/2		1/2		1/2		1/2		1/2	
3/4	557	3/4	1,546	3/4	2,536	3/4	3,525	3/4	4,515	3/4		3/4		3/4		3/4		3/4	
7	577	7	1,567	7	2,556	7	3,546	7	4,535	7		7		7		7		7	
1/4	598	1/4	1,587	1/4	2,577	1/4	3,566	1/4	4,556	1/4		1/4		1/4		1/4		1/4	
1/2	618	1/2	1,608	1/2	2,598	1/2	3,587	1/2	4,577	1/2		1/2		1/2		1/2		1/2	
3/4	639	3/4	1,629	3/4	2,618	3/4	3,608	3/4	4,597	3/4		3/4		3/4		3/4		3/4	
8	660	8	1,649	8	2,639	8	3,628	8	4,618	8		8		8		8		8	
1/4	680	1/4	1,670	1/4	2,659	1/4	3,649	1/4	4,638	1/4		1/4		1/4		1/4		1/4	
1/2	701	1/2	1,690	1/2	2,680	1/2	3,670	1/2	4,659	1/2		1/2		1/2		1/2		1/2	
3/4	722	3/4	1,711	3/4	2,701	3/4	3,690	3/4	4,680	3/4		3/4		3/4		3/4		3/4	
9	742	9	1,732	9	2,721	9	3,711	9	4,700	9		9		9		9		9	
1/4	763	1/4	1,752	1/4	2,742	1/4	3,731	1/4	4,721	1/4		1/4		1/4		1/4		1/4	
1/2	783	1/2	1,773	1/2	2,762	1/2	3,752	1/2	4,742	1/2		1/2		1/2		1/2		1/2	
3/4	804	3/4	1,794	3/4	2,783	3/4	3,773	3/4	4,762	3/4		3/4		3/4		3/4		3/4	
10	825	10	1,814	10	2,804	10	3,793	10	4,783	10		10		10		10		10	
1/4	845	1/4	1,835	1/4	2,824	1/4	3,814	1/4	4,803	1/4		1/4		1/4		1/4		1/4	
1/2	866	1/2	1,855	1/2	2,845	1/2	3,834	1/2	4,824	1/2		1/2		1/2		1/2		1/2	
3/4	886	3/4	1,876	3/4	2,866	3/4	3,855	3/4	4,845	3/4		3/4		3/4		3/4		3/4	
11	907	11	1,897	11	2,886	11	3,876	11	4,865	11		11		11		11		11	
1/4	928	1/4	1,917	1/4	2,907	1/4	3,896	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	948	1/2	1,938	1/2	2,927	1/2	3,917	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	969	3/4	1,958	3/4	2,948	3/4	3,938	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

INTERTEK - CALEB BRETT

DATE STRAPPED: 11/07/06 BY: LJ/JF
DATE COMPUTED: 11/13/06 BY: WHF
DATE ISSUED: 11/13/06



ARGE "FMT - 3192" FLORIDA MARINE

1 PORT ULLAGE TABLE HERMETIC

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 05-2520

Table with columns for depth (IN 2 FT. to 17 FT.) and corresponding capacity values in barrels. Includes sub-columns for different gauge heights (0, 1/4, 1/2, 3/4).

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK..
REFERENCE GAUGE HEIGHT: 17'-3 1/4" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 11/07/06 BY: LJJF
DATE COMPUTED: 11/13/06 BY: WHF
DATE ISSUED: 11/13/06

INTERTEK - CALEB BRETT

Handwritten signature/initials.

BARGE "FMT - 3192"
FLORIDA MARINE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 05-2520

Table with columns for depth (IN, 1/4, 1/2, 3/4) and length (2 FT. to 17 FT.) for various tanks (0 to 11). Each cell contains capacity values in barrels.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17'-3" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 11/07/06 BY: LJJF
DATE COMPUTED: 11/13/06 BY: WHF
DATE ISSUED: 11/13/06

INTERTEK - CALEB BRETT



