

BARGE "FMT - 3198" FLORIDA MARINE

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL ULLAGE GAUGING AT 2" BALL VALVE

HULL No. 06-2097

Main data table with columns for height (0 FT. to 15 FT.) and rows for each height subdivided into 1/4, 1/2, and 3/4 increments.

NOTE: GAUGE POINT: TO TOP LIP OF HERMETIC BALL VALVE
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 15'-8 3/4" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/2/07 BY: LJ
DATE COMPUTED: 10/17/07 BY: WHF
DATE ISSUED: 10/17/07

INTERTEK - CALEB BRETT

Handwritten signature of C. Brett

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL ULLAGE GAUGING AT 2" BALL VALVE

HULL No. 06-2097

Main ullage table with columns for height (0 FT. to 15 FT.) and depth (0 to 3/4) for each integer height, listing capacity values in barrels.

NOTE: GAUGE POINT: TO TOP LIP OF HERMETIC BALL VALVE
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK..
REFERENCE GAUGE HEIGHT: 15'-8 3/4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/2/07 BY: LJ
DATE COMPUTED: 10/17/07 BY: WHF
DATE ISSUED: 10/17/07

INTERTEK - CALEB BRETT

Signature of Intertek representative

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL ULLAGE GAUGING AT 2" BALL VALVE

HULL No. 06-2097

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0		0	4,826.96	0	4,570.36	0	4,306.68	0	4,042.99	0	3,779.30	0	3,503.61	0	3,143.90	0	2,784.18	0	2,424.46	0	2,064.74	0	1,705.03	0	1,345.31	0	985.59	0	625.87	0	266.15

NOTE: GAUGE POINT: TO TOP LIP OF HERMETIC BALL VALVE
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 15'-8 3/4" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/20/07 BY: LJ
DATE COMPUTED: 10/17/07 BY: WHF
DATE ISSUED: 10/17/07



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL ULLAGE GAUGING AT 2" BALL VALVE

HULL No. 06-2097

Table with columns for depth (0 to 15 FT) and corresponding capacity values in barrels. Includes sub-rows for 1/4, 1/2, 3/4 increments.

NOTE: GAUGE POINT: TO TOP LIP OF HERMETIC BALL VALVE
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 15'-9" STBD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/2/07 BY: LJ
DATE COMPUTED: 10/17/07 BY: WHF
DATE ISSUED: 10/17/07

INTERTEK - CALEB BRETT

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT : 5' 4 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	2,007	0	4,013	0	6,020	0	8,027	0		0		0		0		0	
1/4	42	1/4	2,049	1/4	4,055	1/4	6,062	1/4	8,069	1/4		1/4		1/4		1/4		1/4	
1/2	84	1/2	2,090	1/2	4,097	1/2	6,104	1/2	8,111	1/2		1/2		1/2		1/2		1/2	
3/4	125	3/4	2,132	3/4	4,139	3/4	6,146	3/4	8,152	3/4		3/4		3/4		3/4		3/4	
1	167	1	2,174	1	4,181	1	6,187	1	8,194	1		1		1		1		1	
1/4	209	1/4	2,216	1/4	4,223	1/4	6,229	1/4	8,236	1/4		1/4		1/4		1/4		1/4	
1/2	251	1/2	2,258	1/2	4,264	1/2	6,271	1/2	8,278	1/2		1/2		1/2		1/2		1/2	
3/4	293	3/4	2,299	3/4	4,306	3/4	6,313	3/4	8,320	3/4		3/4		3/4		3/4		3/4	
2	334	2	2,341	2	4,348	2	6,355	2	8,361	2		2		2		2		2	
1/4	376	1/4	2,383	1/4	4,390	1/4	6,397	1/4	8,403	1/4		1/4		1/4		1/4		1/4	
1/2	418	1/2	2,425	1/2	4,432	1/2	6,438	1/2	8,445	1/2		1/2		1/2		1/2		1/2	
3/4	460	3/4	2,467	3/4	4,473	3/4	6,480	3/4	8,487	3/4		3/4		3/4		3/4		3/4	
3	502	3	2,508	3	4,515	3	6,522	3	8,529	3		3		3		3		3	
1/4	543	1/4	2,550	1/4	4,557	1/4	6,564	1/4	8,570	1/4		1/4		1/4		1/4		1/4	
1/2	585	1/2	2,592	1/2	4,599	1/2	6,606	1/2	8,612	1/2		1/2		1/2		1/2		1/2	
3/4	627	3/4	2,634	3/4	4,641	3/4	6,647	3/4	8,654	3/4		3/4		3/4		3/4		3/4	
4	669	4	2,676	4	4,682	4	6,689	4	8,696	4		4		4		4		4	
1/4	711	1/4	2,717	1/4	4,724	1/4	6,731	1/4	8,738	1/4		1/4		1/4		1/4		1/4	
1/2	753	1/2	2,759	1/2	4,766	1/2	6,773	1/2	8,780	1/2		1/2		1/2		1/2		1/2	
3/4	794	3/4	2,801	3/4	4,808	3/4	6,815	3/4	8,821	3/4		3/4		3/4		3/4		3/4	
5	836	5	2,843	5	4,850	5	6,856	5	8,863	5		5		5		5		5	
1/4	878	1/4	2,885	1/4	4,891	1/4	6,898	1/4	8,905	1/4		1/4		1/4		1/4		1/4	
1/2	920	1/2	2,927	1/2	4,933	1/2	6,940	1/2	8,947	1/2		1/2		1/2		1/2		1/2	
3/4	962	3/4	2,968	3/4	4,975	3/4	6,982	3/4	8,989	3/4		3/4		3/4		3/4		3/4	
6	1,003	6	3,010	6	5,017	6	7,024	6	9,030	6		6		6		6		6	
1/4	1,045	1/4	3,052	1/4	5,059	1/4	7,065	1/4	9,072	1/4		1/4		1/4		1/4		1/4	
1/2	1,087	1/2	3,094	1/2	5,100	1/2	7,107	1/2	9,114	1/2		1/2		1/2		1/2		1/2	
3/4	1,129	3/4	3,136	3/4	5,142	3/4	7,149	3/4	9,156	3/4		3/4		3/4		3/4		3/4	
7	1,171	7	3,177	7	5,184	7	7,191	7	9,198	7		7		7		7		7	
1/4	1,212	1/4	3,219	1/4	5,226	1/4	7,233	1/4	9,239	1/4		1/4		1/4		1/4		1/4	
1/2	1,254	1/2	3,261	1/2	5,268	1/2	7,274	1/2	9,281	1/2		1/2		1/2		1/2		1/2	
3/4	1,296	3/4	3,303	3/4	5,310	3/4	7,316	3/4	9,323	3/4		3/4		3/4		3/4		3/4	
8	1,338	8	3,345	8	5,351	8	7,358	8	9,365	8		8		8		8		8	
1/4	1,380	1/4	3,386	1/4	5,393	1/4	7,400	1/4	9,407	1/4		1/4		1/4		1/4		1/4	
1/2	1,421	1/2	3,428	1/2	5,435	1/2	7,442	1/2	9,448	1/2		1/2		1/2		1/2		1/2	
3/4	1,463	3/4	3,470	3/4	5,477	3/4	7,483	3/4	9,490	3/4		3/4		3/4		3/4		3/4	
9	1,505	9	3,512	9	5,519	9	7,525	9	9,532	9		9		9		9		9	
1/4	1,547	1/4	3,554	1/4	5,560	1/4	7,567	1/4	9,574	1/4		1/4		1/4		1/4		1/4	
1/2	1,589	1/2	3,595	1/2	5,602	1/2	7,609	1/2	9,616	1/2		1/2		1/2		1/2		1/2	
3/4	1,630	3/4	3,637	3/4	5,644	3/4	7,651	3/4	9,657	3/4		3/4		3/4		3/4		3/4	
10	1,672	10	3,679	10	5,686	10	7,693	10	9,699	10		10		10		10		10	
1/4	1,714	1/4	3,721	1/4	5,728	1/4	7,734	1/4	9,741	1/4		1/4		1/4		1/4		1/4	
1/2	1,756	1/2	3,763	1/2	5,769	1/2	7,776	1/2	9,783	1/2		1/2		1/2		1/2		1/2	
3/4	1,798	3/4	3,804	3/4	5,811	3/4	7,818	3/4	9,825	3/4		3/4		3/4		3/4		3/4	
11	1,840	11	3,846	11	5,853	11	7,860	11	9,866	11		11		11		11		11	
1/4	1,881	1/4	3,888	1/4	5,895	1/4	7,902	1/4	9,908	1/4		1/4		1/4		1/4		1/4	
1/2	1,923	1/2	3,930	1/2	5,937	1/2	7,943	1/2	9,950	1/2		1/2		1/2		1/2		1/2	
3/4	1,965	3/4	3,972	3/4	5,978	3/4	7,985	3/4	9,992	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 10/02/07 BY: LJ
DATE COMPUTED: 10/16/07 BY: WHF
DATE ISSUED: 10/17/07

