

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0		0	4,735.53	0	4,472.59	0	4,209.65	0	3,946.71	0	3,683.77	0	3,365.67	0	3,004.67	0	2,643.68	0	2,282.68	0	1,921.68	0	1,560.68	0	1,199.68	0	838.68	0	477.68	0	116.69
1		1	4,713.61	1	4,450.68	1	4,187.74	1	3,924.80	1	3,661.86	1	3,335.59	1	2,974.59	1	2,613.59	1	2,252.59	1	1,891.60	1	1,530.60	1	1,169.60	1	808.60	1	447.60	1	86.60
2		2	4,691.70	2	4,428.76	2	4,165.82	2	3,902.89	2	3,639.95	2	3,305.51	2	2,944.51	2	2,583.51	2	2,222.51	2	1,861.51	2	1,500.51	2	1,139.52	2	778.52	2	417.52	2	57.46
3		3	4,669.79	3	4,406.85	3	4,143.91	3	3,880.97	3	3,618.03	3	3,275.42	3	2,914.42	3	2,553.43	3	2,192.43	3	1,831.43	3	1,470.43	3	1,109.43	3	748.43	3	387.44	3	33.04
4		4	4,647.88	4	4,384.94	4	4,122.00	4	3,859.06	4	3,596.12	4	3,245.34	4	2,884.34	4	2,523.34	4	2,162.34	4	1,801.35	4	1,440.35	4	1,079.35	4	718.35	4	357.35	4	
5	4,837.82	5	4,625.97	5	4,363.03	5	4,100.09	5	3,837.15	5	3,574.21	5	3,215.26	5	2,854.26	5	2,493.26	5	2,132.26	5	1,771.26	5	1,410.26	5	1,049.27	5	688.27	5	327.27	5	
6	4,833.21	6	4,604.06	6	4,341.12	6	4,078.18	6	3,815.24	6	3,546.17	6	3,185.17	6	2,824.17	6	2,463.18	6	2,102.18	6	1,741.18	6	1,380.18	6	1,019.18	6	658.18	6	297.19	6	
7	4,826.23	7	4,582.15	7	4,319.21	7	4,056.27	7	3,793.33	7	3,516.09	7	3,155.09	7	2,794.09	7	2,433.09	7	2,072.09	7	1,711.10	7	1,350.10	7	989.10	7	628.10	7	267.10	7	
8	4,816.10	8	4,560.23	8	4,297.29	8	4,034.36	8	3,771.42	8	3,486.00	8	3,125.01	8	2,764.01	8	2,403.01	8	2,042.01	8	1,681.01	8	1,320.01	8	959.02	8	598.02	8	237.02	8	
9	4,801.26	9	4,538.32	9	4,275.38	9	4,012.44	9	3,749.50	9	3,455.92	9	3,094.92	9	2,733.92	9	2,372.93	9	2,011.93	9	1,650.93	9	1,289.93	9	928.93	9	567.93	9	206.94	9	
10	4,779.35	10	4,516.41	10	4,253.47	10	3,990.53	10	3,727.59	10	3,425.84	10	3,064.84	10	2,703.84	10	2,342.84	10	1,981.84	10	1,620.85	10	1,259.85	10	898.85	10	537.85	10	176.85	10	
11	4,757.44	11	4,494.50	11	4,231.56	11	3,968.62	11	3,705.68	11	3,395.76	11	3,034.76	11	2,673.76	11	2,312.76	11	1,951.76	11	1,590.76	11	1,229.76	11	868.77	11	507.77	11	146.77	11	
12	4,746.48	12	4,483.54	12	4,220.60	12	3,957.66	12	3,694.73	12	3,380.71	12	3,019.72	12	2,658.72	12	2,297.72	12	1,936.72	12	1,575.72	12	1,214.72	12	853.72	12	492.73	12	131.73	12	
13	4,741.00	13	4,478.06	13	4,215.13	13	3,952.19	13	3,689.25	13	3,373.19	13	3,012.19	13	2,651.20	13	2,290.20	13	1,929.20	13	1,568.20	13	1,207.20	13	846.20	13	485.21	13	124.21	13	

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
 NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 REFERENCE GAUGE HEIGHT: 17 3/12" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 01/18/08 BY: JF
 DATE COMPUTED: 01/22/08 BY: WLH
 DATE ISSUED: 01/23/08

INTERTEK - CALEB BRETT



BARGE "FMT - 3214" FLORIDA MARINE

3 STBD
ULLAGE TABLE
CLOSED GAUGING

HULL No. 06-2113

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

IN		2 FT.	IN		3 FT.	IN		4 FT.	IN		5 FT.	IN		6 FT.	IN		7 FT.	IN		8 FT.	IN		9 FT.	IN		10 FT.	IN		11 FT.	IN		12 FT.	IN		13 FT.	IN		14 FT.	IN		15 FT.	IN		16 FT.	IN		17 FT.
0			0		4,735.53	0		4,472.59	0		4,209.65	0		3,946.71	0		3,683.77	0		3,365.67	0		3,004.67	0		2,643.68	0		2,282.68	0		1,921.68	0		1,560.68	0		1,199.68	0		838.68	0		477.68	0		116.69
1/4		1/4		4,730.05	1/4		4,467.11	1/4		4,204.17	1/4		3,941.23	1/4		3,678.29	1/4		3,358.15	1/4		2,997.15	1/4		2,636.15	1/4		2,275.16	1/4		1,914.16	1/4		1,553.16	1/4		1,192.16	1/4		831.16	1/4		470.16	1/4		109.17	
1/2		1/2		4,724.57	1/2		4,461.63	1/2		4,198.69	1/2		3,935.75	1/2		3,672.81	1/2		3,350.63	1/2		2,989.63	1/2		2,628.63	1/2		2,267.64	1/2		1,906.64	1/2		1,545.64	1/2		1,184.64	1/2		823.64	1/2		462.64	1/2		101.64	
3/4		3/4		4,719.09	3/4		4,456.15	3/4		4,193.21	3/4		3,930.27	3/4		3,667.34	3/4		3,343.11	3/4		2,982.11	3/4		2,621.11	3/4		2,260.11	3/4		1,899.12	3/4		1,538.12	3/4		1,177.12	3/4		816.12	3/4		455.12	3/4		94.12	

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
 NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 REFERENCE GAUGE HEIGHT: 17" 3/4" STBD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 01/18/08 BY: JF
 DATE COMPUTED: 01/22/08 BY: WLH
 DATE ISSUED: 01/23/08

BARGE "FMT - 3214" FLORIDA MARINE

Table with columns for depth (0 FT. to 15 FT.) and inches (IN) for each depth, listing capacity in barrels. The table is organized in a grid with 22 columns representing different depths and their corresponding inch increments, and 22 rows representing different depths from 0 to 15 feet. Each cell contains a numerical value representing capacity in barrels.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 15' 8 3/4" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 01/18/06 BY: JF DATE COMPUTED: 01/22/06 BY: WLH DATE ISSUED: 01/23/06



BARGE "FMT - 3214" FLORIDA MARINE

HULL No. 06-2113

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK


Table with columns for height (0 FT. to 15 FT.) and corresponding capacity values in barrels. The table is organized into rows for each integer height from 0 to 15, with sub-rows for fractional increments (1/4, 1/2, 3/4).

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 15' 8 3/4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 01/18/08 BY: JF
DATE COMPUTED: 01/22/08 BY: WLH
DATE ISSUED: 01/23/08

INTERTEK - CALEB BRETT



BARGE "FMT - 3214" FLORIDA MARINE

HULL No. 06-2113

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

Table with 25 columns representing depth (0 FT. to 14 FT.) and 25 rows representing height (0 to 11). Each cell contains capacity values for Port and Starboard at various gauging points (0, 1/4, 1/2, 3/4).

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 15' 8 3/4" PORT
REFERENCE GAUGE HEIGHT: 15' 8 3/4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 01/18/08 BY: JF
DATE COMPUTED: 01/22/08 BY: WLH
DATE ISSUED: 01/23/08

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN WHOLE U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,862	0	3,854	0	5,845	0	7,837	0		0		0		0		0	
1/4	5	1/4	1,903	1/4	3,895	1/4	5,887	1/4	7,878	1/4		1/4		1/4		1/4		1/4	
1/2	16	1/2	1,945	1/2	3,937	1/2	5,928	1/2	7,920	1/2		1/2		1/2		1/2		1/2	
3/4	26	3/4	1,986	3/4	3,978	3/4	5,970	3/4	7,961	3/4		3/4		3/4		3/4		3/4	
1	36	1	2,028	1	4,020	1	6,011	1	8,003	1		1		1		1		1	
1/4	78	1/4	2,069	1/4	4,061	1/4	6,053	1/4	8,044	1/4		1/4		1/4		1/4		1/4	
1/2	119	1/2	2,111	1/2	4,102	1/2	6,094	1/2	8,086	1/2		1/2		1/2		1/2		1/2	
3/4	161	3/4	2,152	3/4	4,144	3/4	6,136	3/4	8,127	3/4		3/4		3/4		3/4		3/4	
2	202	2	2,194	2	4,185	2	6,177	2	8,169	2		2		2		2		2	
1/4	244	1/4	2,235	1/4	4,227	1/4	6,219	1/4	8,210	1/4		1/4		1/4		1/4		1/4	
1/2	285	1/2	2,277	1/2	4,268	1/2	6,260	1/2	8,252	1/2		1/2		1/2		1/2		1/2	
3/4	327	3/4	2,318	3/4	4,310	3/4	6,302	3/4	8,293	3/4		3/4		3/4		3/4		3/4	
3	368	3	2,360	3	4,351	3	6,343	3	8,335	3		3		3		3		3	
1/4	410	1/4	2,401	1/4	4,393	1/4	6,385	1/4	8,376	1/4		1/4		1/4		1/4		1/4	
1/2	451	1/2	2,443	1/2	4,434	1/2	6,426	1/2	8,418	1/2		1/2		1/2		1/2		1/2	
3/4	493	3/4	2,484	3/4	4,476	3/4	6,468	3/4	8,459	3/4		3/4		3/4		3/4		3/4	
4	534	4	2,526	4	4,517	4	6,509	4	8,501	4		4		4		4		4	
1/4	576	1/4	2,567	1/4	4,559	1/4	6,550	1/4	8,542	1/4		1/4		1/4		1/4		1/4	
1/2	617	1/2	2,609	1/2	4,600	1/2	6,592	1/2	8,584	1/2		1/2		1/2		1/2		1/2	
3/4	659	3/4	2,650	3/4	4,642	3/4	6,633	3/4	8,625	3/4		3/4		3/4		3/4		3/4	
5	700	5	2,692	5	4,683	5	6,675	5	8,667	5		5		5		5		5	
1/4	742	1/4	2,733	1/4	4,725	1/4	6,716	1/4	8,708	1/4		1/4		1/4		1/4		1/4	
1/2	783	1/2	2,775	1/2	4,766	1/2	6,758	1/2	8,750	1/2		1/2		1/2		1/2		1/2	
3/4	825	3/4	2,816	3/4	4,808	3/4	6,799	3/4	8,791	3/4		3/4		3/4		3/4		3/4	
6	866	6	2,858	6	4,849	6	6,841	6	8,833	6		6		6		6		6	
1/4	908	1/4	2,899	1/4	4,891	1/4	6,882	1/4	8,874	1/4		1/4		1/4		1/4		1/4	
1/2	949	1/2	2,941	1/2	4,932	1/2	6,924	1/2	8,916	1/2		1/2		1/2		1/2		1/2	
3/4	991	3/4	2,982	3/4	4,974	3/4	6,965	3/4	8,957	3/4		3/4		3/4		3/4		3/4	
7	1,032	7	3,024	7	5,015	7	7,007	7	8,999	7		7		7		7		7	
1/4	1,074	1/4	3,065	1/4	5,057	1/4	7,048	1/4	9,040	1/4		1/4		1/4		1/4		1/4	
1/2	1,115	1/2	3,107	1/2	5,098	1/2	7,090	1/2	9,081	1/2		1/2		1/2		1/2		1/2	
3/4	1,157	3/4	3,148	3/4	5,140	3/4	7,131	3/4	9,123	3/4		3/4		3/4		3/4		3/4	
8	1,198	8	3,190	8	5,181	8	7,173	8	9,164	8		8		8		8		8	
1/4	1,240	1/4	3,231	1/4	5,223	1/4	7,214	1/4	9,206	1/4		1/4		1/4		1/4		1/4	
1/2	1,281	1/2	3,273	1/2	5,264	1/2	7,256	1/2	9,247	1/2		1/2		1/2		1/2		1/2	
3/4	1,323	3/4	3,314	3/4	5,306	3/4	7,297	3/4	9,289	3/4		3/4		3/4		3/4		3/4	
9	1,364	9	3,356	9	5,347	9	7,339	9	9,330	9		9		9		9		9	
1/4	1,406	1/4	3,397	1/4	5,389	1/4	7,380	1/4	9,372	1/4		1/4		1/4		1/4		1/4	
1/2	1,447	1/2	3,439	1/2	5,430	1/2	7,422	1/2	9,413	1/2		1/2		1/2		1/2		1/2	
3/4	1,489	3/4	3,480	3/4	5,472	3/4	7,463	3/4	9,455	3/4		3/4		3/4		3/4		3/4	
10	1,530	10	3,522	10	5,513	10	7,505	10	9,496	10		10		10		10		10	
1/4	1,571	1/4	3,563	1/4	5,555	1/4	7,546	1/4	9,538	1/4		1/4		1/4		1/4		1/4	
1/2	1,613	1/2	3,605	1/2	5,596	1/2	7,588	1/2	9,579	1/2		1/2		1/2		1/2		1/2	
3/4	1,654	3/4	3,646	3/4	5,638	3/4	7,629	3/4	9,621	3/4		3/4		3/4		3/4		3/4	
11	1,696	11	3,688	11	5,679	11	7,671	11	9,662	11		11		11		11		11	
1/4	1,737	1/4	3,729	1/4	5,721	1/4	7,712	1/4	9,704	1/4		1/4		1/4		1/4		1/4	
1/2	1,779	1/2	3,771	1/2	5,762	1/2	7,754	1/2	9,745	1/2		1/2		1/2		1/2		1/2	
3/4	1,820	3/4	3,812	3/4	5,804	3/4	7,795	3/4	9,787	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 01/18/08 BY: JF
DATE COMPUTED: 01/22/08 BY: WLH
DATE ISSUED: 01/23/08

