

**BARGE "FMT - 3218"
FLORIDA MARINE**

**1 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 07-2137

IN		0 FT.		IN		1 FT.		IN		2 FT.		IN		3 FT.		IN		4 FT.		IN		5 FT.		IN		6 FT.		IN		7 FT.		IN		8 FT.		IN		9 FT.		IN		10 FT.		IN		11 FT.		IN		12 FT.		IN		13 FT.		IN		14 FT.		IN		15 FT.	
0		0	4,513.80	0	4,228.34	0	3,916.92	0	3,605.50	0	3,294.08	0	2,982.66	0	2,671.24	0	2,359.82	0	2,048.40	0	1,736.98	0	1,425.56	0	1,114.14	0	802.72	0	491.30	0	193.39																																

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 15' 9" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 2/20/08 BY: JF
DATE COMPUTED: 3/5/08 BY: WHF
DATE ISSUED: 3/12/08



BARGE "FMT - 3218" FLORIDA MARINE

2 PORT ULLAGE TABLE CLOSED GAUGING

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 07-2137

Table with columns for height (IN), 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT., 16 FT., 17 FT. and rows for gauge numbers 0 through 11.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17'-3 1/4" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 2/20/08 BY: JF
DATE COMPUTED: 3/5/08 BY: WHF
DATE ISSUED: 3/12/08

INTERTEK - CALEB BRETT

Signature of Caleb Brett

BARGE "FMT - 3218" FLORIDA MARINE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY


HULL No. 07-2137

Main table with columns for height (IN), diameter (FT.), and capacity (O, 1/4, 1/2, 3/4) for diameters 2 FT. through 17 FT.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17'-3 3/4" STBD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 2/20/08 BY: JF
DATE COMPUTED: 3/5/08 BY: WHF
DATE ISSUED: 3/12/08



CAPACITIES GIVEN IN WHOLE U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,876	0	3,883	0	5,890	0	7,898	0		0		0		0		0	
1/4	5	1/4	1,918	1/4	3,925	1/4	5,932	1/4	7,939	1/4		1/4		1/4		1/4		1/4	
1/2	16	1/2	1,960	1/2	3,967	1/2	5,974	1/2	7,981	1/2		1/2		1/2		1/2		1/2	
3/4	26	3/4	2,002	3/4	4,009	3/4	6,016	3/4	8,023	3/4		3/4		3/4		3/4		3/4	
1	37	1	2,044	1	4,051	1	6,058	1	8,065	1		1		1		1		1	
1/4	78	1/4	2,085	1/4	4,092	1/4	6,100	1/4	8,107	1/4		1/4		1/4		1/4		1/4	
1/2	120	1/2	2,127	1/2	4,134	1/2	6,141	1/2	8,148	1/2		1/2		1/2		1/2		1/2	
3/4	162	3/4	2,169	3/4	4,176	3/4	6,183	3/4	8,190	3/4		3/4		3/4		3/4		3/4	
2	204	2	2,211	2	4,218	2	6,225	2	8,232	2		2		2		2		2	
1/4	246	1/4	2,253	1/4	4,260	1/4	6,267	1/4	8,274	1/4		1/4		1/4		1/4		1/4	
1/2	287	1/2	2,295	1/2	4,302	1/2	6,309	1/2	8,316	1/2		1/2		1/2		1/2		1/2	
3/4	329	3/4	2,336	3/4	4,343	3/4	6,350	3/4	8,357	3/4		3/4		3/4		3/4		3/4	
3	371	3	2,378	3	4,385	3	6,392	3	8,399	3		3		3		3		3	
1/4	413	1/4	2,420	1/4	4,427	1/4	6,434	1/4	8,441	1/4		1/4		1/4		1/4		1/4	
1/2	455	1/2	2,462	1/2	4,469	1/2	6,476	1/2	8,483	1/2		1/2		1/2		1/2		1/2	
3/4	497	3/4	2,504	3/4	4,511	3/4	6,518	3/4	8,525	3/4		3/4		3/4		3/4		3/4	
4	538	4	2,545	4	4,552	4	6,559	4	8,567	4		4		4		4		4	
1/4	580	1/4	2,587	1/4	4,594	1/4	6,601	1/4	8,608	1/4		1/4		1/4		1/4		1/4	
1/2	622	1/2	2,629	1/2	4,636	1/2	6,643	1/2	8,650	1/2		1/2		1/2		1/2		1/2	
3/4	664	3/4	2,671	3/4	4,678	3/4	6,685	3/4	8,692	3/4		3/4		3/4		3/4		3/4	
5	706	5	2,713	5	4,720	5	6,727	5	8,734	5		5		5		5		5	
1/4	747	1/4	2,754	1/4	4,762	1/4	6,769	1/4	8,776	1/4		1/4		1/4		1/4		1/4	
1/2	789	1/2	2,796	1/2	4,803	1/2	6,810	1/2	8,817	1/2		1/2		1/2		1/2		1/2	
3/4	831	3/4	2,838	3/4	4,845	3/4	6,852	3/4	8,859	3/4		3/4		3/4		3/4		3/4	
6	873	6	2,880	6	4,887	6	6,894	6	8,901	6		6		6		6		6	
1/4	915	1/4	2,922	1/4	4,929	1/4	6,936	1/4	8,943	1/4		1/4		1/4		1/4		1/4	
1/2	956	1/2	2,964	1/2	4,971	1/2	6,978	1/2	8,985	1/2		1/2		1/2		1/2		1/2	
3/4	998	3/4	3,005	3/4	5,012	3/4	7,019	3/4	9,026	3/4		3/4		3/4		3/4		3/4	
7	1,040	7	3,047	7	5,054	7	7,061	7	9,068	7		7		7		7		7	
1/4	1,082	1/4	3,089	1/4	5,096	1/4	7,103	1/4	9,110	1/4		1/4		1/4		1/4		1/4	
1/2	1,124	1/2	3,131	1/2	5,138	1/2	7,145	1/2	9,152	1/2		1/2		1/2		1/2		1/2	
3/4	1,166	3/4	3,173	3/4	5,180	3/4	7,187	3/4	9,194	3/4		3/4		3/4		3/4		3/4	
8	1,207	8	3,214	8	5,221	8	7,228	8	9,236	8		8		8		8		8	
1/4	1,249	1/4	3,256	1/4	5,263	1/4	7,270	1/4	9,277	1/4		1/4		1/4		1/4		1/4	
1/2	1,291	1/2	3,298	1/2	5,305	1/2	7,312	1/2	9,319	1/2		1/2		1/2		1/2		1/2	
3/4	1,333	3/4	3,340	3/4	5,347	3/4	7,354	3/4	9,361	3/4		3/4		3/4		3/4		3/4	
9	1,375	9	3,382	9	5,389	9	7,396	9	9,403	9		9		9		9		9	
1/4	1,416	1/4	3,423	1/4	5,431	1/4	7,438	1/4	9,445	1/4		1/4		1/4		1/4		1/4	
1/2	1,458	1/2	3,465	1/2	5,472	1/2	7,479	1/2	9,486	1/2		1/2		1/2		1/2		1/2	
3/4	1,500	3/4	3,507	3/4	5,514	3/4	7,521	3/4	9,528	3/4		3/4		3/4		3/4		3/4	
10	1,542	10	3,549	10	5,556	10	7,563	10	9,570	10		10		10		10		10	
1/4	1,584	1/4	3,591	1/4	5,598	1/4	7,605	1/4	9,612	1/4		1/4		1/4		1/4		1/4	
1/2	1,625	1/2	3,633	1/2	5,640	1/2	7,647	1/2	9,654	1/2		1/2		1/2		1/2		1/2	
3/4	1,667	3/4	3,674	3/4	5,681	3/4	7,688	3/4	9,695	3/4		3/4		3/4		3/4		3/4	
11	1,709	11	3,716	11	5,723	11	7,730	11	9,737	11		11		11		11		11	
1/4	1,751	1/4	3,758	1/4	5,765	1/4	7,772	1/4	9,779	1/4		1/4		1/4		1/4		1/4	
1/2	1,793	1/2	3,800	1/2	5,807	1/2	7,814	1/2	9,821	1/2		1/2		1/2		1/2		1/2	
3/4	1,835	3/4	3,842	3/4	5,849	3/4	7,856	3/4	9,863	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

