















CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 07-2142

Table with columns for depth (0 FT. to 15 FT.) and ullage (0 to 15 FT.), containing capacity values in barrels for various tank depths and ullage levels.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE. NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. REFERENCE GAUGE HEIGHT: 15' 9 1/4" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 4-8-2008 BY: JF DATE COMPUTED: 4/17/08 BY: WHF DATE ISSUED: 4/18/08

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett







CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 07-2142

Table with columns for height (IN), diameter (2 FT. to 17 FT.), and capacity (0 to 11). Rows represent different diameters and their corresponding capacities at various heights.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT. DATE STRAPPED: 4-8-2008 BY: JF

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK. DATE COMPUTED: 4/17/08 BY: WHF

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY. DATE ISSUED: 4/18/08

REFERENCE GAUGE HEIGHT: 17'-3 3/4" STARBOARD

INTERTEK - CALEB BRETT





CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 07-2142

Table with columns for height (IN) and capacity (0, 1/4, 1/2, 3/4) for diameters 2 FT. through 17 FT.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17'-4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 4-8-2008 BY: JF
DATE COMPUTED: 4/17/08 BY: WHF
DATE ISSUED: 4/18/08

INTERTEK - CALEB BRETT

Signature of Caleb Brett

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 07-2142

2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT  
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
REFERENCE GAUGE HEIGHT: 17-3 3/4" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 4-8-2008 BY: JF  
DATE COMPUTED: 4/17/08 BY: WHF  
DATE ISSUED: 4/18/08

**INTERTEK - CALEB BRETT**



GAUGE HEIGHT - PORT: 5' 5"  
GAUGE HEIGHT - STBD: 5' 5"

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
<b>0</b>	0	<b>0</b>	1,873	<b>0</b>	3,876	<b>0</b>	5,878	<b>0</b>	7,881	<b>0</b>		<b>0</b>		<b>0</b>		<b>0</b>		<b>0</b>	
1/4	5	1/4	1,914	1/4	3,917	1/4	5,920	1/4	7,923	1/4		1/4		1/4		1/4		1/4	
1/2	16	1/2	1,956	1/2	3,959	1/2	5,962	1/2	7,965	1/2		1/2		1/2		1/2		1/2	
3/4	26	3/4	1,998	3/4	4,001	3/4	6,004	3/4	8,007	3/4		3/4		3/4		3/4		3/4	
<b>1</b>	37	<b>1</b>	2,039	<b>1</b>	4,042	<b>1</b>	6,045	<b>1</b>	8,048	<b>1</b>		<b>1</b>		<b>1</b>		<b>1</b>		<b>1</b>	
1/4	78	1/4	2,081	1/4	4,084	1/4	6,087	1/4	8,090	1/4		1/4		1/4		1/4		1/4	
1/2	120	1/2	2,123	1/2	4,126	1/2	6,129	1/2	8,132	1/2		1/2		1/2		1/2		1/2	
3/4	162	3/4	2,165	3/4	4,168	3/4	6,171	3/4	8,174	3/4		3/4		3/4		3/4		3/4	
<b>2</b>	203	<b>2</b>	2,206	<b>2</b>	4,209	<b>2</b>	6,212	<b>2</b>	8,215	<b>2</b>		<b>2</b>		<b>2</b>		<b>2</b>		<b>2</b>	
1/4	245	1/4	2,248	1/4	4,251	1/4	6,254	1/4	8,257	1/4		1/4		1/4		1/4		1/4	
1/2	287	1/2	2,290	1/2	4,293	1/2	6,296	1/2	8,299	1/2		1/2		1/2		1/2		1/2	
3/4	329	3/4	2,332	3/4	4,335	3/4	6,338	3/4	8,340	3/4		3/4		3/4		3/4		3/4	
<b>3</b>	370	<b>3</b>	2,373	<b>3</b>	4,376	<b>3</b>	6,379	<b>3</b>	8,382	<b>3</b>		<b>3</b>		<b>3</b>		<b>3</b>		<b>3</b>	
1/4	412	1/4	2,415	1/4	4,418	1/4	6,421	1/4	8,424	1/4		1/4		1/4		1/4		1/4	
1/2	454	1/2	2,457	1/2	4,460	1/2	6,463	1/2	8,466	1/2		1/2		1/2		1/2		1/2	
3/4	496	3/4	2,498	3/4	4,501	3/4	6,504	3/4	8,507	3/4		3/4		3/4		3/4		3/4	
<b>4</b>	537	<b>4</b>	2,540	<b>4</b>	4,543	<b>4</b>	6,546	<b>4</b>	8,549	<b>4</b>		<b>4</b>		<b>4</b>		<b>4</b>		<b>4</b>	
1/4	579	1/4	2,582	1/4	4,585	1/4	6,588	1/4	8,591	1/4		1/4		1/4		1/4		1/4	
1/2	621	1/2	2,624	1/2	4,627	1/2	6,630	1/2	8,633	1/2		1/2		1/2		1/2		1/2	
3/4	662	3/4	2,665	3/4	4,668	3/4	6,671	3/4	8,674	3/4		3/4		3/4		3/4		3/4	
<b>5</b>	704	<b>5</b>	2,707	<b>5</b>	4,710	<b>5</b>	6,713	<b>5</b>	8,716	<b>5</b>		<b>5</b>		<b>5</b>		<b>5</b>		<b>5</b>	
1/4	746	1/4	2,749	1/4	4,752	1/4	6,755	1/4	8,758	1/4		1/4		1/4		1/4		1/4	
1/2	788	1/2	2,791	1/2	4,794	1/2	6,797	1/2	8,799	1/2		1/2		1/2		1/2		1/2	
3/4	829	3/4	2,832	3/4	4,835	3/4	6,838	3/4	8,841	3/4		3/4		3/4		3/4		3/4	
<b>6</b>	871	<b>6</b>	2,874	<b>6</b>	4,877	<b>6</b>	6,880	<b>6</b>	8,883	<b>6</b>		<b>6</b>		<b>6</b>		<b>6</b>		<b>6</b>	
1/4	913	1/4	2,916	1/4	4,919	1/4	6,922	1/4	8,925	1/4		1/4		1/4		1/4		1/4	
1/2	955	1/2	2,958	1/2	4,960	1/2	6,963	1/2	8,966	1/2		1/2		1/2		1/2		1/2	
3/4	996	3/4	2,999	3/4	5,002	3/4	7,005	3/4	9,008	3/4		3/4		3/4		3/4		3/4	
<b>7</b>	1,038	<b>7</b>	3,041	<b>7</b>	5,044	<b>7</b>	7,047	<b>7</b>	9,050	<b>7</b>		<b>7</b>		<b>7</b>		<b>7</b>		<b>7</b>	
1/4	1,080	1/4	3,083	1/4	5,086	1/4	7,089	1/4	9,092	1/4		1/4		1/4		1/4		1/4	
1/2	1,121	1/2	3,124	1/2	5,127	1/2	7,130	1/2	9,133	1/2		1/2		1/2		1/2		1/2	
3/4	1,163	3/4	3,166	3/4	5,169	3/4	7,172	3/4	9,175	3/4		3/4		3/4		3/4		3/4	
<b>8</b>	1,205	<b>8</b>	3,208	<b>8</b>	5,211	<b>8</b>	7,214	<b>8</b>	9,217	<b>8</b>		<b>8</b>		<b>8</b>		<b>8</b>		<b>8</b>	
1/4	1,247	1/4	3,250	1/4	5,253	1/4	7,256	1/4	9,258	1/4		1/4		1/4		1/4		1/4	
1/2	1,288	1/2	3,291	1/2	5,294	1/2	7,297	1/2	9,300	1/2		1/2		1/2		1/2		1/2	
3/4	1,330	3/4	3,333	3/4	5,336	3/4	7,339	3/4	9,342	3/4		3/4		3/4		3/4		3/4	
<b>9</b>	1,372	<b>9</b>	3,375	<b>9</b>	5,378	<b>9</b>	7,381	<b>9</b>	9,384	<b>9</b>		<b>9</b>		<b>9</b>		<b>9</b>		<b>9</b>	
1/4	1,414	1/4	3,417	1/4	5,419	1/4	7,422	1/4	9,425	1/4		1/4		1/4		1/4		1/4	
1/2	1,455	1/2	3,458	1/2	5,461	1/2	7,464	1/2	9,467	1/2		1/2		1/2		1/2		1/2	
3/4	1,497	3/4	3,500	3/4	5,503	3/4	7,506	3/4	9,509	3/4		3/4		3/4		3/4		3/4	
<b>10</b>	1,539	<b>10</b>	3,542	<b>10</b>	5,545	<b>10</b>	7,548	<b>10</b>	9,551	<b>10</b>		<b>10</b>		<b>10</b>		<b>10</b>		<b>10</b>	
1/4	1,580	1/4	3,583	1/4	5,586	1/4	7,589	1/4	9,592	1/4		1/4		1/4		1/4		1/4	
1/2	1,622	1/2	3,625	1/2	5,628	1/2	7,631	1/2	9,634	1/2		1/2		1/2		1/2		1/2	
3/4	1,664	3/4	3,667	3/4	5,670	3/4	7,673	3/4	9,676	3/4		3/4		3/4		3/4		3/4	
<b>11</b>	1,706	<b>11</b>	3,709	<b>11</b>	5,712	<b>11</b>	7,715	<b>11</b>	9,718	<b>11</b>		<b>11</b>		<b>11</b>		<b>11</b>		<b>11</b>	
1/4	1,747	1/4	3,750	1/4	5,753	1/4	7,756	1/4	9,759	1/4		1/4		1/4		1/4		1/4	
1/2	1,789	1/2	3,792	1/2	5,795	1/2	7,798	1/2	9,801	1/2		1/2		1/2		1/2		1/2	
3/4	1,831	3/4	3,834	3/4	5,837	3/4	7,840	3/4	9,843	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**INTERTEK - CALEB BRETT**

DATE STRAPPED: 4-8-2008 BY: JF  
DATE COMPUTED: 4/17/08 BY: WHF  
DATE ISSUED: 4/18/08

