

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 07-2151

Main data table with columns for tank length (0 FT. to 14 FT.) and rows for depth (0, 1/4, 1/2, 3/4) for each integer length. Each cell contains a numerical capacity value.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE.

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK..

REFERENCE GAUGE HEIGHT: 15' 9 1/2" PORT
REFERENCE GAUGE HEIGHT: 15' 9 3/4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6-10-2008 BY: JF

DATE COMPUTED: 6/25/08 BY: WHF

DATE ISSUED: 6/25/08



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

HULL No. 07-2151

Main table with columns for depth (IN, 0 FT., 1 FT., 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT.) and rows for each depth measurement (0, 1/4, 1/2, 3/4).

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 12" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 15' 9 3/4" PORT

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6-10-2008 BY: JF
DATE COMPUTED: 6/25/08 BY: WHF
DATE ISSUED: 6/25/08

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 07-2151

Table with 25 columns (IN, 2 FT., IN, 3 FT., IN, 4 FT., IN, 5 FT., IN, 6 FT., IN, 7 FT., IN, 8 FT., IN, 9 FT., IN, 10 FT., IN, 11 FT., IN, 12 FT., IN, 13 FT., IN, 14 FT., IN, 15 FT., IN, 16 FT., IN, 17 FT.) and 25 rows of capacity data.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17'-3 3/4" STARBOARD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6-10-2008 BY: JF
DATE COMPUTED: 6/25/08 BY: WHF
DATE ISSUED: 6/25/08

INTERTEK - CALEB BRETT

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH HERMETIC GAUGE TAPE ONLY

HULL No. 07-2151

Table with 28 columns (IN 2 FT. to IN 17 FT.) and 17 rows (0 to 11). Each row represents a depth in feet, and each column represents a diameter in inches. The table contains capacity values in barrels for various combinations of depth and diameter. The values are arranged in a grid format with some cells containing multiple values for different diameters.

NOTE: GAUGE POINT: TO REFERENCE MARK ON HERMETIC GAUGING UNIT
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
REFERENCE GAUGE HEIGHT: 17'-3/4" STBD

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6-10-2008 BY: JF
DATE COMPUTED: 6/25/08 BY: WHF
DATE ISSUED: 6/25/08



GAUGE HEIGHT - PORT: 5' 5"
GAUGE HEIGHT - STBD: 5' 5"

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,857	0	3,844	0	5,831	0	7,817	0		0		0		0		0	
1/4	5	1/4	1,899	1/4	3,885	1/4	5,872	1/4	7,859	1/4		1/4		1/4		1/4		1/4	
1/2	16	1/2	1,940	1/2	3,927	1/2	5,913	1/2	7,900	1/2		1/2		1/2		1/2		1/2	
3/4	26	3/4	1,981	3/4	3,968	3/4	5,955	3/4	7,941	3/4		3/4		3/4		3/4		3/4	
1	36	1	2,023	1	4,009	1	5,996	1	7,983	1		1		1		1		1	
1/4	78	1/4	2,064	1/4	4,051	1/4	6,037	1/4	8,024	1/4		1/4		1/4		1/4		1/4	
1/2	119	1/2	2,106	1/2	4,092	1/2	6,079	1/2	8,065	1/2		1/2		1/2		1/2		1/2	
3/4	160	3/4	2,147	3/4	4,134	3/4	6,120	3/4	8,107	3/4		3/4		3/4		3/4		3/4	
2	202	2	2,188	2	4,175	2	6,162	2	8,148	2		2		2		2		2	
1/4	243	1/4	2,230	1/4	4,216	1/4	6,203	1/4	8,190	1/4		1/4		1/4		1/4		1/4	
1/2	285	1/2	2,271	1/2	4,258	1/2	6,244	1/2	8,231	1/2		1/2		1/2		1/2		1/2	
3/4	326	3/4	2,313	3/4	4,299	3/4	6,286	3/4	8,272	3/4		3/4		3/4		3/4		3/4	
3	367	3	2,354	3	4,341	3	6,327	3	8,314	3		3		3		3		3	
1/4	409	1/4	2,395	1/4	4,382	1/4	6,369	1/4	8,355	1/4		1/4		1/4		1/4		1/4	
1/2	450	1/2	2,437	1/2	4,423	1/2	6,410	1/2	8,397	1/2		1/2		1/2		1/2		1/2	
3/4	491	3/4	2,478	3/4	4,465	3/4	6,451	3/4	8,438	3/4		3/4		3/4		3/4		3/4	
4	533	4	2,519	4	4,506	4	6,493	4	8,479	4		4		4		4		4	
1/4	574	1/4	2,561	1/4	4,547	1/4	6,534	1/4	8,521	1/4		1/4		1/4		1/4		1/4	
1/2	616	1/2	2,602	1/2	4,589	1/2	6,576	1/2	8,562	1/2		1/2		1/2		1/2		1/2	
3/4	657	3/4	2,644	3/4	4,630	3/4	6,617	3/4	8,604	3/4		3/4		3/4		3/4		3/4	
5	698	5	2,685	5	4,672	5	6,658	5	8,645	5		5		5		5		5	
1/4	740	1/4	2,726	1/4	4,713	1/4	6,700	1/4	8,686	1/4		1/4		1/4		1/4		1/4	
1/2	781	1/2	2,768	1/2	4,754	1/2	6,741	1/2	8,728	1/2		1/2		1/2		1/2		1/2	
3/4	823	3/4	2,809	3/4	4,796	3/4	6,782	3/4	8,769	3/4		3/4		3/4		3/4		3/4	
6	864	6	2,851	6	4,837	6	6,824	6	8,810	6		6		6		6		6	
1/4	905	1/4	2,892	1/4	4,879	1/4	6,865	1/4	8,852	1/4		1/4		1/4		1/4		1/4	
1/2	947	1/2	2,933	1/2	4,920	1/2	6,907	1/2	8,893	1/2		1/2		1/2		1/2		1/2	
3/4	988	3/4	2,975	3/4	4,961	3/4	6,948	3/4	8,935	3/4		3/4		3/4		3/4		3/4	
7	1,030	7	3,016	7	5,003	7	6,989	7	8,976	7		7		7		7		7	
1/4	1,071	1/4	3,058	1/4	5,044	1/4	7,031	1/4	9,017	1/4		1/4		1/4		1/4		1/4	
1/2	1,112	1/2	3,099	1/2	5,086	1/2	7,072	1/2	9,059	1/2		1/2		1/2		1/2		1/2	
3/4	1,154	3/4	3,140	3/4	5,127	3/4	7,114	3/4	9,100	3/4		3/4		3/4		3/4		3/4	
8	1,195	8	3,182	8	5,168	8	7,155	8	9,142	8		8		8		8		8	
1/4	1,236	1/4	3,223	1/4	5,210	1/4	7,196	1/4	9,183	1/4		1/4		1/4		1/4		1/4	
1/2	1,278	1/2	3,264	1/2	5,251	1/2	7,238	1/2	9,224	1/2		1/2		1/2		1/2		1/2	
3/4	1,319	3/4	3,306	3/4	5,292	3/4	7,279	3/4	9,266	3/4		3/4		3/4		3/4		3/4	
9	1,361	9	3,347	9	5,334	9	7,320	9	9,307	9		9		9		9		9	
1/4	1,402	1/4	3,389	1/4	5,375	1/4	7,362	1/4	9,348	1/4		1/4		1/4		1/4		1/4	
1/2	1,443	1/2	3,430	1/2	5,417	1/2	7,403	1/2	9,390	1/2		1/2		1/2		1/2		1/2	
3/4	1,485	3/4	3,471	3/4	5,458	3/4	7,445	3/4	9,431	3/4		3/4		3/4		3/4		3/4	
10	1,526	10	3,513	10	5,499	10	7,486	10	9,473	10		10		10		10		10	
1/4	1,568	1/4	3,554	1/4	5,541	1/4	7,527	1/4	9,514	1/4		1/4		1/4		1/4		1/4	
1/2	1,609	1/2	3,596	1/2	5,582	1/2	7,569	1/2	9,555	1/2		1/2		1/2		1/2		1/2	
3/4	1,650	3/4	3,637	3/4	5,624	3/4	7,610	3/4	9,597	3/4		3/4		3/4		3/4		3/4	
11	1,692	11	3,678	11	5,665	11	7,652	11	9,638	11		11		11		11		11	
1/4	1,733	1/4	3,720	1/4	5,706	1/4	7,693	1/4	9,680	1/4		1/4		1/4		1/4		1/4	
1/2	1,775	1/2	3,761	1/2	5,748	1/2	7,734	1/2	9,721	1/2		1/2		1/2		1/2		1/2	
3/4	1,816	3/4	3,803	3/4	5,789	3/4	7,776	3/4	9,762	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.



DATE ISSUED: 6/25/08

A handwritten signature in black ink, appearing to read "M. J. Smith" with a stylized flourish at the end.