



# BARGE "HFL 427"

## INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
1 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8
2 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
3 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8
3 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 1'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 3'-00" (DOWN BY STERN)

THE CORRECTION FOR 3'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-1/8"  
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 236'-00"

October 22, 2013

**PRECISION MEASUREMENT  
& ANALYSIS, INC.**

P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>





# BARGE "HFL 427"

## 1 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	141,772	0	156,164	0	170,547	0	184,895	0	199,111	0		0		0		0		0	
1/4	142,072	1/4	156,464	1/4	170,846	1/4	185,194	1/4	199,365	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	142,372	1/2	156,764	1/2	171,145	1/2	185,493	1/2	199,618	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	142,672	3/4	157,064	3/4	171,443	3/4	185,791	3/4	199,871	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	142,972	1	157,363	1	171,742	1	186,090	1	200,124	1	1	1	1	1	1	1	1	1	1
1/4	143,271	1/4	157,663	1/4	172,041	1/4	186,389	1/4	200,334	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	143,571	1/2	157,963	1/2	172,340	1/2	186,688	1/2	200,545	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	143,871	3/4	158,263	3/4	172,639	3/4	186,987	3/4	200,755	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	144,171	2	158,563	2	172,938	2	187,286	2	200,965	2	2	2	2	2	2	2	2	2	2
1/4	144,471	1/4	158,863	1/4	173,237	1/4	187,585	1/4	201,133	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	144,771	1/2	159,162	1/2	173,536	1/2	187,884	1/2	201,301	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	145,070	3/4	159,462	3/4	173,835	3/4	188,183	3/4	201,468	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	145,370	3	159,762	3	174,134	3	188,482	3	201,636	3	3	3	3	3	3	3	3	3	3
1/4	145,670	1/4	160,062	1/4	174,433	1/4	188,781	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	145,970	1/2	160,362	1/2	174,732	1/2	189,080	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	146,270	3/4	160,661	3/4	175,030	3/4	189,378	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	146,570	4	160,961	4	175,329	4	189,677	4	4	4	4	4	4	4	4	4	4	4	4
1/4	146,869	1/4	161,261	1/4	175,628	1/4	189,976	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	147,169	1/2	161,561	1/2	175,927	1/2	190,275	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	147,469	3/4	161,861	3/4	176,226	3/4	190,574	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	147,769	5	162,161	5	176,525	5	190,873	5	5	5	5	5	5	5	5	5	5	5	5
1/4	148,069	1/4	162,460	1/4	176,824	1/4	191,170	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	148,369	1/2	162,760	1/2	177,123	1/2	191,468	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	148,668	3/4	163,060	3/4	177,422	3/4	191,765	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	148,968	6	163,360	6	177,721	6	192,063	6	6	6	6	6	6	6	6	6	6	6	6
1/4	149,268	1/4	163,660	1/4	178,020	1/4	192,359	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	149,568	1/2	163,960	1/2	178,319	1/2	192,655	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	149,868	3/4	164,259	3/4	178,617	3/4	192,951	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	150,167	7	164,559	7	178,916	7	193,247	7	7	7	7	7	7	7	7	7	7	7	7
1/4	150,467	1/4	164,859	1/4	179,215	1/4	193,542	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	150,767	1/2	165,159	1/2	179,514	1/2	193,838	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	151,067	3/4	165,459	3/4	179,813	3/4	194,134	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	151,367	8	165,759	8	180,112	8	194,430	8	8	8	8	8	8	8	8	8	8	8	8
1/4	151,667	1/4	166,058	1/4	180,411	1/4	194,726	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	151,966	1/2	166,358	1/2	180,710	1/2	195,022	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	152,266	3/4	166,658	3/4	181,009	3/4	195,318	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	152,566	9	166,958	9	181,308	9	195,614	9	9	9	9	9	9	9	9	9	9	9	9
1/4	152,866	1/4	167,257	1/4	181,607	1/4	195,910	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	153,166	1/2	167,557	1/2	181,906	1/2	196,205	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	153,466	3/4	167,856	3/4	182,204	3/4	196,501	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	153,765	10	168,155	10	182,503	10	196,796	10	10	10	10	10	10	10	10	10	10	10	10
1/4	154,065	1/4	168,454	1/4	182,802	1/4	197,091	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	154,365	1/2	168,753	1/2	183,101	1/2	197,385	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	154,665	3/4	169,052	3/4	183,400	3/4	197,680	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	154,965	11	169,351	11	183,699	11	197,974	11	11	11	11	11	11	11	11	11	11	11	11
1/4	155,265	1/4	169,650	1/4	183,998	1/4	198,259	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	155,564	1/2	169,949	1/2	184,297	1/2	198,543	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	155,864	3/4	170,248	3/4	184,596	3/4	198,827	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/21/2013 CL - SW  
CALCULATED: 10/22/2013 CL  
PRINTED: 10/22/2013 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2013

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "HFL 427"

## 1 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	141,867	0	156,259	0	170,641	0	184,989	0	199,206	0		0		0		0		0	
1/4	142,167	1/4	156,558	1/4	170,940	1/4	185,288	1/4	199,459	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	142,466	1/2	156,858	1/2	171,239	1/2	185,587	1/2	199,712	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	142,766	3/4	157,158	3/4	171,538	3/4	185,886	3/4	199,965	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	143,066	1	157,458	1	171,837	1	186,185	1	200,218	1	1	1	1	1	1	1	1	1	1
1/4	143,366	1/4	157,758	1/4	172,136	1/4	186,484	1/4	200,429	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	143,666	1/2	158,057	1/2	172,435	1/2	186,783	1/2	200,639	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	143,966	3/4	158,357	3/4	172,734	3/4	187,081	3/4	200,849	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	144,265	2	158,657	2	173,032	2	187,380	2	201,060	2	2	2	2	2	2	2	2	2	2
1/4	144,565	1/4	158,957	1/4	173,331	1/4	187,679	1/4	201,227	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	144,865	1/2	159,257	1/2	173,630	1/2	187,978	1/2	201,395	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	145,165	3/4	159,557	3/4	173,929	3/4	188,277	3/4	201,562	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	145,465	3	159,856	3	174,228	3	188,576	3	201,730	3	3	3	3	3	3	3	3	3	3
1/4	145,765	1/4	160,156	1/4	174,527	1/4	188,875	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	146,064	1/2	160,456	1/2	174,826	1/2	189,174	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	146,364	3/4	160,756	3/4	175,125	3/4	189,473	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	146,664	4	161,056	4	175,424	4	189,772	4	4	4	4	4	4	4	4	4	4	4	4
1/4	146,964	1/4	161,356	1/4	175,723	1/4	190,071	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	147,264	1/2	161,655	1/2	176,022	1/2	190,370	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	147,563	3/4	161,955	3/4	176,321	3/4	190,668	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	147,863	5	162,255	5	176,619	5	190,967	5	5	5	5	5	5	5	5	5	5	5	5
1/4	148,163	1/4	162,555	1/4	176,918	1/4	191,265	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	148,463	1/2	162,855	1/2	177,217	1/2	191,562	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	148,763	3/4	163,155	3/4	177,516	3/4	191,860	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	149,063	6	163,454	6	177,815	6	192,157	6	6	6	6	6	6	6	6	6	6	6	6
1/4	149,362	1/4	163,754	1/4	178,114	1/4	192,453	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	149,662	1/2	164,054	1/2	178,413	1/2	192,749	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	149,962	3/4	164,354	3/4	178,712	3/4	193,045	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	150,262	7	164,654	7	179,011	7	193,341	7	7	7	7	7	7	7	7	7	7	7	7
1/4	150,562	1/4	164,954	1/4	179,310	1/4	193,637	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	150,862	1/2	165,253	1/2	179,609	1/2	193,933	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	151,161	3/4	165,553	3/4	179,907	3/4	194,229	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	151,461	8	165,853	8	180,206	8	194,525	8	8	8	8	8	8	8	8	8	8	8	8
1/4	151,761	1/4	166,153	1/4	180,505	1/4	194,821	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	152,061	1/2	166,453	1/2	180,804	1/2	195,117	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	152,361	3/4	166,752	3/4	181,103	3/4	195,413	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	152,661	9	167,052	9	181,402	9	195,708	9	9	9	9	9	9	9	9	9	9	9	9
1/4	152,960	1/4	167,352	1/4	181,701	1/4	196,004	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	153,260	1/2	167,651	1/2	182,000	1/2	196,299	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	153,560	3/4	167,950	3/4	182,299	3/4	196,595	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	153,860	10	168,250	10	182,598	10	196,890	10	10	10	10	10	10	10	10	10	10	10	10
1/4	154,160	1/4	168,549	1/4	182,897	1/4	197,185	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	154,460	1/2	168,848	1/2	183,196	1/2	197,480	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	154,759	3/4	169,147	3/4	183,494	3/4	197,774	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	155,059	11	169,445	11	183,793	11	198,069	11	11	11	11	11	11	11	11	11	11	11	11
1/4	155,359	1/4	169,744	1/4	184,092	1/4	198,353	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	155,659	1/2	170,043	1/2	184,391	1/2	198,637	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	155,959	3/4	170,342	3/4	184,690	3/4	198,921	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/21/2013 CL - SW  
CALCULATED: 10/22/2013 CL  
PRINTED: 10/22/2013 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2013

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "HFL 427"

## 2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	153,127	0	168,489	0	183,841	0	199,152	0	214,325	0		0		0		0		0	
1/4	153,447	1/4	168,809	1/4	184,160	1/4	199,471	1/4	214,596	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	153,767	1/2	169,129	1/2	184,479	1/2	199,790	1/2	214,866	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	154,087	3/4	169,450	3/4	184,798	3/4	200,109	3/4	215,136	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	154,407	1	169,770	1	185,117	1	200,428	1	215,406	1	1	1	1	1	1	1	1	1	1
1/4	154,727	1/4	170,090	1/4	185,436	1/4	200,747	1/4	215,631	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	155,047	1/2	170,410	1/2	185,755	1/2	201,066	1/2	215,855	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	155,367	3/4	170,730	3/4	186,074	3/4	201,385	3/4	216,080	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	155,687	2	171,050	2	186,393	2	201,704	2	216,305	2	2	2	2	2	2	2	2	2	2
1/4	156,008	1/4	171,370	1/4	186,712	1/4	202,023	1/4	216,483	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	156,328	1/2	171,690	1/2	187,031	1/2	202,342	1/2	216,662	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	156,648	3/4	172,010	3/4	187,350	3/4	202,661	3/4	216,841	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	156,968	3	172,330	3	187,669	3	202,980	3	217,020	3	3	3	3	3	3	3	3	3	3
1/4	157,288	1/4	172,650	1/4	187,988	1/4	203,299	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	157,608	1/2	172,970	1/2	188,307	1/2	203,618	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	157,928	3/4	173,290	3/4	188,626	3/4	203,937	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	158,248	4	173,610	4	188,945	4	204,256	4	204,256	4	4	4	4	4	4	4	4	4	4
1/4	158,568	1/4	173,930	1/4	189,264	1/4	204,575	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	158,888	1/2	174,250	1/2	189,583	1/2	204,894	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	159,208	3/4	174,570	3/4	189,902	3/4	205,213	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	159,528	5	174,890	5	190,221	5	205,532	5	205,532	5	5	5	5	5	5	5	5	5	5
1/4	159,848	1/4	175,210	1/4	190,540	1/4	205,849	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	160,168	1/2	175,530	1/2	190,859	1/2	206,167	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	160,488	3/4	175,850	3/4	191,178	3/4	206,484	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	160,808	6	176,171	6	191,497	6	206,802	6	206,802	6	6	6	6	6	6	6	6	6	6
1/4	161,128	1/4	176,491	1/4	191,816	1/4	207,117	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	161,448	1/2	176,811	1/2	192,135	1/2	207,433	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	161,768	3/4	177,131	3/4	192,454	3/4	207,749	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	162,088	7	177,451	7	192,773	7	208,065	7	208,065	7	7	7	7	7	7	7	7	7	7
1/4	162,408	1/4	177,771	1/4	193,091	1/4	208,381	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	162,729	1/2	178,091	1/2	193,410	1/2	208,697	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	163,049	3/4	178,411	3/4	193,729	3/4	209,013	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	163,369	8	178,731	8	194,048	8	209,329	8	209,329	8	8	8	8	8	8	8	8	8	8
1/4	163,689	1/4	179,051	1/4	194,367	1/4	209,645	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	164,009	1/2	179,371	1/2	194,686	1/2	209,961	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	164,329	3/4	179,691	3/4	195,005	3/4	210,276	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	164,649	9	180,011	9	195,324	9	210,592	9	210,592	9	9	9	9	9	9	9	9	9	9
1/4	164,969	1/4	180,331	1/4	195,643	1/4	210,908	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	165,289	1/2	180,650	1/2	195,962	1/2	211,223	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	165,609	3/4	180,970	3/4	196,281	3/4	211,539	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	165,929	10	181,289	10	196,600	10	211,854	10	211,854	10	10	10	10	10	10	10	10	10	10
1/4	166,249	1/4	181,608	1/4	196,919	1/4	212,169	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	166,569	1/2	181,927	1/2	197,238	1/2	212,483	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	166,889	3/4	182,246	3/4	197,557	3/4	212,797	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	167,209	11	182,565	11	197,876	11	213,112	11	213,112	11	11	11	11	11	11	11	11	11	11
1/4	167,529	1/4	182,884	1/4	198,195	1/4	213,415	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	167,849	1/2	183,203	1/2	198,514	1/2	213,719	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	168,169	3/4	183,522	3/4	198,833	3/4	214,022	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/21/2013 CL - SW  
CALCULATED: 10/22/2013 CL  
PRINTED: 10/22/2013 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2013

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>







# BARGE "HFL 427"

**2 STBD  
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GUAGE HEIGHT 15'-10"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	154,185	0	169,540	0	184,884	0	200,188	0	215,354	0		0		0		0		0	
1/4	154,505	1/4	169,860	1/4	185,203	1/4	200,507	1/4	215,624	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	154,825	1/2	170,179	1/2	185,522	1/2	200,826	1/2	215,894	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	155,144	3/4	170,499	3/4	185,840	3/4	201,144	3/4	216,164	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	155,464	1	170,819	1	186,159	1	201,463	1	216,434	1	1	1	1	1	1	1	1	1	1
1/4	155,784	1/4	171,139	1/4	186,478	1/4	201,782	1/4	216,659	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	156,104	1/2	171,459	1/2	186,797	1/2	202,101	1/2	216,883	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	156,424	3/4	171,779	3/4	187,116	3/4	202,420	3/4	217,108	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	156,744	2	172,099	2	187,435	2	202,739	2	217,332	2	2	2	2	2	2	2	2	2	2
1/4	157,064	1/4	172,419	1/4	187,753	1/4	203,057	1/4	217,511	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	157,384	1/2	172,739	1/2	188,072	1/2	203,376	1/2	217,690	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	157,704	3/4	173,059	3/4	188,391	3/4	203,695	3/4	217,868	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	158,023	3	173,378	3	188,710	3	204,014	3	218,047	3	3	3	3	3	3	3	3	3	3
1/4	158,343	1/4	173,698	1/4	189,029	1/4	204,333	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	158,663	1/2	174,018	1/2	189,348	1/2	204,651	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	158,983	3/4	174,338	3/4	189,666	3/4	204,970	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	159,303	4	174,658	4	189,985	4	205,289	4		4	4	4	4	4	4	4	4	4	4
1/4	159,623	1/4	174,978	1/4	190,304	1/4	205,608	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	159,943	1/2	175,298	1/2	190,623	1/2	205,927	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	160,263	3/4	175,618	3/4	190,942	3/4	206,246	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	160,583	5	175,938	5	191,261	5	206,564	5		5	5	5	5	5	5	5	5	5	5
1/4	160,903	1/4	176,257	1/4	191,579	1/4	206,882	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	161,222	1/2	176,577	1/2	191,898	1/2	207,199	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	161,542	3/4	176,897	3/4	192,217	3/4	207,516	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	161,862	6	177,217	6	192,536	6	207,834	6		6	6	6	6	6	6	6	6	6	6
1/4	162,182	1/4	177,537	1/4	192,855	1/4	208,149	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	162,502	1/2	177,857	1/2	193,174	1/2	208,465	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	162,822	3/4	178,177	3/4	193,492	3/4	208,781	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	163,142	7	178,497	7	193,811	7	209,097	7		7	7	7	7	7	7	7	7	7	7
1/4	163,462	1/4	178,817	1/4	194,130	1/4	209,412	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	163,782	1/2	179,137	1/2	194,449	1/2	209,728	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	164,101	3/4	179,456	3/4	194,768	3/4	210,044	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	164,421	8	179,776	8	195,087	8	210,360	8		8	8	8	8	8	8	8	8	8	8
1/4	164,741	1/4	180,096	1/4	195,405	1/4	210,675	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	165,061	1/2	180,416	1/2	195,724	1/2	210,991	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	165,381	3/4	180,736	3/4	196,043	3/4	211,307	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	165,701	9	181,056	9	196,362	9	211,623	9		9	9	9	9	9	9	9	9	9	9
1/4	166,021	1/4	181,375	1/4	196,681	1/4	211,938	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	166,341	1/2	181,695	1/2	197,000	1/2	212,253	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	166,661	3/4	182,014	3/4	197,318	3/4	212,568	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	166,981	10	182,333	10	197,637	10	212,884	10		10	10	10	10	10	10	10	10	10	10
1/4	167,300	1/4	182,652	1/4	197,956	1/4	213,198	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	167,620	1/2	182,971	1/2	198,275	1/2	213,512	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	167,940	3/4	183,290	3/4	198,594	3/4	213,827	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	168,260	11	183,609	11	198,913	11	214,141	11		11	11	11	11	11	11	11	11	11	11
1/4	168,580	1/4	183,928	1/4	199,231	1/4	214,444	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	168,900	1/2	184,246	1/2	199,550	1/2	214,747	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	169,220	3/4	184,565	3/4	199,869	3/4	215,051	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/21/2013 CL - SW  
CALCULATED: 10/22/2013 CL  
PRINTED: 10/22/2013 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2013

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "HFL 427"

## 3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	152,366	0	162,968	0	173,565	0	184,133	0	194,587	0		0		0		0		0	
1/4	152,586	1/4	163,189	1/4	173,785	1/4	184,354	1/4	194,759	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	152,806	1/2	163,410	1/2	174,006	1/2	184,574	1/2	194,932	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	153,027	3/4	163,631	3/4	174,226	3/4	184,794	3/4	195,104	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	153,247	1	163,852	1	174,446	1	185,014	1	195,276	1	1	1	1	1	1	1	1	1	1
1/4	153,468	1/4	164,073	1/4	174,666	1/4	185,234	1/4	195,403	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	153,689	1/2	164,294	1/2	174,886	1/2	185,454	1/2	195,530	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	153,910	3/4	164,515	3/4	175,106	3/4	185,675	3/4	195,657	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	154,131	2	164,736	2	175,327	2	185,895	2	195,783	2	2	2	2	2	2	2	2	2	2
1/4	154,352	1/4	164,957	1/4	175,547	1/4	186,115	1/4	195,864	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	154,573	1/2	165,178	1/2	175,767	1/2	186,335	1/2	195,945	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	154,794	3/4	165,398	3/4	175,987	3/4	186,555	3/4	196,027	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	155,015	3	165,619	3	176,207	3	186,775	3	196,108	3	3	3	3	3	3	3	3	3	3
1/4	155,236	1/4	165,840	1/4	176,427	1/4	186,996	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	155,457	1/2	166,061	1/2	176,648	1/2	187,216	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	155,678	3/4	166,282	3/4	176,868	3/4	187,436	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	155,898	4	166,503	4	177,088	4	187,656	4	4	4	4	4	4	4	4	4	4	4	4
1/4	156,119	1/4	166,724	1/4	177,308	1/4	187,876	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	156,340	1/2	166,945	1/2	177,528	1/2	188,096	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	156,561	3/4	167,166	3/4	177,749	3/4	188,317	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	156,782	5	167,387	5	177,969	5	188,537	5	5	5	5	5	5	5	5	5	5	5	5
1/4	157,003	1/4	167,608	1/4	178,189	1/4	188,756	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	157,224	1/2	167,829	1/2	178,409	1/2	188,975	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	157,445	3/4	168,050	3/4	178,629	3/4	189,194	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	157,666	6	168,271	6	178,849	6	189,413	6	6	6	6	6	6	6	6	6	6	6	6
1/4	157,887	1/4	168,491	1/4	179,070	1/4	189,631	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	158,108	1/2	168,712	1/2	179,290	1/2	189,849	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	158,329	3/4	168,933	3/4	179,510	3/4	190,067	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	158,550	7	169,154	7	179,730	7	190,285	7	7	7	7	7	7	7	7	7	7	7	7
1/4	158,771	1/4	169,375	1/4	179,950	1/4	190,503	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	158,991	1/2	169,596	1/2	180,170	1/2	190,721	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	159,212	3/4	169,817	3/4	180,391	3/4	190,939	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	159,433	8	170,038	8	180,611	8	191,157	8	8	8	8	8	8	8	8	8	8	8	8
1/4	159,654	1/4	170,259	1/4	180,831	1/4	191,375	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	159,875	1/2	170,480	1/2	181,051	1/2	191,593	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	160,096	3/4	170,701	3/4	181,271	3/4	191,811	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	160,317	9	170,922	9	181,491	9	192,029	9	9	9	9	9	9	9	9	9	9	9	9
1/4	160,538	1/4	171,142	1/4	181,712	1/4	192,246	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	160,759	1/2	171,363	1/2	181,932	1/2	192,464	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	160,980	3/4	171,583	3/4	182,152	3/4	192,681	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	161,201	10	171,804	10	182,372	10	192,899	10	10	10	10	10	10	10	10	10	10	10	10
1/4	161,422	1/4	172,024	1/4	182,592	1/4	193,115	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	161,643	1/2	172,244	1/2	182,812	1/2	193,332	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	161,864	3/4	172,464	3/4	183,033	3/4	193,548	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	162,085	11	172,685	11	183,253	11	193,765	11	11	11	11	11	11	11	11	11	11	11	11
1/4	162,305	1/4	172,905	1/4	183,473	1/4	193,970	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	162,526	1/2	173,125	1/2	183,693	1/2	194,176	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	162,747	3/4	173,345	3/4	183,913	3/4	194,381	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/21/2013 CL - SW  
CALCULATED: 10/22/2013 CL  
PRINTED: 10/22/2013 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2013

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>







# BARGE "HFL 427"

# FUEL OIL INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 3'-10 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	119	0	299	0	462	0		0		0		0		0		0	
1/4	1	1/4	123	1/4	303	1/4	465	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2	1/2	127	1/2	307	1/2	468	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2	3/4	130	3/4	311	3/4	470	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	3	1	134	1	314	1	473	1	1	1	1	1	1	1	1	1	1	1	1
1/4	5	1/4	137	1/4	318	1/4	475	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	6	1/2	141	1/2	322	1/2	477	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	7	3/4	144	3/4	326	3/4	480	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	9	2	148	2	329	2	482	2	2	2	2	2	2	2	2	2	2	2	2
1/4	11	1/4	152	1/4	333	1/4	484	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	12	1/2	155	1/2	337	1/2	486	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	14	3/4	159	3/4	341	3/4	489	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	16	3	162	3	344	3	491	3	3	3	3	3	3	3	3	3	3	3	3
1/4	18	1/4	166	1/4	348	1/4	493	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20	1/2	170	1/2	352	1/2	494	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	22	3/4	174	3/4	355	3/4	496	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	25	4	177	4	359	4	498	4	4	4	4	4	4	4	4	4	4	4	4
1/4	27	1/4	181	1/4	363	1/4	499	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	29	1/2	185	1/2	366	1/2	501	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	32	3/4	189	3/4	370	3/4	502	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	34	5	192	5	373	5	504	5	5	5	5	5	5	5	5	5	5	5	5
1/4	37	1/4	196	1/4	377	1/4	504	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	39	1/2	200	1/2	380	1/2	505	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	42	3/4	204	3/4	384	3/4	506	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	44	6	207	6	387	6	507	6	6	6	6	6	6	6	6	6	6	6	6
1/4	47	1/4	211	1/4	391	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	50	1/2	215	1/2	394	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	53	3/4	219	3/4	398	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	56	7	223	7	401	7	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4	58	1/4	227	1/4	404	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	61	1/2	230	1/2	408	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	64	3/4	234	3/4	411	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	67	8	238	8	414	8	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4	70	1/4	242	1/4	418	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	73	1/2	246	1/2	421	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	77	3/4	250	3/4	424	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	80	9	253	9	427	9	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4	83	1/4	257	1/4	430	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	86	1/2	261	1/2	433	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	89	3/4	265	3/4	436	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	92	10	269	10	440	10	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4	96	1/4	273	1/4	442	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	99	1/2	276	1/2	445	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	102	3/4	280	3/4	448	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	106	11	284	11	451	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4	109	1/4	288	1/4	454	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	113	1/2	292	1/2	457	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	116	3/4	296	3/4	460	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO 2" DIAMETER PIPE.

STRAPPED: 10/21/2013 CL - SW  
CALCULATED: 10/22/2013 CL  
PRINTED: 10/22/2013 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2013

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "HFL 427"

## PORT SLOP INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'-01"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,191	0	2,385	0	3,579	0	4,773	0		0		0		0		0	
1/4	25	1/4	1,216	1/4	2,410	1/4	3,604	1/4	4,798	1/4		1/4		1/4		1/4		1/4	
1/2	49	1/2	1,241	1/2	2,435	1/2	3,629	1/2	4,823	1/2		1/2		1/2		1/2		1/2	
3/4	74	3/4	1,266	3/4	2,460	3/4	3,654	3/4	4,848	3/4		3/4		3/4		3/4		3/4	
1	98	1	1,291	1	2,485	1	3,679	1	4,872	1		1		1		1		1	
1/4	123	1/4	1,316	1/4	2,509	1/4	3,703	1/4	4,897	1/4		1/4		1/4		1/4		1/4	
1/2	148	1/2	1,340	1/2	2,534	1/2	3,728	1/2	4,922	1/2		1/2		1/2		1/2		1/2	
3/4	172	3/4	1,365	3/4	2,559	3/4	3,753	3/4	4,947	3/4		3/4		3/4		3/4		3/4	
2	197	2	1,390	2	2,584	2	3,778	2	4,972	2		2		2		2		2	
1/4	222	1/4	1,415	1/4	2,609	1/4	3,803	1/4	4,997	1/4		1/4		1/4		1/4		1/4	
1/2	247	1/2	1,440	1/2	2,634	1/2	3,828	1/2	5,022	1/2		1/2		1/2		1/2		1/2	
3/4	271	3/4	1,465	3/4	2,659	3/4	3,853	3/4	5,047	3/4		3/4		3/4		3/4		3/4	
3	296	3	1,490	3	2,684	3	3,878	3	5,071	3		3		3		3		3	
1/4	321	1/4	1,515	1/4	2,708	1/4	3,902	1/4	5,096	1/4		1/4		1/4		1/4		1/4	
1/2	346	1/2	1,539	1/2	2,733	1/2	3,927	1/2	5,121	1/2		1/2		1/2		1/2		1/2	
3/4	371	3/4	1,564	3/4	2,758	3/4	3,952	3/4	5,146	3/4		3/4		3/4		3/4		3/4	
4	395	4	1,589	4	2,783	4	3,977	4	5,171	4		4		4		4		4	
1/4	420	1/4	1,614	1/4	2,808	1/4	4,002	1/4	5,196	1/4		1/4		1/4		1/4		1/4	
1/2	445	1/2	1,639	1/2	2,833	1/2	4,027	1/2	5,221	1/2		1/2		1/2		1/2		1/2	
3/4	470	3/4	1,664	3/4	2,858	3/4	4,052	3/4	5,246	3/4		3/4		3/4		3/4		3/4	
5	495	5	1,689	5	2,883	5	4,076	5	5,270	5		5		5		5		5	
1/4	520	1/4	1,714	1/4	2,907	1/4	4,101	1/4	5,295	1/4		1/4		1/4		1/4		1/4	
1/2	545	1/2	1,738	1/2	2,932	1/2	4,126	1/2	5,320	1/2		1/2		1/2		1/2		1/2	
3/4	569	3/4	1,763	3/4	2,957	3/4	4,151	3/4	5,345	3/4		3/4		3/4		3/4		3/4	
6	594	6	1,788	6	2,982	6	4,176	6	5,370	6		6		6		6		6	
1/4	619	1/4	1,813	1/4	3,007	1/4	4,201	1/4	5,395	1/4		1/4		1/4		1/4		1/4	
1/2	644	1/2	1,838	1/2	3,032	1/2	4,226	1/2	5,420	1/2		1/2		1/2		1/2		1/2	
3/4	669	3/4	1,863	3/4	3,057	3/4	4,251	3/4	5,445	3/4		3/4		3/4		3/4		3/4	
7	694	7	1,888	7	3,082	7	4,275	7	5,469	7		7		7		7		7	
1/4	719	1/4	1,913	1/4	3,106	1/4	4,300	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	744	1/2	1,937	1/2	3,131	1/2	4,325	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	768	3/4	1,962	3/4	3,156	3/4	4,350	3/4		3/4		3/4		3/4		3/4		3/4	
8	793	8	1,987	8	3,181	8	4,375	8		8		8		8		8		8	
1/4	818	1/4	2,012	1/4	3,206	1/4	4,400	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	843	1/2	2,037	1/2	3,231	1/2	4,425	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	868	3/4	2,062	3/4	3,256	3/4	4,450	3/4		3/4		3/4		3/4		3/4		3/4	
9	893	9	2,087	9	3,281	9	4,474	9		9		9		9		9		9	
1/4	918	1/4	2,112	1/4	3,305	1/4	4,499	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	942	1/2	2,136	1/2	3,330	1/2	4,524	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	967	3/4	2,161	3/4	3,355	3/4	4,549	3/4		3/4		3/4		3/4		3/4		3/4	
10	992	10	2,186	10	3,380	10	4,574	10		10		10		10		10		10	
1/4	1,017	1/4	2,211	1/4	3,405	1/4	4,599	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,042	1/2	2,236	1/2	3,430	1/2	4,624	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,067	3/4	2,261	3/4	3,455	3/4	4,649	3/4		3/4		3/4		3/4		3/4		3/4	
11	1,092	11	2,286	11	3,480	11	4,673	11		11		11		11		11		11	
1/4	1,117	1/4	2,311	1/4	3,504	1/4	4,698	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,141	1/2	2,335	1/2	3,529	1/2	4,723	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,166	3/4	2,360	3/4	3,554	3/4	4,748	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

STRAPPED: 10/21/2013 CL - SW  
CALCULATED: 10/22/2013 CL  
PRINTED: 10/22/2013 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2013

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "HFL 427"

## STBD SLOP INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'-01"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,151	0	2,306	0	3,460	0	4,614	0		0		0		0		0	
1/4	24	1/4	1,176	1/4	2,330	1/4	3,484	1/4	4,638	1/4		1/4		1/4		1/4		1/4	
1/2	47	1/2	1,200	1/2	2,354	1/2	3,508	1/2	4,662	1/2		1/2		1/2		1/2		1/2	
3/4	71	3/4	1,224	3/4	2,378	3/4	3,532	3/4	4,686	3/4		3/4		3/4		3/4		3/4	
1	95	1	1,248	1	2,402	1	3,556	1	4,710	1		1		1		1		1	
1/4	119	1/4	1,272	1/4	2,426	1/4	3,580	1/4	4,734	1/4		1/4		1/4		1/4		1/4	
1/2	143	1/2	1,296	1/2	2,450	1/2	3,604	1/2	4,758	1/2		1/2		1/2		1/2		1/2	
3/4	166	3/4	1,320	3/4	2,474	3/4	3,628	3/4	4,782	3/4		3/4		3/4		3/4		3/4	
2	190	2	1,344	2	2,498	2	3,652	2	4,806	2		2		2		2		2	
1/4	214	1/4	1,368	1/4	2,522	1/4	3,676	1/4	4,830	1/4		1/4		1/4		1/4		1/4	
1/2	238	1/2	1,392	1/2	2,546	1/2	3,700	1/2	4,854	1/2		1/2		1/2		1/2		1/2	
3/4	262	3/4	1,416	3/4	2,570	3/4	3,724	3/4	4,879	3/4		3/4		3/4		3/4		3/4	
3	286	3	1,440	3	2,594	3	3,748	3	4,903	3		3		3		3		3	
1/4	310	1/4	1,464	1/4	2,618	1/4	3,772	1/4	4,927	1/4		1/4		1/4		1/4		1/4	
1/2	334	1/2	1,488	1/2	2,642	1/2	3,796	1/2	4,951	1/2		1/2		1/2		1/2		1/2	
3/4	358	3/4	1,512	3/4	2,666	3/4	3,821	3/4	4,975	3/4		3/4		3/4		3/4		3/4	
4	382	4	1,536	4	2,690	4	3,845	4	4,999	4		4		4		4		4	
1/4	406	1/4	1,560	1/4	2,714	1/4	3,869	1/4	5,023	1/4		1/4		1/4		1/4		1/4	
1/2	430	1/2	1,584	1/2	2,738	1/2	3,893	1/2	5,047	1/2		1/2		1/2		1/2		1/2	
3/4	454	3/4	1,608	3/4	2,763	3/4	3,917	3/4	5,071	3/4		3/4		3/4		3/4		3/4	
5	478	5	1,632	5	2,787	5	3,941	5	5,095	5		5		5		5		5	
1/4	502	1/4	1,656	1/4	2,811	1/4	3,965	1/4	5,119	1/4		1/4		1/4		1/4		1/4	
1/2	526	1/2	1,680	1/2	2,835	1/2	3,989	1/2	5,143	1/2		1/2		1/2		1/2		1/2	
3/4	550	3/4	1,705	3/4	2,859	3/4	4,013	3/4	5,167	3/4		3/4		3/4		3/4		3/4	
6	574	6	1,729	6	2,883	6	4,037	6	5,191	6		6		6		6		6	
1/4	598	1/4	1,753	1/4	2,907	1/4	4,061	1/4	5,215	1/4		1/4		1/4		1/4		1/4	
1/2	622	1/2	1,777	1/2	2,931	1/2	4,085	1/2	5,239	1/2		1/2		1/2		1/2		1/2	
3/4	647	3/4	1,801	3/4	2,955	3/4	4,109	3/4	5,263	3/4		3/4		3/4		3/4		3/4	
7	671	7	1,825	7	2,979	7	4,133	7	5,287	7		7		7		7		7	
1/4	695	1/4	1,849	1/4	3,003	1/4	4,157	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	719	1/2	1,873	1/2	3,027	1/2	4,181	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	743	3/4	1,897	3/4	3,051	3/4	4,205	3/4		3/4		3/4		3/4		3/4		3/4	
8	767	8	1,921	8	3,075	8	4,229	8		8		8		8		8		8	
1/4	791	1/4	1,945	1/4	3,099	1/4	4,253	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	815	1/2	1,969	1/2	3,123	1/2	4,277	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	839	3/4	1,993	3/4	3,147	3/4	4,301	3/4		3/4		3/4		3/4		3/4		3/4	
9	863	9	2,017	9	3,171	9	4,325	9		9		9		9		9		9	
1/4	887	1/4	2,041	1/4	3,195	1/4	4,350	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	911	1/2	2,065	1/2	3,219	1/2	4,374	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	935	3/4	2,089	3/4	3,243	3/4	4,398	3/4		3/4		3/4		3/4		3/4		3/4	
10	959	10	2,113	10	3,267	10	4,422	10		10		10		10		10		10	
1/4	983	1/4	2,137	1/4	3,292	1/4	4,446	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,007	1/2	2,161	1/2	3,316	1/2	4,470	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,031	3/4	2,185	3/4	3,340	3/4	4,494	3/4		3/4		3/4		3/4		3/4		3/4	
11	1,055	11	2,209	11	3,364	11	4,518	11		11		11		11		11		11	
1/4	1,079	1/4	2,234	1/4	3,388	1/4	4,542	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,103	1/2	2,258	1/2	3,412	1/2	4,566	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,127	3/4	2,282	3/4	3,436	3/4	4,590	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

STRAPPED: 10/21/2013 CL - SW  
CALCULATED: 10/22/2013 CL  
PRINTED: 10/22/2013 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2013

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "HFL 427"

## ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
1 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
2 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
2 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
3 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
3 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 1'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 3'-00" (DOWN BY STERN)

THE CORRECTION FOR 3'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-1/8"  
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 7/8"

LENGTH BETWEEN DRAFT MARKS: 236'-00"

October 22, 2013

**PRECISION MEASUREMENT  
& ANALYSIS, INC.**

P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>





# BARGE "HFL 427"

## 1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.																														
IN	0	1/4	1/2	3/4	0	1/4	1/2	3/4	0	1/4	1/2	3/4	0	1/4	1/2	3/4	0	1/4	1/2	3/4																												
0	82,697	82,397	82,097	81,797	81,497	81,197	80,897	80,597	80,297	79,997	79,697	79,397	79,097	78,797	78,497	78,197	77,897	77,598	77,298	76,998	76,698	76,398	76,098	75,798	75,498	75,198	74,898	74,598	74,298	73,998	73,698	73,398	73,098	72,798	72,498	72,198	71,898	71,598	71,298	70,998	70,698	70,398	70,098	69,798	69,498	69,199	68,899	68,599

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/21/2013 CL - SW  
 CALCULATED: 10/22/2013 CL  
 PRINTED: 10/22/2013 CL

CANCELS AND SUPERCEDES  
 ALL PRIOR TO 10/2013

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



























# BARGE "HFL 427"

## FUEL OIL ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 3'-10 1/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0	442	0	273	0	96	0		0		0		0		0		0	
1/4		1/4	440	1/4	269	1/4	92	1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	436	1/2	265	1/2	89	1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4	433	3/4	261	3/4	86	3/4		3/4		3/4		3/4		3/4		3/4	
1		1	430	1	257	1	83	1		1		1		1		1		1	
1/4		1/4	427	1/4	253	1/4	80	1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	424	1/2	250	1/2	77	1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4	421	3/4	246	3/4	73	3/4		3/4		3/4		3/4		3/4		3/4	
2		2	418	2	242	2	70	2		2		2		2		2		2	
1/4		1/4	414	1/4	238	1/4	67	1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	411	1/2	234	1/2	64	1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4	408	3/4	230	3/4	61	3/4		3/4		3/4		3/4		3/4		3/4	
3		3	404	3	227	3	58	3		3		3		3		3		3	
1/4		1/4	401	1/4	223	1/4	56	1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	398	1/2	219	1/2	53	1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4	394	3/4	215	3/4	50	3/4		3/4		3/4		3/4		3/4		3/4	
4		4	391	4	211	4	47	4		4		4		4		4		4	
1/4	507	1/4	387	1/4	207	1/4	44	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	506	1/2	384	1/2	204	1/2	42	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	505	3/4	380	3/4	200	3/4	39	3/4		3/4		3/4		3/4		3/4		3/4	
5	504	5	377	5	196	5	37	5		5		5		5		5		5	
1/4	504	1/4	373	1/4	192	1/4	34	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	502	1/2	370	1/2	189	1/2	32	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	501	3/4	366	3/4	185	3/4	29	3/4		3/4		3/4		3/4		3/4		3/4	
6	499	6	363	6	181	6	27	6		6		6		6		6		6	
1/4	498	1/4	359	1/4	177	1/4	25	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	496	1/2	355	1/2	174	1/2	22	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	494	3/4	352	3/4	170	3/4	20	3/4		3/4		3/4		3/4		3/4		3/4	
7	493	7	348	7	166	7	18	7		7		7		7		7		7	
1/4	491	1/4	344	1/4	162	1/4	16	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	489	1/2	341	1/2	159	1/2	14	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	486	3/4	337	3/4	155	3/4	12	3/4		3/4		3/4		3/4		3/4		3/4	
8	484	8	333	8	152	8	11	8		8		8		8		8		8	
1/4	482	1/4	329	1/4	148	1/4	9	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	480	1/2	326	1/2	144	1/2	7	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	477	3/4	322	3/4	141	3/4	6	3/4		3/4		3/4		3/4		3/4		3/4	
9	475	9	318	9	137	9	5	9		9		9		9		9		9	
1/4	473	1/4	314	1/4	134	1/4	3	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	470	1/2	311	1/2	130	1/2	2	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	468	3/4	307	3/4	127	3/4	2	3/4		3/4		3/4		3/4		3/4		3/4	
10	465	10	303	10	123	10	1	10		10		10		10		10		10	
1/4	462	1/4	299	1/4	119	1/4	0	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	460	1/2	296	1/2	116	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	457	3/4	292	3/4	113	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	454	11	288	11	109	11		11		11		11		11		11		11	
1/4	451	1/4	284	1/4	106	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	448	1/2	280	1/2	102	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	445	3/4	276	3/4	99	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO 2" DIAMETER PIPE.

STRAPPED: 10/21/2013 CL - SW  
CALCULATED: 10/22/2013 CL  
PRINTED: 10/22/2013 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2013

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "HFL 427"

## PORT SLOP ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'-01"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0		0	4,872	0	3,679	0	2,485	0	1,291	0	98	0		0		0	
1/4	1/4	1/4	1/4	1/4	4,848	1/4	3,654	1/4	2,460	1/4	1,266	1/4	74	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,823	1/2	3,629	1/2	2,435	1/2	1,241	1/2	49	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,798	3/4	3,604	3/4	2,410	3/4	1,216	3/4	25	3/4	3/4	3/4	3/4	3/4	3/4
1		1		1	4,773	1	3,579	1	2,385	1	1,191	1	0	1		1		1	
1/4	1/4	1/4	1/4	1/4	4,748	1/4	3,554	1/4	2,360	1/4	1,166	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,723	1/2	3,529	1/2	2,335	1/2	1,141	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,698	3/4	3,504	3/4	2,311	3/4	1,117	3/4		3/4	3/4	3/4	3/4	3/4	3/4
2		2		2	4,673	2	3,480	2	2,286	2	1,092	2		2		2		2	
1/4	1/4	1/4	1/4	1/4	4,649	1/4	3,455	1/4	2,261	1/4	1,067	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,624	1/2	3,430	1/2	2,236	1/2	1,042	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,599	3/4	3,405	3/4	2,211	3/4	1,017	3/4		3/4	3/4	3/4	3/4	3/4	3/4
3		3		3	4,574	3	3,380	3	2,186	3	992	3		3		3		3	
1/4	1/4	1/4	1/4	1/4	4,549	1/4	3,355	1/4	2,161	1/4	967	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,524	1/2	3,330	1/2	2,136	1/2	942	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,499	3/4	3,305	3/4	2,112	3/4	918	3/4		3/4	3/4	3/4	3/4	3/4	3/4
4		4		4	4,474	4	3,281	4	2,087	4	893	4		4		4		4	
1/4	1/4	1/4	1/4	1/4	4,450	1/4	3,256	1/4	2,062	1/4	868	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,425	1/2	3,231	1/2	2,037	1/2	843	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,400	3/4	3,206	3/4	2,012	3/4	818	3/4		3/4	3/4	3/4	3/4	3/4	3/4
5		5		5	4,375	5	3,181	5	1,987	5	793	5		5		5		5	
1/4	1/4	1/4	1/4	1/4	4,350	1/4	3,156	1/4	1,962	1/4	768	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,325	1/2	3,131	1/2	1,937	1/2	744	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,300	3/4	3,106	3/4	1,913	3/4	719	3/4		3/4	3/4	3/4	3/4	3/4	3/4
6		6	5,469	6	4,275	6	3,082	6	1,888	6	694	6		6		6		6	
1/4	1/4	1/4	5,445	1/4	4,251	1/4	3,057	1/4	1,863	1/4	669	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	5,420	1/2	4,226	1/2	3,032	1/2	1,838	1/2	644	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	5,395	3/4	4,201	3/4	3,007	3/4	1,813	3/4	619	3/4		3/4	3/4	3/4	3/4	3/4	3/4
7		7	5,370	7	4,176	7	2,982	7	1,788	7	594	7		7		7		7	
1/4	1/4	1/4	5,345	1/4	4,151	1/4	2,957	1/4	1,763	1/4	569	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	5,320	1/2	4,126	1/2	2,932	1/2	1,738	1/2	545	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	5,295	3/4	4,101	3/4	2,907	3/4	1,714	3/4	520	3/4		3/4	3/4	3/4	3/4	3/4	3/4
8		8	5,270	8	4,076	8	2,883	8	1,689	8	495	8		8		8		8	
1/4	1/4	1/4	5,246	1/4	4,052	1/4	2,858	1/4	1,664	1/4	470	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	5,221	1/2	4,027	1/2	2,833	1/2	1,639	1/2	445	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	5,196	3/4	4,002	3/4	2,808	3/4	1,614	3/4	420	3/4		3/4	3/4	3/4	3/4	3/4	3/4
9		9	5,171	9	3,977	9	2,783	9	1,589	9	395	9		9		9		9	
1/4	1/4	1/4	5,146	1/4	3,952	1/4	2,758	1/4	1,564	1/4	371	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	5,121	1/2	3,927	1/2	2,733	1/2	1,539	1/2	346	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	5,096	3/4	3,902	3/4	2,708	3/4	1,515	3/4	321	3/4		3/4	3/4	3/4	3/4	3/4	3/4
10		10	5,071	10	3,878	10	2,684	10	1,490	10	296	10		10		10		10	
1/4	1/4	1/4	5,047	1/4	3,853	1/4	2,659	1/4	1,465	1/4	271	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	5,022	1/2	3,828	1/2	2,634	1/2	1,440	1/2	247	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	4,997	3/4	3,803	3/4	2,609	3/4	1,415	3/4	222	3/4		3/4	3/4	3/4	3/4	3/4	3/4
11		11	4,972	11	3,778	11	2,584	11	1,390	11	197	11		11		11		11	
1/4	1/4	1/4	4,947	1/4	3,753	1/4	2,559	1/4	1,365	1/4	172	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	4,922	1/2	3,728	1/2	2,534	1/2	1,340	1/2	148	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	4,897	3/4	3,703	3/4	2,509	3/4	1,316	3/4	123	3/4		3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

STRAPPED: 10/21/2013 CL - SW  
CALCULATED: 10/22/2013 CL  
PRINTED: 10/22/2013 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2013

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "HFL 427"

## STBD SLOP ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'-01"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0		0	4,710	0	3,556	0	2,402	0	1,248	0	95	0		0		0	
1/4	1/4	1/4	1/4	1/4	4,686	1/4	3,532	1/4	2,378	1/4	1,224	1/4	71	1/4	1/4	1/4		1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,662	1/2	3,508	1/2	2,354	1/2	1,200	1/2	47	1/2	1/2	1/2		1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,638	3/4	3,484	3/4	2,330	3/4	1,176	3/4	24	3/4	3/4	3/4		3/4	3/4
1		1		1	4,614	1	3,460	1	2,306	1	1,151	1	<u>0</u>	1		1		1	
1/4	1/4	1/4	1/4	1/4	4,590	1/4	3,436	1/4	2,282	1/4	1,127	1/4	<u>0</u>	1/4	1/4	1/4		1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,566	1/2	3,412	1/2	2,258	1/2	1,103	1/2	<u>0</u>	1/2	1/2	1/2		1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,542	3/4	3,388	3/4	2,234	3/4	1,079	3/4	<u>0</u>	3/4	3/4	3/4		3/4	3/4
2		2		2	4,518	2	3,364	2	2,209	2	1,055	2		2		2		2	
1/4	1/4	1/4	1/4	1/4	4,494	1/4	3,340	1/4	2,185	1/4	1,031	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,470	1/2	3,316	1/2	2,161	1/2	1,007	1/2		1/2	1/2	1/2		1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,446	3/4	3,292	3/4	2,137	3/4	983	3/4		3/4	3/4	3/4		3/4	3/4
3		3		3	4,422	3	3,267	3	2,113	3	959	3		3		3		3	
1/4	1/4	1/4	1/4	1/4	4,398	1/4	3,243	1/4	2,089	1/4	935	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,374	1/2	3,219	1/2	2,065	1/2	911	1/2		1/2	1/2	1/2		1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,350	3/4	3,195	3/4	2,041	3/4	887	3/4		3/4	3/4	3/4		3/4	3/4
4		4		4	4,325	4	3,171	4	2,017	4	863	4		4		4		4	
1/4	1/4	1/4	1/4	1/4	4,301	1/4	3,147	1/4	1,993	1/4	839	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,277	1/2	3,123	1/2	1,969	1/2	815	1/2		1/2	1/2	1/2		1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,253	3/4	3,099	3/4	1,945	3/4	791	3/4		3/4	3/4	3/4		3/4	3/4
5		5		5	4,229	5	3,075	5	1,921	5	767	5		5		5		5	
1/4	1/4	1/4	1/4	1/4	4,205	1/4	3,051	1/4	1,897	1/4	743	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,181	1/2	3,027	1/2	1,873	1/2	719	1/2		1/2	1/2	1/2		1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,157	3/4	3,003	3/4	1,849	3/4	695	3/4		3/4	3/4	3/4		3/4	3/4
6		6	5,287	6	4,133	6	2,979	6	1,825	6	671	6		6		6		6	
1/4	1/4	1/4	5,263	1/4	4,109	1/4	2,955	1/4	1,801	1/4	647	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1/2	1/2	5,239	1/2	4,085	1/2	2,931	1/2	1,777	1/2	622	1/2		1/2	1/2	1/2		1/2	1/2
3/4	3/4	3/4	5,215	3/4	4,061	3/4	2,907	3/4	1,753	3/4	598	3/4		3/4	3/4	3/4		3/4	3/4
7		7	5,191	7	4,037	7	2,883	7	1,729	7	574	7		7		7		7	
1/4	1/4	1/4	5,167	1/4	4,013	1/4	2,859	1/4	1,705	1/4	550	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1/2	1/2	5,143	1/2	3,989	1/2	2,835	1/2	1,680	1/2	526	1/2		1/2	1/2	1/2		1/2	1/2
3/4	3/4	3/4	5,119	3/4	3,965	3/4	2,811	3/4	1,656	3/4	502	3/4		3/4	3/4	3/4		3/4	3/4
8		8	5,095	8	3,941	8	2,787	8	1,632	8	478	8		8		8		8	
1/4	1/4	1/4	5,071	1/4	3,917	1/4	2,763	1/4	1,608	1/4	454	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1/2	1/2	5,047	1/2	3,893	1/2	2,738	1/2	1,584	1/2	430	1/2		1/2	1/2	1/2		1/2	1/2
3/4	3/4	3/4	5,023	3/4	3,869	3/4	2,714	3/4	1,560	3/4	406	3/4		3/4	3/4	3/4		3/4	3/4
9		9	4,999	9	3,845	9	2,690	9	1,536	9	382	9		9		9		9	
1/4	1/4	1/4	4,975	1/4	3,821	1/4	2,666	1/4	1,512	1/4	358	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1/2	1/2	4,951	1/2	3,796	1/2	2,642	1/2	1,488	1/2	334	1/2		1/2	1/2	1/2		1/2	1/2
3/4	3/4	3/4	4,927	3/4	3,772	3/4	2,618	3/4	1,464	3/4	310	3/4		3/4	3/4	3/4		3/4	3/4
10		10	4,903	10	3,748	10	2,594	10	1,440	10	286	10		10		10		10	
1/4	1/4	1/4	4,879	1/4	3,724	1/4	2,570	1/4	1,416	1/4	262	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1/2	1/2	4,854	1/2	3,700	1/2	2,546	1/2	1,392	1/2	238	1/2		1/2	1/2	1/2		1/2	1/2
3/4	3/4	3/4	4,830	3/4	3,676	3/4	2,522	3/4	1,368	3/4	214	3/4		3/4	3/4	3/4		3/4	3/4
11		11	4,806	11	3,652	11	2,498	11	1,344	11	190	11		11		11		11	
1/4	1/4	1/4	4,782	1/4	3,628	1/4	2,474	1/4	1,320	1/4	166	1/4		1/4	1/4	1/4		1/4	1/4
1/2	1/2	1/2	4,758	1/2	3,604	1/2	2,450	1/2	1,296	1/2	143	1/2		1/2	1/2	1/2		1/2	1/2
3/4	3/4	3/4	4,734	3/4	3,580	3/4	2,426	3/4	1,272	3/4	119	3/4		3/4	3/4	3/4		3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

STRAPPED: 10/21/2013 CL - SW  
CALCULATED: 10/22/2013 CL  
PRINTED: 10/22/2013 CL

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2013