



BARGE "MPX 200"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-0/8	- 01-0/8	01-1/4	- 01-1/4
2 CENTER	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-3/4	00-3/4
3 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-3/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED INNAGE IS 3'-11 5/8"

LENGTH BETWEEN DRAFT MARKS: 163'-06"

June 16, 2020

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "MPX 200"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

GAUGE HEIGHT 15'-08 3/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	2,484.24	0	2,723.43	0	2,938.93	0	3,154.43	0	3,369.93	0		0		0		0		0	
1/4	2,489.46	1/4	2,727.92	1/4	2,943.42	1/4	3,158.92	1/4	3,374.42	1/4		1/4		1/4		1/4		1/4	
1/2	2,494.69	1/2	2,732.41	1/2	2,947.91	1/2	3,163.41	1/2	3,378.91	1/2		1/2		1/2		1/2		1/2	
3/4	2,499.91	3/4	2,736.90	3/4	2,952.40	3/4	3,167.90	3/4	3,383.40	3/4		3/4		3/4		3/4		3/4	
1	2,505.13	1	2,741.39	1	2,956.89	1	3,172.39	1	3,387.89	1		1		1		1		1	
1/4	2,510.35	1/4	2,745.88	1/4	2,961.38	1/4	3,176.88	1/4	3,392.38	1/4		1/4		1/4		1/4		1/4	
1/2	2,515.58	1/2	2,750.37	1/2	2,965.87	1/2	3,181.37	1/2	3,396.87	1/2		1/2		1/2		1/2		1/2	
3/4	2,520.80	3/4	2,754.86	3/4	2,970.36	3/4	3,185.86	3/4	3,401.36	3/4		3/4		3/4		3/4		3/4	
2	2,526.02	2	2,759.35	2	2,974.85	2	3,190.35	2	3,405.85	2		2		2		2		2	
1/4	2,531.24	1/4	2,763.84	1/4	2,979.34	1/4	3,194.84	1/4	3,410.34	1/4		1/4		1/4		1/4		1/4	
1/2	2,536.46	1/2	2,768.33	1/2	2,983.83	1/2	3,199.33	1/2	3,414.83	1/2		1/2		1/2		1/2		1/2	
3/4	2,541.69	3/4	2,772.81	3/4	2,988.32	3/4	3,203.82	3/4	3,419.32	3/4		3/4		3/4		3/4		3/4	
3	2,546.91	3	2,777.30	3	2,992.81	3	3,208.31	3	3,423.82	3		3		3		3		3	
1/4	2,552.13	1/4	2,781.79	1/4	2,997.29	1/4	3,212.80	1/4	3,428.30	1/4		1/4		1/4		1/4		1/4	
1/2	2,557.35	1/2	2,786.28	1/2	3,001.78	1/2	3,217.29	1/2	3,432.78	1/2		1/2		1/2		1/2		1/2	
3/4	2,562.57	3/4	2,790.77	3/4	3,006.27	3/4	3,221.77	3/4	3,437.26	3/4		3/4		3/4		3/4		3/4	
4	2,567.80	4	2,795.26	4	3,010.76	4	3,226.26	4	3,441.74	4		4		4		4		4	
1/4	2,573.02	1/4	2,799.75	1/4	3,015.25	1/4	3,230.75	1/4	3,446.19	1/4		1/4		1/4		1/4		1/4	
1/2	2,578.24	1/2	2,804.24	1/2	3,019.74	1/2	3,235.24	1/2	3,450.65	1/2		1/2		1/2		1/2		1/2	
3/4	2,583.46	3/4	2,808.73	3/4	3,024.23	3/4	3,239.73	3/4	3,455.11	3/4		3/4		3/4		3/4		3/4	
5	2,588.68	5	2,813.22	5	3,028.72	5	3,244.22	5	3,459.56	5		5		5		5		5	
1/4	2,593.92	1/4	2,817.71	1/4	3,033.21	1/4	3,248.71	1/4	3,464.31	1/4		1/4		1/4		1/4		1/4	
1/2	2,599.16	1/2	2,822.20	1/2	3,037.70	1/2	3,253.20	1/2	3,469.06	1/2		1/2		1/2		1/2		1/2	
3/4	2,604.40	3/4	2,826.69	3/4	3,042.19	3/4	3,257.69	3/4	3,473.80	3/4		3/4		3/4		3/4		3/4	
6	2,609.64	6	2,831.18	6	3,046.68	6	3,262.18	6	3,478.55	6		6		6		6		6	
1/4	2,614.88	1/4	2,835.67	1/4	3,051.17	1/4	3,266.67	1/4	3,481.62	1/4		1/4		1/4		1/4		1/4	
1/2	2,620.13	1/2	2,840.16	1/2	3,055.66	1/2	3,271.16	1/2	3,484.68	1/2		1/2		1/2		1/2		1/2	
3/4	2,625.37	3/4	2,844.65	3/4	3,060.15	3/4	3,275.65	3/4	3,487.75	3/4		3/4		3/4		3/4		3/4	
7	2,630.62	7	2,849.14	7	3,064.64	7	3,280.14	7	3,490.82	7		7		7		7		7	
1/4	2,635.86	1/4	2,853.63	1/4	3,069.13	1/4	3,284.63	1/4	3,492.13	1/4		1/4		1/4		1/4		1/4	
1/2	2,641.11	1/2	2,858.12	1/2	3,073.62	1/2	3,289.12	1/2	3,493.44	1/2		1/2		1/2		1/2		1/2	
3/4	2,646.35	3/4	2,862.61	3/4	3,078.11	3/4	3,293.61	3/4	3,494.76	3/4		3/4		3/4		3/4		3/4	
8	2,651.60	8	2,867.10	8	3,082.60	8	3,298.10	8	3,496.07	8		8		8		8		8	
1/4	2,656.09	1/4	2,871.59	1/4	3,087.09	1/4	3,302.59	1/4	3,496.29	1/4		1/4		1/4		1/4		1/4	
1/2	2,660.57	1/2	2,876.08	1/2	3,091.58	1/2	3,307.08	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,665.06	3/4	2,880.57	3/4	3,096.07	3/4	3,311.57	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,669.55	9	2,885.05	9	3,100.56	9	3,316.06	9		9		9		9		9		9	
1/4	2,674.04	1/4	2,889.54	1/4	3,105.05	1/4	3,320.55	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,678.53	1/2	2,894.03	1/2	3,109.53	1/2	3,325.04	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,683.02	3/4	2,898.52	3/4	3,114.02	3/4	3,329.53	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,687.51	10	2,903.01	10	3,118.51	10	3,334.01	10		10		10		10		10		10	
1/4	2,692.00	1/4	2,907.50	1/4	3,123.00	1/4	3,338.50	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,696.49	1/2	2,911.99	1/2	3,127.49	1/2	3,342.99	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,700.98	3/4	2,916.48	3/4	3,131.98	3/4	3,347.48	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,705.47	11	2,920.97	11	3,136.47	11	3,351.97	11		11		11		11		11		11	
1/4	2,709.96	1/4	2,925.46	1/4	3,140.96	1/4	3,356.46	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,714.45	1/2	2,929.95	1/2	3,145.45	1/2	3,360.95	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,718.94	3/4	2,934.44	3/4	3,149.94	3/4	3,365.44	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/16/2020 JS
CALCULATED: 06/16/2020 CL
PRINTED: 06/16/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPX 200"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

GAUGE HEIGHT 15'-09"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	2,708.22	0	2,983.12	0	3,258.02	0	3,532.93	0	3,807.83	0		0		0		0		0	
1/4	2,713.95	1/4	2,988.85	1/4	3,263.75	1/4	3,538.65	1/4	3,813.55	1/4		1/4		1/4		1/4		1/4	
1/2	2,719.68	1/2	2,994.58	1/2	3,269.48	1/2	3,544.38	1/2	3,819.28	1/2		1/2		1/2		1/2		1/2	
3/4	2,725.40	3/4	3,000.30	3/4	3,275.21	3/4	3,550.11	3/4	3,825.01	3/4		3/4		3/4		3/4		3/4	
1	2,731.13	1	3,006.03	1	3,280.93	1	3,555.83	1	3,830.73	1		1		1		1		1	
1/4	2,736.86	1/4	3,011.76	1/4	3,286.66	1/4	3,561.56	1/4	3,836.46	1/4		1/4		1/4		1/4		1/4	
1/2	2,742.59	1/2	3,017.49	1/2	3,292.39	1/2	3,567.29	1/2	3,842.19	1/2		1/2		1/2		1/2		1/2	
3/4	2,748.31	3/4	3,023.21	3/4	3,298.11	3/4	3,573.01	3/4	3,847.92	3/4		3/4		3/4		3/4		3/4	
2	2,754.04	2	3,028.94	2	3,303.84	2	3,578.74	2	3,853.64	2		2		2		2		2	
1/4	2,759.77	1/4	3,034.67	1/4	3,309.57	1/4	3,584.47	1/4	3,859.37	1/4		1/4		1/4		1/4		1/4	
1/2	2,765.49	1/2	3,040.39	1/2	3,315.30	1/2	3,590.20	1/2	3,865.10	1/2		1/2		1/2		1/2		1/2	
3/4	2,771.22	3/4	3,046.12	3/4	3,321.02	3/4	3,595.92	3/4	3,870.83	3/4		3/4		3/4		3/4		3/4	
3	2,776.95	3	3,051.85	3	3,326.75	3	3,601.65	3	3,876.55	3		3		3		3		3	
1/4	2,782.67	1/4	3,057.58	1/4	3,332.48	1/4	3,607.38	1/4	3,882.27	1/4		1/4		1/4		1/4		1/4	
1/2	2,788.40	1/2	3,063.30	1/2	3,338.20	1/2	3,613.10	1/2	3,887.99	1/2		1/2		1/2		1/2		1/2	
3/4	2,794.13	3/4	3,069.03	3/4	3,343.93	3/4	3,618.83	3/4	3,893.71	3/4		3/4		3/4		3/4		3/4	
4	2,799.86	4	3,074.76	4	3,349.66	4	3,624.56	4	3,899.42	4		4		4		4		4	
1/4	2,805.58	1/4	3,080.48	1/4	3,355.38	1/4	3,630.29	1/4	3,905.11	1/4		1/4		1/4		1/4		1/4	
1/2	2,811.31	1/2	3,086.21	1/2	3,361.11	1/2	3,636.01	1/2	3,910.80	1/2		1/2		1/2		1/2		1/2	
3/4	2,817.04	3/4	3,091.94	3/4	3,366.84	3/4	3,641.74	3/4	3,916.50	3/4		3/4		3/4		3/4		3/4	
5	2,822.76	5	3,097.67	5	3,372.57	5	3,647.47	5	3,922.19	5		5		5		5		5	
1/4	2,828.49	1/4	3,103.39	1/4	3,378.29	1/4	3,653.19	1/4	3,927.35	1/4		1/4		1/4		1/4		1/4	
1/2	2,834.22	1/2	3,109.12	1/2	3,384.02	1/2	3,658.92	1/2	3,932.52	1/2		1/2		1/2		1/2		1/2	
3/4	2,839.95	3/4	3,114.85	3/4	3,389.75	3/4	3,664.65	3/4	3,937.69	3/4		3/4		3/4		3/4		3/4	
6	2,845.67	6	3,120.57	6	3,395.47	6	3,670.38	6	3,942.86	6		6		6		6		6	
1/4	2,851.40	1/4	3,126.30	1/4	3,401.20	1/4	3,676.10	1/4	3,946.20	1/4		1/4		1/4		1/4		1/4	
1/2	2,857.13	1/2	3,132.03	1/2	3,406.93	1/2	3,681.83	1/2	3,949.54	1/2		1/2		1/2		1/2		1/2	
3/4	2,862.85	3/4	3,137.76	3/4	3,412.66	3/4	3,687.56	3/4	3,952.88	3/4		3/4		3/4		3/4		3/4	
7	2,868.58	7	3,143.48	7	3,418.38	7	3,693.28	7	3,956.22	7		7		7		7		7	
1/4	2,874.31	1/4	3,149.21	1/4	3,424.11	1/4	3,699.01	1/4	3,957.66	1/4		1/4		1/4		1/4		1/4	
1/2	2,880.04	1/2	3,154.94	1/2	3,429.84	1/2	3,704.74	1/2	3,959.09	1/2		1/2		1/2		1/2		1/2	
3/4	2,885.76	3/4	3,160.66	3/4	3,435.56	3/4	3,710.47	3/4	3,960.52	3/4		3/4		3/4		3/4		3/4	
8	2,891.49	8	3,166.39	8	3,441.29	8	3,716.19	8	3,961.95	8		8		8		8		8	
1/4	2,897.22	1/4	3,172.12	1/4	3,447.02	1/4	3,721.92	1/4	3,962.19	1/4		1/4		1/4		1/4		1/4	
1/2	2,902.94	1/2	3,177.84	1/2	3,452.75	1/2	3,727.65	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,908.67	3/4	3,183.57	3/4	3,458.47	3/4	3,733.37	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,914.40	9	3,189.30	9	3,464.20	9	3,739.10	9		9		9		9		9		9	
1/4	2,920.13	1/4	3,195.03	1/4	3,469.93	1/4	3,744.83	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,925.85	1/2	3,200.75	1/2	3,475.65	1/2	3,750.55	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,931.58	3/4	3,206.48	3/4	3,481.38	3/4	3,756.28	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,937.31	10	3,212.21	10	3,487.11	10	3,762.01	10		10		10		10		10		10	
1/4	2,943.03	1/4	3,217.93	1/4	3,492.84	1/4	3,767.74	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,948.76	1/2	3,223.66	1/2	3,498.56	1/2	3,773.46	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,954.49	3/4	3,229.39	3/4	3,504.29	3/4	3,779.19	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,960.22	11	3,235.12	11	3,510.02	11	3,784.92	11		11		11		11		11		11	
1/4	2,965.94	1/4	3,240.84	1/4	3,515.74	1/4	3,790.64	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,971.67	1/2	3,246.57	1/2	3,521.47	1/2	3,796.37	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,977.40	3/4	3,252.30	3/4	3,527.20	3/4	3,802.10	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/16/2020 JS
CALCULATED: 06/16/2020 CL
PRINTED: 06/16/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPX 200"

3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

GAUGE HEIGHT 15'-08 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,397.49	0	2,640.29	0	2,883.10	0	3,125.90	0	3,368.70	0		0		0		0		0	
1/4	2,402.55	1/4	2,645.35	1/4	2,888.16	1/4	3,130.96	1/4	3,373.76	1/4		1/4		1/4		1/4		1/4	
1/2	2,407.61	1/2	2,650.41	1/2	2,893.21	1/2	3,136.02	1/2	3,378.82	1/2		1/2		1/2		1/2		1/2	
3/4	2,412.67	3/4	2,655.47	3/4	2,898.27	3/4	3,141.08	3/4	3,383.88	3/4		3/4		3/4		3/4		3/4	
1	2,417.73	1	2,660.53	1	2,903.33	1	3,146.13	1	3,388.94	1		1		1		1		1	
1/4	2,422.78	1/4	2,665.59	1/4	2,908.39	1/4	3,151.19	1/4	3,394.00	1/4		1/4		1/4		1/4		1/4	
1/2	2,427.84	1/2	2,670.65	1/2	2,913.45	1/2	3,156.25	1/2	3,399.05	1/2		1/2		1/2		1/2		1/2	
3/4	2,432.90	3/4	2,675.70	3/4	2,918.51	3/4	3,161.31	3/4	3,404.11	3/4		3/4		3/4		3/4		3/4	
2	2,437.96	2	2,680.76	2	2,923.57	2	3,166.37	2	3,409.17	2		2		2		2		2	
1/4	2,443.02	1/4	2,685.82	1/4	2,928.62	1/4	3,171.43	1/4	3,414.23	1/4		1/4		1/4		1/4		1/4	
1/2	2,448.08	1/2	2,690.88	1/2	2,933.68	1/2	3,176.49	1/2	3,419.29	1/2		1/2		1/2		1/2		1/2	
3/4	2,453.13	3/4	2,695.94	3/4	2,938.74	3/4	3,181.54	3/4	3,424.35	3/4		3/4		3/4		3/4		3/4	
3	2,458.19	3	2,701.00	3	2,943.80	3	3,186.60	3	3,429.41	3		3		3		3		3	
1/4	2,463.25	1/4	2,706.05	1/4	2,948.86	1/4	3,191.66	1/4	3,434.46	1/4		1/4		1/4		1/4		1/4	
1/2	2,468.31	1/2	2,711.11	1/2	2,953.92	1/2	3,196.72	1/2	3,439.51	1/2		1/2		1/2		1/2		1/2	
3/4	2,473.37	3/4	2,716.17	3/4	2,958.97	3/4	3,201.78	3/4	3,444.56	3/4		3/4		3/4		3/4		3/4	
4	2,478.43	4	2,721.23	4	2,964.03	4	3,206.84	4	3,449.61	4		4		4		4		4	
1/4	2,483.48	1/4	2,726.29	1/4	2,969.09	1/4	3,211.89	1/4	3,454.64	1/4		1/4		1/4		1/4		1/4	
1/2	2,488.54	1/2	2,731.35	1/2	2,974.15	1/2	3,216.95	1/2	3,459.66	1/2		1/2		1/2		1/2		1/2	
3/4	2,493.60	3/4	2,736.40	3/4	2,979.21	3/4	3,222.01	3/4	3,464.69	3/4		3/4		3/4		3/4		3/4	
5	2,498.66	5	2,741.46	5	2,984.27	5	3,227.07	5	3,469.72	5		5		5		5		5	
1/4	2,503.72	1/4	2,746.52	1/4	2,989.32	1/4	3,232.13	1/4	3,474.28	1/4		1/4		1/4		1/4		1/4	
1/2	2,508.78	1/2	2,751.58	1/2	2,994.38	1/2	3,237.19	1/2	3,478.85	1/2		1/2		1/2		1/2		1/2	
3/4	2,513.83	3/4	2,756.64	3/4	2,999.44	3/4	3,242.24	3/4	3,483.41	3/4		3/4		3/4		3/4		3/4	
6	2,518.89	6	2,761.70	6	3,004.50	6	3,247.30	6	3,487.98	6		6		6		6		6	
1/4	2,523.95	1/4	2,766.75	1/4	3,009.56	1/4	3,252.36	1/4	3,490.93	1/4		1/4		1/4		1/4		1/4	
1/2	2,529.01	1/2	2,771.81	1/2	3,014.62	1/2	3,257.42	1/2	3,493.88	1/2		1/2		1/2		1/2		1/2	
3/4	2,534.07	3/4	2,776.87	3/4	3,019.67	3/4	3,262.48	3/4	3,496.83	3/4		3/4		3/4		3/4		3/4	
7	2,539.13	7	2,781.93	7	3,024.73	7	3,267.54	7	3,499.78	7		7		7		7		7	
1/4	2,544.19	1/4	2,786.99	1/4	3,029.79	1/4	3,272.59	1/4	3,501.04	1/4		1/4		1/4		1/4		1/4	
1/2	2,549.24	1/2	2,792.05	1/2	3,034.85	1/2	3,277.65	1/2	3,502.31	1/2		1/2		1/2		1/2		1/2	
3/4	2,554.30	3/4	2,797.11	3/4	3,039.91	3/4	3,282.71	3/4	3,503.57	3/4		3/4		3/4		3/4		3/4	
8	2,559.36	8	2,802.16	8	3,044.97	8	3,287.77	8	3,504.83	8		8		8		8		8	
1/4	2,564.42	1/4	2,807.22	1/4	3,050.03	1/4	3,292.83	1/4	3,505.04	1/4		1/4		1/4		1/4		1/4	
1/2	2,569.48	1/2	2,812.28	1/2	3,055.08	1/2	3,297.89	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,574.54	3/4	2,817.34	3/4	3,060.14	3/4	3,302.95	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,579.59	9	2,822.40	9	3,065.20	9	3,308.00	9		9		9		9		9		9	
1/4	2,584.65	1/4	2,827.46	1/4	3,070.26	1/4	3,313.06	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,589.71	1/2	2,832.51	1/2	3,075.32	1/2	3,318.12	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,594.77	3/4	2,837.57	3/4	3,080.38	3/4	3,323.18	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,599.83	10	2,842.63	10	3,085.43	10	3,328.24	10		10		10		10		10		10	
1/4	2,604.89	1/4	2,847.69	1/4	3,090.49	1/4	3,333.30	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,609.94	1/2	2,852.75	1/2	3,095.55	1/2	3,338.35	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,615.00	3/4	2,857.81	3/4	3,100.61	3/4	3,343.41	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,620.06	11	2,862.86	11	3,105.67	11	3,348.47	11		11		11		11		11		11	
1/4	2,625.12	1/4	2,867.92	1/4	3,110.73	1/4	3,353.53	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,630.18	1/2	2,872.98	1/2	3,115.78	1/2	3,358.59	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,635.24	3/4	2,878.04	3/4	3,120.84	3/4	3,363.65	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/16/2020 JS
CALCULATED: 06/16/2020 CL
PRINTED: 06/16/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPX 200"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-5/8	00-5/8	- 00-7/8	00-7/8	- 01-0/8	01-0/8	- 01-1/4	01-1/4
2 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
3 CENTER	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-3/4	00-3/4	- 00-7/8	00-7/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS 00-3/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 4'-00 3/8"

LENGTH BETWEEN DRAFT MARKS: 163'-06"

June 16, 2020

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "MPX 200"

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

GAUGE HEIGHT 15'-08 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,410.27	0	1,158.60	0	906.93	0	659.53	0	408.93	0	156.52	0		0		0		0	
1/4	1,405.02	1/4	1,153.35	1/4	901.68	1/4	654.43	1/4	403.67	1/4	151.27	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,399.78	1/2	1,148.11	1/2	896.44	1/2	649.34	1/2	398.42	1/2	146.01	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,394.54	3/4	1,142.87	3/4	891.20	3/4	644.24	3/4	393.16	3/4	140.75	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1,389.29	1	1,137.62	1	885.96	1	639.15	1	387.90	1	135.49	1	1	1	1	1	1	1	1
1/4	1,384.05	1/4	1,132.38	1/4	880.71	1/4	634.06	1/4	382.64	1/4	130.23	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,378.81	1/2	1,127.14	1/2	875.47	1/2	628.97	1/2	377.38	1/2	124.97	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,373.56	3/4	1,121.89	3/4	870.23	3/4	623.88	3/4	372.12	3/4	119.72	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	1,368.32	2	1,116.65	2	864.98	2	618.78	2	366.86	2	114.46	2	2	2	2	2	2	2	2
1/4	1,363.08	1/4	1,111.41	1/4	859.74	1/4	613.69	1/4	361.61	1/4	109.20	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,357.83	1/2	1,106.17	1/2	854.50	1/2	608.59	1/2	356.35	1/2	103.94	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,352.59	3/4	1,100.92	3/4	849.25	3/4	603.50	3/4	351.09	3/4	98.68	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	1,347.35	3	1,095.68	3	844.01	3	598.24	3	345.83	3	93.42	3	3	3	3	3	3	3	3
1/4	1,342.10	1/4	1,090.44	1/4	838.77	1/4	592.98	1/4	340.57	1/4	88.17	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,336.86	1/2	1,085.19	1/2	833.52	1/2	587.72	1/2	335.31	1/2	82.91	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,331.62	3/4	1,079.95	3/4	828.28	3/4	582.46	3/4	330.06	3/4	77.65	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	1,326.38	4	1,074.71	4	823.04	4	577.20	4	324.80	4	72.41	4	4	4	4	4	4	4	4
1/4	1,321.13	1/4	1,069.46	1/4	817.79	1/4	571.95	1/4	319.54	1/4	67.16	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,315.89	1/2	1,064.22	1/2	812.55	1/2	566.69	1/2	314.28	1/2	61.92	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,310.65	3/4	1,058.98	3/4	807.31	3/4	561.43	3/4	309.02	3/4	56.67	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	1,305.40	5	1,053.73	5	802.19	5	556.17	5	303.76	5	51.46	5	5	5	5	5	5	5	5
1/4	1,300.16	1/4	1,048.49	1/4	797.08	1/4	550.91	1/4	298.50	1/4	46.25	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,294.92	1/2	1,043.25	1/2	791.97	1/2	545.65	1/2	293.25	1/2	41.03	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,289.67	3/4	1,038.01	3/4	786.85	3/4	540.40	3/4	287.99	3/4	35.82	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	1,284.43	6	1,032.76	6	781.74	6	535.14	6	282.73	6	31.44	6	6	6	6	6	6	6	6
1/4	1,279.19	1/4	1,027.52	1/4	776.63	1/4	529.88	1/4	277.47	1/4	27.06	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,273.94	1/2	1,022.28	1/2	771.51	1/2	524.62	1/2	272.21	1/2	22.68	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,268.70	3/4	1,017.03	3/4	766.40	3/4	519.36	3/4	266.95	3/4	18.30	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	1,263.46	7	1,011.79	7	761.31	7	514.10	7	261.69	7	15.67	7	7	7	7	7	7	7	7
1/4	1,258.22	1/4	1,006.55	1/4	756.22	1/4	508.84	1/4	256.44	1/4	13.04	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,252.97	1/2	1,001.30	1/2	751.14	1/2	503.59	1/2	251.18	1/2	10.42	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,247.73	3/4	996.06	3/4	746.05	3/4	498.33	3/4	245.92	3/4	7.79	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	1,242.49	8	990.82	8	740.96	8	493.07	8	240.66	8	6.91	8	8	8	8	8	8	8	8
1/4	1,237.24	1/4	985.57	1/4	735.87	1/4	487.81	1/4	235.40	1/4	6.04	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,232.00	1/2	980.33	1/2	730.78	1/2	482.55	1/2	230.14	1/2	5.16	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,226.76	3/4	975.09	3/4	725.70	3/4	477.29	3/4	224.89	3/4	4.29	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	1,221.51	9	969.84	9	720.61	9	472.03	9	219.63	9		9	9	9	9	9	9	9	9
1/4	1,216.27	1/4	964.60	1/4	715.52	1/4	466.78	1/4	214.37	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,211.03	1/2	959.36	1/2	710.43	1/2	461.52	1/2	209.11	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,205.78	3/4	954.12	3/4	705.35	3/4	456.26	3/4	203.85	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	1,200.54	10	948.87	10	700.26	10	451.00	10	198.59	10		10	10	10	10	10	10	10	10
1/4	1,195.30	1/4	943.63	1/4	695.17	1/4	445.74	1/4	193.33	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,190.05	1/2	938.39	1/2	690.08	1/2	440.48	1/2	188.08	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,184.81	3/4	933.14	3/4	685.00	3/4	435.23	3/4	182.82	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	1,179.57	11	927.90	11	679.90	11	429.97	11	177.56	11		11	11	11	11	11	11	11	11
1/4	1,174.33	1/4	922.66	1/4	674.81	1/4	424.71	1/4	172.30	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,169.08	1/2	917.41	1/2	669.71	1/2	419.45	1/2	167.04	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,163.84	3/4	912.17	3/4	664.62	3/4	414.19	3/4	161.78	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/16/2020 JS
CALCULATED: 06/16/2020 CL
PRINTED: 06/16/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPX 200"

2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

GAUGE HEIGHT 15'-09"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.			
IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0
1/4	1,534.17	1/4	1,259.27	1/4	984.37	1/4	714.42	1/4	441.42	1/4	166.53	1/4		1/4		1/4		1/4		1/4	
1/2	1,528.44	1/2	1,253.54	1/2	978.64	1/2	708.86	1/2	435.69	1/2	160.80	1/2		1/2		1/2		1/2		1/2	
3/4	1,522.71	3/4	1,247.81	3/4	972.91	3/4	703.31	3/4	429.97	3/4	155.07	3/4		3/4		3/4		3/4		3/4	
1	1,516.99	1	1,242.08	1	967.18	1	697.75	1	424.24	1	149.35	1		1		1		1		1	
1/4	1,511.26	1/4	1,236.36	1/4	961.46	1/4	692.20	1/4	418.51	1/4	143.62	1/4		1/4		1/4		1/4		1/4	
1/2	1,505.53	1/2	1,230.63	1/2	955.73	1/2	686.64	1/2	412.78	1/2	137.89	1/2		1/2		1/2		1/2		1/2	
3/4	1,499.80	3/4	1,224.90	3/4	950.00	3/4	681.09	3/4	407.06	3/4	132.17	3/4		3/4		3/4		3/4		3/4	
2	1,494.08	2	1,219.18	2	944.28	2	675.53	2	401.33	2	126.44	2		2		2		2		2	
1/4	1,488.35	1/4	1,213.45	1/4	938.55	1/4	669.98	1/4	395.60	1/4	120.72	1/4		1/4		1/4		1/4		1/4	
1/2	1,482.62	1/2	1,207.72	1/2	932.82	1/2	664.42	1/2	389.88	1/2	114.99	1/2		1/2		1/2		1/2		1/2	
3/4	1,476.90	3/4	1,202.00	3/4	927.09	3/4	658.87	3/4	384.15	3/4	109.26	3/4		3/4		3/4		3/4		3/4	
3	1,471.17	3	1,196.27	3	921.37	3	653.31	3	378.42	3	103.54	3		3		3		3		3	
1/4	1,465.44	1/4	1,190.54	1/4	915.64	1/4	647.59	1/4	372.70	1/4	97.81	1/4		1/4		1/4		1/4		1/4	
1/2	1,459.71	1/2	1,184.81	1/2	909.91	1/2	641.86	1/2	366.97	1/2	92.09	1/2		1/2		1/2		1/2		1/2	
3/4	1,453.99	3/4	1,179.09	3/4	904.19	3/4	636.13	3/4	361.24	3/4	86.36	3/4		3/4		3/4		3/4		3/4	
4	1,448.26	4	1,173.36	4	898.46	4	630.41	4	355.52	4	80.64	4		4		4		4		4	
1/4	1,442.53	1/4	1,167.63	1/4	892.73	1/4	624.68	1/4	349.79	1/4	74.92	1/4		1/4		1/4		1/4		1/4	
1/2	1,436.81	1/2	1,161.91	1/2	887.00	1/2	618.95	1/2	344.06	1/2	69.21	1/2		1/2		1/2		1/2		1/2	
3/4	1,431.08	3/4	1,156.18	3/4	881.28	3/4	613.23	3/4	338.34	3/4	63.50	3/4		3/4		3/4		3/4		3/4	
5	1,425.35	5	1,150.45	5	875.55	5	607.50	5	332.61	5	57.79	5		5		5		5		5	
1/4	1,419.63	1/4	1,144.72	1/4	869.99	1/4	601.77	1/4	326.88	1/4	52.11	1/4		1/4		1/4		1/4		1/4	
1/2	1,413.90	1/2	1,139.00	1/2	864.43	1/2	596.05	1/2	321.15	1/2	46.43	1/2		1/2		1/2		1/2		1/2	
3/4	1,408.17	3/4	1,133.27	3/4	858.87	3/4	590.32	3/4	315.43	3/4	40.75	3/4		3/4		3/4		3/4		3/4	
6	1,402.44	6	1,127.54	6	853.31	6	584.59	6	309.70	6	35.08	6		6		6		6		6	
1/4	1,396.72	1/4	1,121.82	1/4	847.75	1/4	578.86	1/4	303.97	1/4	30.31	1/4		1/4		1/4		1/4		1/4	
1/2	1,390.99	1/2	1,116.09	1/2	842.19	1/2	573.14	1/2	298.25	1/2	25.54	1/2		1/2		1/2		1/2		1/2	
3/4	1,385.26	3/4	1,110.36	3/4	836.63	3/4	567.41	3/4	292.52	3/4	20.77	3/4		3/4		3/4		3/4		3/4	
7	1,379.54	7	1,104.63	7	831.07	7	561.68	7	286.79	7	16.00	7		7		7		7		7	
1/4	1,373.81	1/4	1,098.91	1/4	825.52	1/4	555.96	1/4	281.07	1/4	13.13	1/4		1/4		1/4		1/4		1/4	
1/2	1,368.08	1/2	1,093.18	1/2	819.96	1/2	550.23	1/2	275.34	1/2	10.27	1/2		1/2		1/2		1/2		1/2	
3/4	1,362.35	3/4	1,087.45	3/4	814.41	3/4	544.50	3/4	269.61	3/4	7.41	3/4		3/4		3/4		3/4		3/4	
8	1,356.63	8	1,081.73	8	808.85	8	538.78	8	263.89	8	4.55	8		8		8		8		8	
1/4	1,350.90	1/4	1,076.00	1/4	803.30	1/4	533.05	1/4	258.16	1/4	3.59	1/4		1/4		1/4		1/4		1/4	
1/2	1,345.17	1/2	1,070.27	1/2	797.74	1/2	527.32	1/2	252.43	1/2	2.64	1/2		1/2		1/2		1/2		1/2	
3/4	1,339.45	3/4	1,064.54	3/4	792.19	3/4	521.60	3/4	246.70	3/4	1.69	3/4		3/4		3/4		3/4		3/4	
9	1,333.72	9	1,058.82	9	786.63	9	515.87	9	240.98	9	0.73	9		9		9		9		9	
1/4	1,327.99	1/4	1,053.09	1/4	781.08	1/4	510.14	1/4	235.25	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,322.26	1/2	1,047.36	1/2	775.52	1/2	504.42	1/2	229.52	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,316.54	3/4	1,041.64	3/4	769.97	3/4	498.69	3/4	223.80	3/4		3/4		3/4		3/4		3/4		3/4	
10	1,310.81	10	1,035.91	10	764.41	10	492.96	10	218.07	10		10		10		10		10		10	
1/4	1,305.08	1/4	1,030.18	1/4	758.86	1/4	487.23	1/4	212.34	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,299.36	1/2	1,024.46	1/2	753.30	1/2	481.51	1/2	206.62	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,293.63	3/4	1,018.73	3/4	747.75	3/4	475.78	3/4	200.89	3/4		3/4		3/4		3/4		3/4		3/4	
11	1,287.90	11	1,013.00	11	742.19	11	470.05	11	195.16	11		11		11		11		11		11	
1/4	1,282.17	1/4	1,007.27	1/4	736.64	1/4	464.33	1/4	189.44	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,276.45	1/2	1,001.55	1/2	731.08	1/2	458.60	1/2	183.71	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,270.72	3/4	995.82	3/4	725.53	3/4	452.87	3/4	177.98	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/16/2020 JS
CALCULATED: 06/16/2020 CL
PRINTED: 06/16/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPX 200"

3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 US GALLONS

GAUGE HEIGHT 15'-08 1/2"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0
1/4	1,350.40	1/4	1,107.60	1/4	864.80	1/4	622.43	1/4	379.80	1/4	137.04	1/4		1/4		1/4		1/4	
1/2	1,345.34	1/2	1,102.54	1/2	859.74	1/2	617.38	1/2	374.74	1/2	131.98	1/2		1/2		1/2		1/2	
3/4	1,340.29	3/4	1,097.48	3/4	854.68	3/4	612.34	3/4	369.68	3/4	126.92	3/4		3/4		3/4		3/4	
1	1,335.23	1	1,092.42	1	849.62	1	607.30	1	364.62	1	121.86	1		1		1		1	
1/4	1,330.17	1/4	1,087.37	1/4	844.56	1/4	602.25	1/4	359.57	1/4	116.81	1/4		1/4		1/4		1/4	
1/2	1,325.11	1/2	1,082.31	1/2	839.50	1/2	597.21	1/2	354.51	1/2	111.75	1/2		1/2		1/2		1/2	
3/4	1,320.05	3/4	1,077.25	3/4	834.45	3/4	592.17	3/4	349.45	3/4	106.69	3/4		3/4		3/4		3/4	
2	1,314.99	2	1,072.19	2	829.39	2	587.12	2	344.39	2	101.64	2		2		2		2	
1/4	1,309.94	1/4	1,067.13	1/4	824.33	1/4	582.08	1/4	339.34	1/4	96.58	1/4		1/4		1/4		1/4	
1/2	1,304.88	1/2	1,062.07	1/2	819.27	1/2	577.04	1/2	334.28	1/2	91.52	1/2		1/2		1/2		1/2	
3/4	1,299.82	3/4	1,057.02	3/4	814.21	3/4	571.98	3/4	329.22	3/4	86.47	3/4		3/4		3/4		3/4	
3	1,294.76	3	1,051.96	3	809.15	3	566.92	3	324.16	3	81.41	3		3		3		3	
1/4	1,289.70	1/4	1,046.90	1/4	804.10	1/4	561.87	1/4	319.11	1/4	76.35	1/4		1/4		1/4		1/4	
1/2	1,284.64	1/2	1,041.84	1/2	799.04	1/2	556.81	1/2	314.05	1/2	71.30	1/2		1/2		1/2		1/2	
3/4	1,279.59	3/4	1,036.78	3/4	793.98	3/4	551.75	3/4	308.99	3/4	66.25	3/4		3/4		3/4		3/4	
4	1,274.53	4	1,031.72	4	788.92	4	546.69	4	303.93	4	61.21	4		4		4		4	
1/4	1,269.47	1/4	1,026.67	1/4	783.86	1/4	541.64	1/4	298.88	1/4	56.16	1/4		1/4		1/4		1/4	
1/2	1,264.41	1/2	1,021.61	1/2	778.80	1/2	536.58	1/2	293.82	1/2	51.12	1/2		1/2		1/2		1/2	
3/4	1,259.35	3/4	1,016.55	3/4	773.76	3/4	531.52	3/4	288.76	3/4	46.10	3/4		3/4		3/4		3/4	
5	1,254.29	5	1,011.49	5	768.71	5	526.46	5	283.70	5	41.09	5		5		5		5	
1/4	1,249.23	1/4	1,006.43	1/4	763.66	1/4	521.41	1/4	278.65	1/4	36.08	1/4		1/4		1/4		1/4	
1/2	1,244.18	1/2	1,001.37	1/2	758.61	1/2	516.35	1/2	273.59	1/2	31.06	1/2		1/2		1/2		1/2	
3/4	1,239.12	3/4	996.31	3/4	753.56	3/4	511.29	3/4	268.53	3/4	26.85	3/4		3/4		3/4		3/4	
6	1,234.06	6	991.26	6	748.52	6	506.23	6	263.47	6	22.64	6		6		6		6	
1/4	1,229.00	1/4	986.20	1/4	743.47	1/4	501.18	1/4	258.42	1/4	18.43	1/4		1/4		1/4		1/4	
1/2	1,223.94	1/2	981.14	1/2	738.42	1/2	496.12	1/2	253.36	1/2	14.21	1/2		1/2		1/2		1/2	
3/4	1,218.88	3/4	976.08	3/4	733.38	3/4	491.06	3/4	248.30	3/4	11.68	3/4		3/4		3/4		3/4	
7	1,213.83	7	971.02	7	728.33	7	486.00	7	243.24	7	9.16	7		7		7		7	
1/4	1,208.77	1/4	965.96	1/4	723.29	1/4	480.95	1/4	238.19	1/4	6.63	1/4		1/4		1/4		1/4	
1/2	1,203.71	1/2	960.91	1/2	718.25	1/2	475.89	1/2	233.13	1/2	4.10	1/2		1/2		1/2		1/2	
3/4	1,198.65	3/4	955.85	3/4	713.20	3/4	470.83	3/4	228.07	3/4	3.26	3/4		3/4		3/4		3/4	
8	1,193.59	8	950.79	8	708.16	8	465.77	8	223.01	8	2.42	8		8		8		8	
1/4	1,188.53	1/4	945.73	1/4	703.12	1/4	460.72	1/4	217.96	1/4	1.57	1/4		1/4		1/4		1/4	
1/2	1,183.48	1/2	940.67	1/2	698.07	1/2	455.66	1/2	212.90	1/2	0.73	1/2		1/2		1/2		1/2	
3/4	1,178.42	3/4	935.61	3/4	693.03	3/4	450.60	3/4	207.84	3/4		3/4		3/4		3/4		3/4	
9	1,173.36	9	930.56	9	687.99	9	445.54	9	202.78	9		9		9		9		9	
1/4	1,168.30	1/4	925.50	1/4	682.95	1/4	440.49	1/4	197.73	1/4		1/4		1/4		1/4		1/4	
1/2	1,163.24	1/2	920.44	1/2	677.90	1/2	435.43	1/2	192.67	1/2		1/2		1/2		1/2		1/2	
3/4	1,158.18	3/4	915.38	3/4	672.86	3/4	430.37	3/4	187.61	3/4		3/4		3/4		3/4		3/4	
10	1,153.13	10	910.32	10	667.82	10	425.31	10	182.55	10		10		10		10		10	
1/4	1,148.07	1/4	905.26	1/4	662.77	1/4	420.26	1/4	177.50	1/4		1/4		1/4		1/4		1/4	
1/2	1,143.01	1/2	900.21	1/2	657.73	1/2	415.20	1/2	172.44	1/2		1/2		1/2		1/2		1/2	
3/4	1,137.95	3/4	895.15	3/4	652.69	3/4	410.14	3/4	167.38	3/4		3/4		3/4		3/4		3/4	
11	1,132.89	11	890.09	11	647.64	11	405.08	11	162.32	11		11		11		11		11	
1/4	1,127.83	1/4	885.03	1/4	642.60	1/4	400.03	1/4	157.27	1/4		1/4		1/4		1/4		1/4	
1/2	1,122.77	1/2	879.97	1/2	637.56	1/2	394.97	1/2	152.21	1/2		1/2		1/2		1/2		1/2	
3/4	1,117.72	3/4	874.91	3/4	632.51	3/4	389.91	3/4	147.15	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/16/2020 JS
CALCULATED: 06/16/2020 CL
PRINTED: 06/16/2020 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>