2360 Fifth Street Mandeville, LA 70471 (985) 629-2082 Phone (985) 629-2110 Fax

## HOSE AND PIPELINE TESTS

VESSEL:	MP x 214
V-1.0	
THE FOLLOWING ITEMS HAVE BEEN 46CFR 35.35-70 AND 33CFR 156	N CHECKED AND TESTED IN ACCORDANCE WITH 5.170 ON 9-12-24.
	PRESSURE GAUGES HAVE BEEN CHECKED WITHIN 10% OF ACCURACY.
	EMERGENCY SHUTDOWN HAS BEEN CHECKED AND FOUND OPERABLE.
	TRASFER SYSTEM RELIEF VALVE HAS BEEN TESTED AND CHECKED - 125 P.S.I.
	ALL TRANSFER PIPING SYSTEMS AND ASSOCIATED VALVES HAVE BEEN TESTED AND CHECKED AT 187.5 P.S.I.
~/A	CARGO HOSE VISUALLY AND HYDROSTATICALLY CHECKED TO 225 P.S.I.
THE ABOVE ITEMS CHECKED, TES	STED AND VERIFIED BY:

Florida Marine Transporters Inc.

## MARINE VESSELS VAPOR TIGHTNESS DOCUMENTATION

REQUIRED SUBPART BB-NATIONAL EMISSION STANDARDS FOR BENZENE EMISSIONS FROM TRANSFER OPERATIONS SECTION 61.00-61.306

VESSEL: MPX 214	OFFICIAL NUMBER: 130 4314
TESTING LOCATION: 191 FLT	MAXIMUM LOADING RATE (BPH) + 285
TANK(S) TESTED: A44	PRESSURE INDICATOR: MANORIETER
TANK(S) TESTED: ALL  VESSEL OWNER AND ADDRESS: FMT 236	O FIFTH ST- MANDEVICE
TEST	RESULTS
TEST DATE: 9-12-24	
BEGINNING PRESSURE: 28" OF H2"	BEGINNING TIME: 0900
BEGINNING PRESSURE: 28" OF H2° ENDING PRESSURE: 28" OF 1+2°	ending time: 0930
TOTAL PRESSURE LOSS:	ALLOWABLE PRESSURE LOSS: 5,2 of 1420
NOTE: VESSEL IS CONSIDERED VAPOR TIGHT IF "TOT	AL PRESSURE LOSS" IS LESS THAN "ALLOWABLE PRESSURE LOSS"
THIS VESSEL HAS BEEN TESTED IN AC	CCORDANCE WITH SECTION 61.304F, AND IS ED VAPOR TIGHT.
00110	
0	Ela Clas
TESTER: BOY HUUAL (PRINT)	WITNESS: Steva Siles. (PRINT)
TESTER: BOY HUUAL (PRINT)  TESTER: (SIGN)	WITNESS: Steva Siles. (PRINT) WITNESS: (SIGN)
TESTER: BOY HUUAL (PRINT) TESTER: (SIGN)	WITNESS: Steva Siles. (PRINT) WITNESS: (SIGN)
TESTER: BOY HUUAL (PRINT) TESTER: (SIGN)	WITNESS: Steva Scles. (PRINT) WITNESS: (SIGN)  FUNT AFFILIATION OF WITNESS
CALCULATION OF ALLOWABLE PRESSURE LOSS:	AFFILIATION OF WITNESS
CALCULATION OF ALLOWABLE PRESSURE LOSS:	AFFILIATION OF WITNESS
	AFFILIATION OF WITNESS
CALCULATION OF ALLOWABLE PRESSURE LOSS:	AFFILIATION OF WITNESS  OGG
CALCULATION OF ALLOWABLE PRESSURE LOSS:  0.861 x/5.7 x (+285///	AFFILIATION OF WITNESS  OGG
CALCULATION OF ALLOWABLE PRESSURE LOSS:  0.861 x	AFFILIATION OF WITNESS  OGG
CALCULATION OF ALLOWABLE PRESSURE LOSS:  0.861 x	AFFILIATION OF WITNESS  OGG