



BARGE "MPX 426"

INNAGE (HERMETIC)

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
1 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
2 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
3 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
3 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 6'-00"
 DIFF. = 4'-00" (DOWN BY STERN)

THE CORRECTION FOR 4'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-1/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 237'-03"

December 8, 2021

**PRECISION MEASUREMENT
& ANALYSIS, INC.**

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "MPX 426"

**1 PORT
INNAGE TABLE
HERMETIC
GAUGE HEIGHT 16'-05"**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,371.02	0	3,713.25	0	4,055.54	0	4,397.13	0	4,737.87	0		0		0		0		0	
1/4	3,378.15	1/4	3,720.38	1/4	4,062.67	1/4	4,404.23	1/4	4,744.97	1/4		1/4		1/4		1/4		1/4	
1/2	3,385.28	1/2	3,727.51	1/2	4,069.80	1/2	4,411.33	1/2	4,752.06	1/2		1/2		1/2		1/2		1/2	
3/4	3,392.41	3/4	3,734.64	3/4	4,076.93	3/4	4,418.43	3/4	4,759.16	3/4		3/4		3/4		3/4		3/4	
1	3,399.54	1	3,741.77	1	4,084.06	1	4,425.53	1	4,766.26	1		1		1		1		1	
1/4	3,406.67	1/4	3,748.90	1/4	4,091.20	1/4	4,432.63	1/4	4,773.36	1/4		1/4		1/4		1/4		1/4	
1/2	3,413.79	1/2	3,756.03	1/2	4,098.33	1/2	4,439.73	1/2	4,780.46	1/2		1/2		1/2		1/2		1/2	
3/4	3,420.92	3/4	3,763.17	3/4	4,105.46	3/4	4,446.82	3/4	4,787.56	3/4		3/4		3/4		3/4		3/4	
2	3,428.05	2	3,770.30	2	4,112.59	2	4,453.92	2	4,794.66	2		2		2		2		2	
1/4	3,435.18	1/4	3,777.43	1/4	4,119.72	1/4	4,461.02	1/4	4,801.75	1/4		1/4		1/4		1/4		1/4	
1/2	3,442.31	1/2	3,784.56	1/2	4,126.85	1/2	4,468.12	1/2	4,808.85	1/2		1/2		1/2		1/2		1/2	
3/4	3,449.44	3/4	3,791.69	3/4	4,133.98	3/4	4,475.22	3/4	4,815.93	3/4		3/4		3/4		3/4		3/4	
3	3,456.57	3	3,798.82	3	4,141.11	3	4,482.32	3	4,822.98	3		3		3		3		3	
1/4	3,463.70	1/4	3,805.95	1/4	4,148.24	1/4	4,489.42	1/4	4,830.04	1/4		1/4		1/4		1/4		1/4	
1/2	3,470.83	1/2	3,813.08	1/2	4,155.38	1/2	4,496.51	1/2	4,837.09	1/2		1/2		1/2		1/2		1/2	
3/4	3,477.96	3/4	3,820.21	3/4	4,162.51	3/4	4,503.61	3/4	4,844.14	3/4		3/4		3/4		3/4		3/4	
4	3,485.09	4	3,827.35	4	4,169.64	4	4,510.71	4	4,851.20	4		4		4		4		4	
1/4	3,492.22	1/4	3,834.48	1/4	4,176.77	1/4	4,517.81	1/4	4,858.25	1/4		1/4		1/4		1/4		1/4	
1/2	3,499.35	1/2	3,841.61	1/2	4,183.90	1/2	4,524.91	1/2	4,865.30	1/2		1/2		1/2		1/2		1/2	
3/4	3,506.47	3/4	3,848.74	3/4	4,191.03	3/4	4,532.01	3/4	4,872.36	3/4		3/4		3/4		3/4		3/4	
5	3,513.60	5	3,855.87	5	4,198.16	5	4,539.11	5	4,879.41	5		5		5		5		5	
1/4	3,520.73	1/4	3,863.00	1/4	4,205.29	1/4	4,546.21	1/4	4,886.46	1/4		1/4		1/4		1/4		1/4	
1/2	3,527.86	1/2	3,870.13	1/2	4,212.42	1/2	4,553.30	1/2	4,893.52	1/2		1/2		1/2		1/2		1/2	
3/4	3,534.99	3/4	3,877.26	3/4	4,219.56	3/4	4,560.40	3/4	4,900.56	3/4		3/4		3/4		3/4		3/4	
6	3,542.12	6	3,884.39	6	4,226.69	6	4,567.50	6	4,907.60	6		6		6		6		6	
1/4	3,549.25	1/4	3,891.53	1/4	4,233.82	1/4	4,574.60	1/4	4,914.64	1/4		1/4		1/4		1/4		1/4	
1/2	3,556.38	1/2	3,898.66	1/2	4,240.95	1/2	4,581.70	1/2	4,921.68	1/2		1/2		1/2		1/2		1/2	
3/4	3,563.51	3/4	3,905.79	3/4	4,248.06	3/4	4,588.80	3/4	4,928.70	3/4		3/4		3/4		3/4		3/4	
7	3,570.64	7	3,912.92	7	4,255.16	7	4,595.90	7	4,935.68	7		7		7		7		7	
1/4	3,577.77	1/4	3,920.05	1/4	4,262.26	1/4	4,602.99	1/4	4,942.67	1/4		1/4		1/4		1/4		1/4	
1/2	3,584.90	1/2	3,927.18	1/2	4,269.36	1/2	4,610.09	1/2	4,949.65	1/2		1/2		1/2		1/2		1/2	
3/4	3,592.02	3/4	3,934.31	3/4	4,276.46	3/4	4,617.19	3/4	4,956.22	3/4		3/4		3/4		3/4		3/4	
8	3,599.15	8	3,941.44	8	4,283.56	8	4,624.29	8	4,962.39	8		8		8		8		8	
1/4	3,606.28	1/4	3,948.57	1/4	4,290.66	1/4	4,631.39	1/4	4,968.55	1/4		1/4		1/4		1/4		1/4	
1/2	3,613.41	1/2	3,955.70	1/2	4,297.75	1/2	4,638.49	1/2	4,974.71	1/2		1/2		1/2		1/2		1/2	
3/4	3,620.54	3/4	3,962.84	3/4	4,304.85	3/4	4,645.59	3/4	4,980.28	3/4		3/4		3/4		3/4		3/4	
9	3,627.67	9	3,969.97	9	4,311.95	9	4,652.68	9	4,985.25	9		9		9		9		9	
1/4	3,634.81	1/4	3,977.10	1/4	4,319.05	1/4	4,659.78	1/4	4,990.23	1/4		1/4		1/4		1/4		1/4	
1/2	3,641.94	1/2	3,984.23	1/2	4,326.15	1/2	4,666.88	1/2	4,995.20	1/2		1/2		1/2		1/2		1/2	
3/4	3,649.07	3/4	3,991.36	3/4	4,333.25	3/4	4,673.98	3/4	4,999.58	3/4		3/4		3/4		3/4		3/4	
10	3,656.20	10	3,998.49	10	4,340.35	10	4,681.08	10	5,003.36	10		10		10		10		10	
1/4	3,663.33	1/4	4,005.62	1/4	4,347.44	1/4	4,688.18	1/4	5,007.15	1/4		1/4		1/4		1/4		1/4	
1/2	3,670.46	1/2	4,012.75	1/2	4,354.54	1/2	4,695.28	1/2	5,010.93	1/2		1/2		1/2		1/2		1/2	
3/4	3,677.59	3/4	4,019.88	3/4	4,361.64	3/4	4,702.37	3/4	5,012.83	3/4		3/4		3/4		3/4		3/4	
11	3,684.72	11	4,027.02	11	4,368.74	11	4,709.47	11		11		11		11		11		11	
1/4	3,691.85	1/4	4,034.15	1/4	4,375.84	1/4	4,716.57	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,698.99	1/2	4,041.28	1/2	4,382.94	1/2	4,723.67	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,706.12	3/4	4,048.41	3/4	4,390.04	3/4	4,730.77	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/08/2021 CL
CALCULATED: 12/10/2021 CL
PRINTED: 12/10/2021 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2021



BARGE "MPX 426"

1 STBD

INNAGE TABLE

HERMETIC

GAUGE HEIGHT 16'-04 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,369.93	0	3,711.81	0	4,053.75	0	4,395.00	0	4,735.39	0		0		0		0		0	
1/4	3,377.05	1/4	3,718.93	1/4	4,060.88	1/4	4,402.09	1/4	4,742.48	1/4		1/4		1/4		1/4		1/4	
1/2	3,384.17	1/2	3,726.05	1/2	4,068.00	1/2	4,409.18	1/2	4,749.57	1/2		1/2		1/2		1/2		1/2	
3/4	3,391.29	3/4	3,733.18	3/4	4,075.13	3/4	4,416.27	3/4	4,756.66	3/4		3/4		3/4		3/4		3/4	
1	3,398.41	1	3,740.30	1	4,082.25	1	4,423.37	1	4,763.75	1		1		1		1		1	
1/4	3,405.54	1/4	3,747.43	1/4	4,089.37	1/4	4,430.46	1/4	4,770.84	1/4		1/4		1/4		1/4		1/4	
1/2	3,412.66	1/2	3,754.55	1/2	4,096.50	1/2	4,437.55	1/2	4,777.94	1/2		1/2		1/2		1/2		1/2	
3/4	3,419.78	3/4	3,761.67	3/4	4,103.62	3/4	4,444.64	3/4	4,785.03	3/4		3/4		3/4		3/4		3/4	
2	3,426.90	2	3,768.80	2	4,110.74	2	4,451.73	2	4,792.12	2		2		2		2		2	
1/4	3,434.02	1/4	3,775.92	1/4	4,117.87	1/4	4,458.82	1/4	4,799.21	1/4		1/4		1/4		1/4		1/4	
1/2	3,441.15	1/2	3,783.05	1/2	4,124.99	1/2	4,465.91	1/2	4,806.30	1/2		1/2		1/2		1/2		1/2	
3/4	3,448.27	3/4	3,790.17	3/4	4,132.12	3/4	4,473.01	3/4	4,813.37	3/4		3/4		3/4		3/4		3/4	
3	3,455.39	3	3,797.29	3	4,139.24	3	4,480.10	3	4,820.41	3		3		3		3		3	
1/4	3,462.51	1/4	3,804.42	1/4	4,146.36	1/4	4,487.19	1/4	4,827.46	1/4		1/4		1/4		1/4		1/4	
1/2	3,469.63	1/2	3,811.54	1/2	4,153.49	1/2	4,494.28	1/2	4,834.51	1/2		1/2		1/2		1/2		1/2	
3/4	3,476.76	3/4	3,818.66	3/4	4,160.61	3/4	4,501.37	3/4	4,841.55	3/4		3/4		3/4		3/4		3/4	
4	3,483.88	4	3,825.79	4	4,167.74	4	4,508.46	4	4,848.60	4		4		4		4		4	
1/4	3,491.00	1/4	3,832.91	1/4	4,174.86	1/4	4,515.55	1/4	4,855.65	1/4		1/4		1/4		1/4		1/4	
1/2	3,498.12	1/2	3,840.04	1/2	4,181.98	1/2	4,522.65	1/2	4,862.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,505.24	3/4	3,847.16	3/4	4,189.11	3/4	4,529.74	3/4	4,869.74	3/4		3/4		3/4		3/4		3/4	
5	3,512.37	5	3,854.28	5	4,196.23	5	4,536.83	5	4,876.78	5		5		5		5		5	
1/4	3,519.49	1/4	3,861.41	1/4	4,203.36	1/4	4,543.92	1/4	4,883.83	1/4		1/4		1/4		1/4		1/4	
1/2	3,526.61	1/2	3,868.53	1/2	4,210.48	1/2	4,551.01	1/2	4,890.87	1/2		1/2		1/2		1/2		1/2	
3/4	3,533.73	3/4	3,875.66	3/4	4,217.60	3/4	4,558.10	3/4	4,897.91	3/4		3/4		3/4		3/4		3/4	
6	3,540.85	6	3,882.78	6	4,224.73	6	4,565.19	6	4,904.95	6		6		6		6		6	
1/4	3,547.98	1/4	3,889.90	1/4	4,231.85	1/4	4,572.28	1/4	4,911.98	1/4		1/4		1/4		1/4		1/4	
1/2	3,555.10	1/2	3,897.03	1/2	4,238.97	1/2	4,579.38	1/2	4,919.01	1/2		1/2		1/2		1/2		1/2	
3/4	3,562.22	3/4	3,904.15	3/4	4,246.08	3/4	4,586.47	3/4	4,926.02	3/4		3/4		3/4		3/4		3/4	
7	3,569.34	7	3,911.28	7	4,253.17	7	4,593.56	7	4,932.99	7		7		7		7		7	
1/4	3,576.46	1/4	3,918.40	1/4	4,260.26	1/4	4,600.65	1/4	4,939.97	1/4		1/4		1/4		1/4		1/4	
1/2	3,583.59	1/2	3,925.52	1/2	4,267.35	1/2	4,607.74	1/2	4,946.95	1/2		1/2		1/2		1/2		1/2	
3/4	3,590.71	3/4	3,932.65	3/4	4,274.45	3/4	4,614.83	3/4	4,953.52	3/4		3/4		3/4		3/4		3/4	
8	3,597.83	8	3,939.77	8	4,281.54	8	4,621.92	8	4,959.67	8		8		8		8		8	
1/4	3,604.95	1/4	3,946.90	1/4	4,288.63	1/4	4,629.02	1/4	4,965.83	1/4		1/4		1/4		1/4		1/4	
1/2	3,612.07	1/2	3,954.02	1/2	4,295.72	1/2	4,636.11	1/2	4,971.98	1/2		1/2		1/2		1/2		1/2	
3/4	3,619.20	3/4	3,961.14	3/4	4,302.81	3/4	4,643.20	3/4	4,977.55	3/4		3/4		3/4		3/4		3/4	
9	3,626.32	9	3,968.27	9	4,309.90	9	4,650.29	9	4,982.51	9		9		9		9		9	
1/4	3,633.44	1/4	3,975.39	1/4	4,316.99	1/4	4,657.38	1/4	4,987.48	1/4		1/4		1/4		1/4		1/4	
1/2	3,640.57	1/2	3,982.51	1/2	4,324.09	1/2	4,664.47	1/2	4,992.45	1/2		1/2		1/2		1/2		1/2	
3/4	3,647.69	3/4	3,989.64	3/4	4,331.18	3/4	4,671.56	3/4	4,996.83	3/4		3/4		3/4		3/4		3/4	
10	3,654.82	10	3,996.76	10	4,338.27	10	4,678.66	10	5,000.61	10		10		10		10		10	
1/4	3,661.94	1/4	4,003.89	1/4	4,345.36	1/4	4,685.75	1/4	5,004.39	1/4		1/4		1/4		1/4		1/4	
1/2	3,669.06	1/2	4,011.01	1/2	4,352.45	1/2	4,692.84	1/2	5,008.17	1/2		1/2		1/2		1/2		1/2	
3/4	3,676.19	3/4	4,018.13	3/4	4,359.54	3/4	4,699.93	3/4	5,010.06	3/4		3/4		3/4		3/4		3/4	
11	3,683.31	11	4,025.26	11	4,366.63	11	4,707.02	11		11		11		11		11		11	
1/4	3,690.43	1/4	4,032.38	1/4	4,373.73	1/4	4,714.11	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,697.56	1/2	4,039.51	1/2	4,380.82	1/2	4,721.20	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,704.68	3/4	4,046.63	3/4	4,387.91	3/4	4,728.30	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/08/2021 CL
CALCULATED: 12/10/2021 CL
PRINTED: 12/10/2021 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2021



BARGE "MPX 426"

2 PORT INNAGE TABLE HERMETIC GAUGE HEIGHT 16'-05"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,433.90	0	3,777.56	0	4,121.23	0	4,464.19	0	4,806.28	0		0		0		0		0	
1/4	3,441.06	1/4	3,784.72	1/4	4,128.39	1/4	4,471.31	1/4	4,813.41	1/4		1/4		1/4		1/4		1/4	
1/2	3,448.22	1/2	3,791.88	1/2	4,135.55	1/2	4,478.44	1/2	4,820.54	1/2		1/2		1/2		1/2		1/2	
3/4	3,455.37	3/4	3,799.04	3/4	4,142.71	3/4	4,485.57	3/4	4,827.66	3/4		3/4		3/4		3/4		3/4	
1	3,462.53	1	3,806.20	1	4,149.87	1	4,492.69	1	4,834.79	1		1		1		1		1	
1/4	3,469.69	1/4	3,813.36	1/4	4,157.03	1/4	4,499.82	1/4	4,841.92	1/4		1/4		1/4		1/4		1/4	
1/2	3,476.85	1/2	3,820.52	1/2	4,164.19	1/2	4,506.95	1/2	4,849.04	1/2		1/2		1/2		1/2		1/2	
3/4	3,484.01	3/4	3,827.68	3/4	4,171.34	3/4	4,514.07	3/4	4,856.17	3/4		3/4		3/4		3/4		3/4	
2	3,491.17	2	3,834.84	2	4,178.50	2	4,521.20	2	4,863.30	2		2		2		2		2	
1/4	3,498.33	1/4	3,842.00	1/4	4,185.66	1/4	4,528.33	1/4	4,870.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,505.49	1/2	3,849.16	1/2	4,192.82	1/2	4,535.46	1/2	4,877.55	1/2		1/2		1/2		1/2		1/2	
3/4	3,512.65	3/4	3,856.32	3/4	4,199.98	3/4	4,542.58	3/4	4,884.65	3/4		3/4		3/4		3/4		3/4	
3	3,519.81	3	3,863.48	3	4,207.14	3	4,549.71	3	4,891.74	3		3		3		3		3	
1/4	3,526.97	1/4	3,870.64	1/4	4,214.30	1/4	4,556.84	1/4	4,898.82	1/4		1/4		1/4		1/4		1/4	
1/2	3,534.13	1/2	3,877.80	1/2	4,221.46	1/2	4,563.96	1/2	4,905.90	1/2		1/2		1/2		1/2		1/2	
3/4	3,541.29	3/4	3,884.96	3/4	4,228.62	3/4	4,571.09	3/4	4,912.98	3/4		3/4		3/4		3/4		3/4	
4	3,548.45	4	3,892.12	4	4,235.78	4	4,578.22	4	4,920.07	4		4		4		4		4	
1/4	3,555.61	1/4	3,899.28	1/4	4,242.94	1/4	4,585.34	1/4	4,927.15	1/4		1/4		1/4		1/4		1/4	
1/2	3,562.77	1/2	3,906.44	1/2	4,250.10	1/2	4,592.47	1/2	4,934.23	1/2		1/2		1/2		1/2		1/2	
3/4	3,569.93	3/4	3,913.60	3/4	4,257.26	3/4	4,599.60	3/4	4,941.31	3/4		3/4		3/4		3/4		3/4	
5	3,577.09	5	3,920.76	5	4,264.42	5	4,606.73	5	4,948.39	5		5		5		5		5	
1/4	3,584.25	1/4	3,927.92	1/4	4,271.58	1/4	4,613.85	1/4	4,955.47	1/4		1/4		1/4		1/4		1/4	
1/2	3,591.41	1/2	3,935.07	1/2	4,278.74	1/2	4,620.98	1/2	4,962.55	1/2		1/2		1/2		1/2		1/2	
3/4	3,598.57	3/4	3,942.23	3/4	4,285.90	3/4	4,628.11	3/4	4,969.62	3/4		3/4		3/4		3/4		3/4	
6	3,605.73	6	3,949.39	6	4,293.06	6	4,635.23	6	4,976.69	6		6		6		6		6	
1/4	3,612.89	1/4	3,956.55	1/4	4,300.22	1/4	4,642.36	1/4	4,983.76	1/4		1/4		1/4		1/4		1/4	
1/2	3,620.05	1/2	3,963.71	1/2	4,307.38	1/2	4,649.49	1/2	4,990.82	1/2		1/2		1/2		1/2		1/2	
3/4	3,627.21	3/4	3,970.87	3/4	4,314.52	3/4	4,656.61	3/4	4,997.86	3/4		3/4		3/4		3/4		3/4	
7	3,634.37	7	3,978.03	7	4,321.65	7	4,663.74	7	5,004.88	7		7		7		7		7	
1/4	3,641.53	1/4	3,985.19	1/4	4,328.77	1/4	4,670.87	1/4	5,011.89	1/4		1/4		1/4		1/4		1/4	
1/2	3,648.69	1/2	3,992.35	1/2	4,335.90	1/2	4,678.00	1/2	5,018.90	1/2		1/2		1/2		1/2		1/2	
3/4	3,655.85	3/4	3,999.51	3/4	4,343.03	3/4	4,685.12	3/4	5,025.50	3/4		3/4		3/4		3/4		3/4	
8	3,663.01	8	4,006.67	8	4,350.15	8	4,692.25	8	5,031.69	8		8		8		8		8	
1/4	3,670.17	1/4	4,013.83	1/4	4,357.28	1/4	4,699.38	1/4	5,037.88	1/4		1/4		1/4		1/4		1/4	
1/2	3,677.33	1/2	4,020.99	1/2	4,364.41	1/2	4,706.50	1/2	5,044.06	1/2		1/2		1/2		1/2		1/2	
3/4	3,684.49	3/4	4,028.15	3/4	4,371.53	3/4	4,713.63	3/4	5,049.65	3/4		3/4		3/4		3/4		3/4	
9	3,691.65	9	4,035.31	9	4,378.66	9	4,720.76	9	5,054.65	9		9		9		9		9	
1/4	3,698.80	1/4	4,042.47	1/4	4,385.79	1/4	4,727.88	1/4	5,059.64	1/4		1/4		1/4		1/4		1/4	
1/2	3,705.96	1/2	4,049.63	1/2	4,392.92	1/2	4,735.01	1/2	5,064.63	1/2		1/2		1/2		1/2		1/2	
3/4	3,713.12	3/4	4,056.79	3/4	4,400.04	3/4	4,742.14	3/4	5,069.03	3/4		3/4		3/4		3/4		3/4	
10	3,720.28	10	4,063.95	10	4,407.17	10	4,749.27	10	5,072.83	10		10		10		10		10	
1/4	3,727.44	1/4	4,071.11	1/4	4,414.30	1/4	4,756.39	1/4	5,076.63	1/4		1/4		1/4		1/4		1/4	
1/2	3,734.60	1/2	4,078.27	1/2	4,421.42	1/2	4,763.52	1/2	5,080.43	1/2		1/2		1/2		1/2		1/2	
3/4	3,741.76	3/4	4,085.43	3/4	4,428.55	3/4	4,770.65	3/4	5,082.33	3/4		3/4		3/4		3/4		3/4	
11	3,748.92	11	4,092.59	11	4,435.68	11	4,777.77	11		11		11		11		11		11	
1/4	3,756.08	1/4	4,099.75	1/4	4,442.80	1/4	4,784.90	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,763.24	1/2	4,106.91	1/2	4,449.93	1/2	4,792.03	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,770.40	3/4	4,114.07	3/4	4,457.06	3/4	4,799.15	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/08/2021 CL
CALCULATED: 12/10/2021 CL
PRINTED: 12/10/2021 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2021



BARGE "MPX 426"

**2 STBD
INNAGE TABLE
HERMETIC
GAUGE HEIGHT 16'-05"**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,445.13	0	3,788.54	0	4,132.03	0	4,474.81	0	4,816.72	0		0		0		0		0	
1/4	3,452.28	1/4	3,795.70	1/4	4,139.19	1/4	4,481.93	1/4	4,823.85	1/4		1/4		1/4		1/4		1/4	
1/2	3,459.44	1/2	3,802.85	1/2	4,146.34	1/2	4,489.06	1/2	4,830.97	1/2		1/2		1/2		1/2		1/2	
3/4	3,466.59	3/4	3,810.01	3/4	4,153.50	3/4	4,496.18	3/4	4,838.09	3/4		3/4		3/4		3/4		3/4	
1	3,473.74	1	3,817.17	1	4,160.65	1	4,503.30	1	4,845.22	1		1		1		1		1	
1/4	3,480.90	1/4	3,824.32	1/4	4,167.81	1/4	4,510.43	1/4	4,852.34	1/4		1/4		1/4		1/4		1/4	
1/2	3,488.05	1/2	3,831.48	1/2	4,174.97	1/2	4,517.55	1/2	4,859.46	1/2		1/2		1/2		1/2		1/2	
3/4	3,495.21	3/4	3,838.63	3/4	4,182.12	3/4	4,524.67	3/4	4,866.59	3/4		3/4		3/4		3/4		3/4	
2	3,502.36	2	3,845.79	2	4,189.28	2	4,531.80	2	4,873.71	2		2		2		2		2	
1/4	3,509.51	1/4	3,852.95	1/4	4,196.43	1/4	4,538.92	1/4	4,880.83	1/4		1/4		1/4		1/4		1/4	
1/2	3,516.67	1/2	3,860.10	1/2	4,203.59	1/2	4,546.04	1/2	4,887.96	1/2		1/2		1/2		1/2		1/2	
3/4	3,523.82	3/4	3,867.26	3/4	4,210.75	3/4	4,553.16	3/4	4,895.06	3/4		3/4		3/4		3/4		3/4	
3	3,530.97	3	3,874.41	3	4,217.90	3	4,560.29	3	4,902.14	3		3		3		3		3	
1/4	3,538.13	1/4	3,881.57	1/4	4,225.06	1/4	4,567.41	1/4	4,909.22	1/4		1/4		1/4		1/4		1/4	
1/2	3,545.28	1/2	3,888.73	1/2	4,232.21	1/2	4,574.53	1/2	4,916.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,552.44	3/4	3,895.88	3/4	4,239.37	3/4	4,581.66	3/4	4,923.37	3/4		3/4		3/4		3/4		3/4	
4	3,559.59	4	3,903.04	4	4,246.53	4	4,588.78	4	4,930.45	4		4		4		4		4	
1/4	3,566.74	1/4	3,910.19	1/4	4,253.68	1/4	4,595.90	1/4	4,937.53	1/4		1/4		1/4		1/4		1/4	
1/2	3,573.90	1/2	3,917.35	1/2	4,260.84	1/2	4,603.03	1/2	4,944.61	1/2		1/2		1/2		1/2		1/2	
3/4	3,581.05	3/4	3,924.51	3/4	4,267.99	3/4	4,610.15	3/4	4,951.68	3/4		3/4		3/4		3/4		3/4	
5	3,588.21	5	3,931.66	5	4,275.15	5	4,617.27	5	4,958.76	5		5		5		5		5	
1/4	3,595.36	1/4	3,938.82	1/4	4,282.31	1/4	4,624.40	1/4	4,965.84	1/4		1/4		1/4		1/4		1/4	
1/2	3,602.51	1/2	3,945.97	1/2	4,289.46	1/2	4,631.52	1/2	4,972.91	1/2		1/2		1/2		1/2		1/2	
3/4	3,609.67	3/4	3,953.13	3/4	4,296.62	3/4	4,638.64	3/4	4,979.98	3/4		3/4		3/4		3/4		3/4	
6	3,616.82	6	3,960.29	6	4,303.77	6	4,645.77	6	4,987.05	6		6		6		6		6	
1/4	3,623.98	1/4	3,967.44	1/4	4,310.93	1/4	4,652.89	1/4	4,994.11	1/4		1/4		1/4		1/4		1/4	
1/2	3,631.13	1/2	3,974.60	1/2	4,318.09	1/2	4,660.01	1/2	5,001.17	1/2		1/2		1/2		1/2		1/2	
3/4	3,638.28	3/4	3,981.75	3/4	4,325.22	3/4	4,667.14	3/4	5,008.21	3/4		3/4		3/4		3/4		3/4	
7	3,645.44	7	3,988.91	7	4,332.35	7	4,674.26	7	5,015.22	7		7		7		7		7	
1/4	3,652.59	1/4	3,996.07	1/4	4,339.47	1/4	4,681.38	1/4	5,022.23	1/4		1/4		1/4		1/4		1/4	
1/2	3,659.75	1/2	4,003.22	1/2	4,346.59	1/2	4,688.51	1/2	5,029.24	1/2		1/2		1/2		1/2		1/2	
3/4	3,666.90	3/4	4,010.38	3/4	4,353.72	3/4	4,695.63	3/4	5,035.84	3/4		3/4		3/4		3/4		3/4	
8	3,674.05	8	4,017.53	8	4,360.84	8	4,702.75	8	5,042.02	8		8		8		8		8	
1/4	3,681.21	1/4	4,024.69	1/4	4,367.96	1/4	4,709.88	1/4	5,048.20	1/4		1/4		1/4		1/4		1/4	
1/2	3,688.36	1/2	4,031.85	1/2	4,375.08	1/2	4,717.00	1/2	5,054.39	1/2		1/2		1/2		1/2		1/2	
3/4	3,695.51	3/4	4,039.00	3/4	4,382.21	3/4	4,724.12	3/4	5,059.97	3/4		3/4		3/4		3/4		3/4	
9	3,702.67	9	4,046.16	9	4,389.33	9	4,731.24	9	5,064.97	9		9		9		9		9	
1/4	3,709.83	1/4	4,053.31	1/4	4,396.45	1/4	4,738.37	1/4	5,069.96	1/4		1/4		1/4		1/4		1/4	
1/2	3,716.98	1/2	4,060.47	1/2	4,403.58	1/2	4,745.49	1/2	5,074.95	1/2		1/2		1/2		1/2		1/2	
3/4	3,724.14	3/4	4,067.63	3/4	4,410.70	3/4	4,752.61	3/4	5,079.34	3/4		3/4		3/4		3/4		3/4	
10	3,731.29	10	4,074.78	10	4,417.82	10	4,759.74	10	5,083.14	10		10		10		10		10	
1/4	3,738.45	1/4	4,081.94	1/4	4,424.95	1/4	4,766.86	1/4	5,086.94	1/4		1/4		1/4		1/4		1/4	
1/2	3,745.61	1/2	4,089.09	1/2	4,432.07	1/2	4,773.98	1/2	5,090.74	1/2		1/2		1/2		1/2		1/2	
3/4	3,752.76	3/4	4,096.25	3/4	4,439.19	3/4	4,781.11	3/4	5,092.64	3/4		3/4		3/4		3/4		3/4	
11	3,759.92	11	4,103.41	11	4,446.32	11	4,788.23	11		11		11		11		11		11	
1/4	3,767.07	1/4	4,110.56	1/4	4,453.44	1/4	4,795.35	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,774.23	1/2	4,117.72	1/2	4,460.56	1/2	4,802.48	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,781.39	3/4	4,124.87	3/4	4,467.69	3/4	4,809.60	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/08/2021 CL
CALCULATED: 12/10/2021 CL
PRINTED: 12/10/2021 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2021



BARGE "MPX 426"

3 PORT INNAGE TABLE HERMETIC GAUGE HEIGHT 16'-04 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,386.32	0	3,595.51	0	3,805.24	0	4,014.56	0	4,223.37	0		0		0		0		0	
1/4	3,390.68	1/4	3,599.88	1/4	3,809.61	1/4	4,018.91	1/4	4,227.72	1/4		1/4		1/4		1/4		1/4	
1/2	3,395.03	1/2	3,604.25	1/2	3,813.98	1/2	4,023.26	1/2	4,232.07	1/2		1/2		1/2		1/2		1/2	
3/4	3,399.38	3/4	3,608.62	3/4	3,818.35	3/4	4,027.61	3/4	4,236.42	3/4		3/4		3/4		3/4		3/4	
1	3,403.74	1	3,612.98	1	3,822.72	1	4,031.96	1	4,240.77	1		1		1		1		1	
1/4	3,408.09	1/4	3,617.35	1/4	3,827.09	1/4	4,036.31	1/4	4,245.12	1/4		1/4		1/4		1/4		1/4	
1/2	3,412.44	1/2	3,621.72	1/2	3,831.45	1/2	4,040.66	1/2	4,249.47	1/2		1/2		1/2		1/2		1/2	
3/4	3,416.80	3/4	3,626.09	3/4	3,835.82	3/4	4,045.01	3/4	4,253.82	3/4		3/4		3/4		3/4		3/4	
2	3,421.15	2	3,630.46	2	3,840.19	2	4,049.36	2	4,258.17	2		2		2		2		2	
1/4	3,425.50	1/4	3,634.83	1/4	3,844.56	1/4	4,053.71	1/4	4,262.52	1/4		1/4		1/4		1/4		1/4	
1/2	3,429.86	1/2	3,639.20	1/2	3,848.93	1/2	4,058.06	1/2	4,266.87	1/2		1/2		1/2		1/2		1/2	
3/4	3,434.21	3/4	3,643.57	3/4	3,853.30	3/4	4,062.41	3/4	4,271.21	3/4		3/4		3/4		3/4		3/4	
3	3,438.57	3	3,647.94	3	3,857.67	3	4,066.76	3	4,275.53	3		3		3		3		3	
1/4	3,442.92	1/4	3,652.31	1/4	3,862.04	1/4	4,071.11	1/4	4,279.85	1/4		1/4		1/4		1/4		1/4	
1/2	3,447.27	1/2	3,656.68	1/2	3,866.41	1/2	4,075.46	1/2	4,284.17	1/2		1/2		1/2		1/2		1/2	
3/4	3,451.63	3/4	3,661.05	3/4	3,870.78	3/4	4,079.81	3/4	4,288.50	3/4		3/4		3/4		3/4		3/4	
4	3,455.98	4	3,665.42	4	3,875.15	4	4,084.16	4	4,292.82	4		4		4		4		4	
1/4	3,460.33	1/4	3,669.79	1/4	3,879.52	1/4	4,088.51	1/4	4,297.14	1/4		1/4		1/4		1/4		1/4	
1/2	3,464.69	1/2	3,674.16	1/2	3,883.89	1/2	4,092.86	1/2	4,301.46	1/2		1/2		1/2		1/2		1/2	
3/4	3,469.04	3/4	3,678.53	3/4	3,888.26	3/4	4,097.21	3/4	4,305.79	3/4		3/4		3/4		3/4		3/4	
5	3,473.39	5	3,682.90	5	3,892.63	5	4,101.56	5	4,310.11	5		5		5		5		5	
1/4	3,477.75	1/4	3,687.26	1/4	3,897.00	1/4	4,105.91	1/4	4,314.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,482.10	1/2	3,691.63	1/2	3,901.37	1/2	4,110.26	1/2	4,318.74	1/2		1/2		1/2		1/2		1/2	
3/4	3,486.46	3/4	3,696.00	3/4	3,905.73	3/4	4,114.61	3/4	4,323.06	3/4		3/4		3/4		3/4		3/4	
6	3,490.81	6	3,700.37	6	3,910.10	6	4,118.96	6	4,327.37	6		6		6		6		6	
1/4	3,495.16	1/4	3,704.74	1/4	3,914.47	1/4	4,123.31	1/4	4,331.67	1/4		1/4		1/4		1/4		1/4	
1/2	3,499.52	1/2	3,709.11	1/2	3,918.84	1/2	4,127.66	1/2	4,335.98	1/2		1/2		1/2		1/2		1/2	
3/4	3,503.87	3/4	3,713.48	3/4	3,923.20	3/4	4,132.01	3/4	4,340.26	3/4		3/4		3/4		3/4		3/4	
7	3,508.22	7	3,717.85	7	3,927.55	7	4,136.36	7	4,344.52	7		7		7		7		7	
1/4	3,512.58	1/4	3,722.22	1/4	3,931.90	1/4	4,140.71	1/4	4,348.77	1/4		1/4		1/4		1/4		1/4	
1/2	3,516.93	1/2	3,726.59	1/2	3,936.25	1/2	4,145.06	1/2	4,353.03	1/2		1/2		1/2		1/2		1/2	
3/4	3,521.28	3/4	3,730.96	3/4	3,940.60	3/4	4,149.42	3/4	4,356.87	3/4		3/4		3/4		3/4		3/4	
8	3,525.64	8	3,735.33	8	3,944.95	8	4,153.77	8	4,360.30	8		8		8		8		8	
1/4	3,529.99	1/4	3,739.70	1/4	3,949.30	1/4	4,158.12	1/4	4,363.73	1/4		1/4		1/4		1/4		1/4	
1/2	3,534.34	1/2	3,744.07	1/2	3,953.65	1/2	4,162.47	1/2	4,367.16	1/2		1/2		1/2		1/2		1/2	
3/4	3,538.70	3/4	3,748.44	3/4	3,958.00	3/4	4,166.82	3/4	4,370.00	3/4		3/4		3/4		3/4		3/4	
9	3,543.07	9	3,752.81	9	3,962.35	9	4,171.17	9	4,372.24	9		9		9		9		9	
1/4	3,547.44	1/4	3,757.17	1/4	3,966.70	1/4	4,175.52	1/4	4,374.49	1/4		1/4		1/4		1/4		1/4	
1/2	3,551.81	1/2	3,761.54	1/2	3,971.05	1/2	4,179.87	1/2	4,376.73	1/2		1/2		1/2		1/2		1/2	
3/4	3,556.18	3/4	3,765.91	3/4	3,975.40	3/4	4,184.22	3/4	4,378.71	3/4		3/4		3/4		3/4		3/4	
10	3,560.55	10	3,770.28	10	3,979.75	10	4,188.57	10	4,380.41	10		10		10		10		10	
1/4	3,564.92	1/4	3,774.65	1/4	3,984.10	1/4	4,192.92	1/4	4,382.12	1/4		1/4		1/4		1/4		1/4	
1/2	3,569.29	1/2	3,779.02	1/2	3,988.45	1/2	4,197.27	1/2	4,383.83	1/2		1/2		1/2		1/2		1/2	
3/4	3,573.66	3/4	3,783.39	3/4	3,992.80	3/4	4,201.62	3/4	4,384.68	3/4		3/4		3/4		3/4		3/4	
11	3,578.03	11	3,787.76	11	3,997.15	11	4,205.97	11		11		11		11		11		11	
1/4	3,582.40	1/4	3,792.13	1/4	4,001.50	1/4	4,210.32	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,586.77	1/2	3,796.50	1/2	4,005.86	1/2	4,214.67	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,591.14	3/4	3,800.87	3/4	4,010.21	3/4	4,219.02	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/08/2021 CL
CALCULATED: 12/10/2021 CL
PRINTED: 12/10/2021 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2021



BARGE "MPX 426"

3 STBD

INNAGE TABLE

HERMETIC

GAUGE HEIGHT 16'-04 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,396.09	0	3,605.50	0	3,814.92	0	4,023.93	0	4,232.43	0		0		0		0		0	
1/4	3,400.45	1/4	3,609.87	1/4	3,819.28	1/4	4,028.27	1/4	4,236.77	1/4		1/4		1/4		1/4		1/4	
1/2	3,404.82	1/2	3,614.23	1/2	3,823.64	1/2	4,032.61	1/2	4,241.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,409.18	3/4	3,618.59	3/4	3,828.01	3/4	4,036.96	3/4	4,245.46	3/4		3/4		3/4		3/4		3/4	
1	3,413.54	1	3,622.96	1	3,832.37	1	4,041.30	1	4,249.80	1		1		1		1		1	
1/4	3,417.90	1/4	3,627.32	1/4	3,836.73	1/4	4,045.65	1/4	4,254.15	1/4		1/4		1/4		1/4		1/4	
1/2	3,422.27	1/2	3,631.68	1/2	3,841.10	1/2	4,049.99	1/2	4,258.49	1/2		1/2		1/2		1/2		1/2	
3/4	3,426.63	3/4	3,636.04	3/4	3,845.46	3/4	4,054.33	3/4	4,262.84	3/4		3/4		3/4		3/4		3/4	
2	3,430.99	2	3,640.41	2	3,849.82	2	4,058.68	2	4,267.18	2		2		2		2		2	
1/4	3,435.36	1/4	3,644.77	1/4	3,854.18	1/4	4,063.02	1/4	4,271.52	1/4		1/4		1/4		1/4		1/4	
1/2	3,439.72	1/2	3,649.13	1/2	3,858.55	1/2	4,067.37	1/2	4,275.87	1/2		1/2		1/2		1/2		1/2	
3/4	3,444.08	3/4	3,653.50	3/4	3,862.91	3/4	4,071.71	3/4	4,280.20	3/4		3/4		3/4		3/4		3/4	
3	3,448.44	3	3,657.86	3	3,867.27	3	4,076.05	3	4,284.51	3		3		3		3		3	
1/4	3,452.81	1/4	3,662.22	1/4	3,871.64	1/4	4,080.40	1/4	4,288.83	1/4		1/4		1/4		1/4		1/4	
1/2	3,457.17	1/2	3,666.58	1/2	3,876.00	1/2	4,084.74	1/2	4,293.14	1/2		1/2		1/2		1/2		1/2	
3/4	3,461.53	3/4	3,670.95	3/4	3,880.36	3/4	4,089.08	3/4	4,297.46	3/4		3/4		3/4		3/4		3/4	
4	3,465.90	4	3,675.31	4	3,884.72	4	4,093.43	4	4,301.78	4		4		4		4		4	
1/4	3,470.26	1/4	3,679.67	1/4	3,889.09	1/4	4,097.77	1/4	4,306.09	1/4		1/4		1/4		1/4		1/4	
1/2	3,474.62	1/2	3,684.04	1/2	3,893.45	1/2	4,102.12	1/2	4,310.41	1/2		1/2		1/2		1/2		1/2	
3/4	3,478.98	3/4	3,688.40	3/4	3,897.81	3/4	4,106.46	3/4	4,314.72	3/4		3/4		3/4		3/4		3/4	
5	3,483.35	5	3,692.76	5	3,902.18	5	4,110.80	5	4,319.03	5		5		5		5		5	
1/4	3,487.71	1/4	3,697.12	1/4	3,906.54	1/4	4,115.15	1/4	4,323.35	1/4		1/4		1/4		1/4		1/4	
1/2	3,492.07	1/2	3,701.49	1/2	3,910.90	1/2	4,119.49	1/2	4,327.66	1/2		1/2		1/2		1/2		1/2	
3/4	3,496.43	3/4	3,705.85	3/4	3,915.26	3/4	4,123.83	3/4	4,331.97	3/4		3/4		3/4		3/4		3/4	
6	3,500.80	6	3,710.21	6	3,919.63	6	4,128.18	6	4,336.27	6		6		6		6		6	
1/4	3,505.16	1/4	3,714.57	1/4	3,923.99	1/4	4,132.52	1/4	4,340.57	1/4		1/4		1/4		1/4		1/4	
1/2	3,509.52	1/2	3,718.94	1/2	3,928.35	1/2	4,136.87	1/2	4,344.87	1/2		1/2		1/2		1/2		1/2	
3/4	3,513.89	3/4	3,723.30	3/4	3,932.71	3/4	4,141.21	3/4	4,349.15	3/4		3/4		3/4		3/4		3/4	
7	3,518.25	7	3,727.66	7	3,937.05	7	4,145.55	7	4,353.40	7		7		7		7		7	
1/4	3,522.61	1/4	3,732.03	1/4	3,941.40	1/4	4,149.90	1/4	4,357.64	1/4		1/4		1/4		1/4		1/4	
1/2	3,526.97	1/2	3,736.39	1/2	3,945.74	1/2	4,154.24	1/2	4,361.89	1/2		1/2		1/2		1/2		1/2	
3/4	3,531.34	3/4	3,740.75	3/4	3,950.08	3/4	4,158.59	3/4	4,365.73	3/4		3/4		3/4		3/4		3/4	
8	3,535.70	8	3,745.11	8	3,954.43	8	4,162.93	8	4,369.16	8		8		8		8		8	
1/4	3,540.06	1/4	3,749.48	1/4	3,958.77	1/4	4,167.27	1/4	4,372.58	1/4		1/4		1/4		1/4		1/4	
1/2	3,544.43	1/2	3,753.84	1/2	3,963.11	1/2	4,171.62	1/2	4,376.01	1/2		1/2		1/2		1/2		1/2	
3/4	3,548.79	3/4	3,758.20	3/4	3,967.46	3/4	4,175.96	3/4	4,378.85	3/4		3/4		3/4		3/4		3/4	
9	3,553.15	9	3,762.57	9	3,971.80	9	4,180.30	9	4,381.09	9		9		9		9		9	
1/4	3,557.51	1/4	3,766.93	1/4	3,976.15	1/4	4,184.65	1/4	4,383.33	1/4		1/4		1/4		1/4		1/4	
1/2	3,561.88	1/2	3,771.29	1/2	3,980.49	1/2	4,188.99	1/2	4,385.57	1/2		1/2		1/2		1/2		1/2	
3/4	3,566.24	3/4	3,775.65	3/4	3,984.83	3/4	4,193.34	3/4	4,387.54	3/4		3/4		3/4		3/4		3/4	
10	3,570.60	10	3,780.02	10	3,989.18	10	4,197.68	10	4,389.25	10		10		10		10		10	
1/4	3,574.97	1/4	3,784.38	1/4	3,993.52	1/4	4,202.02	1/4	4,390.95	1/4		1/4		1/4		1/4		1/4	
1/2	3,579.33	1/2	3,788.74	1/2	3,997.86	1/2	4,206.37	1/2	4,392.66	1/2		1/2		1/2		1/2		1/2	
3/4	3,583.69	3/4	3,793.11	3/4	4,002.21	3/4	4,210.71	3/4	4,393.51	3/4		3/4		3/4		3/4		3/4	
11	3,588.05	11	3,797.47	11	4,006.55	11	4,215.05	11		11		11		11		11		11	
1/4	3,592.42	1/4	3,801.83	1/4	4,010.90	1/4	4,219.40	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,596.78	1/2	3,806.19	1/2	4,015.24	1/2	4,223.74	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,601.14	3/4	3,810.56	3/4	4,019.58	3/4	4,228.09	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/08/2021 CL
CALCULATED: 12/10/2021 CL
PRINTED: 12/10/2021 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2021

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>





BARGE "MPX 426"

ULLAGE (HERMETIC)

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
1 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
2 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
3 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
3 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 6'-00"
 DIFF. = 4'-00" (DOWN BY STERN)

THE CORRECTION FOR 4'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-1/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 7/8"

LENGTH BETWEEN DRAFT MARKS: 237'-03"

December 8, 2021

**PRECISION MEASUREMENT
 & ANALYSIS, INC.**
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "MPX 426"

1 STBD ULLAGE TABLE

HERMETIC GAUGE HEIGHT 16'-04 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0	4,869.74	0	4,529.74	0	4,189.11	0	3,847.16	0	3,505.24	0	3,163.39	0	2,821.49	0	2,479.54
1/4		1/4		1/4	4,862.69	1/4	4,522.64	1/4	4,181.98	1/4	3,840.04	1/4	3,498.12	1/4	3,156.27	1/4	2,814.37	1/4	2,472.42
1/2		1/2		1/2	4,855.65	1/2	4,515.55	1/2	4,174.86	1/2	3,832.91	1/2	3,491.00	1/2	3,149.14	1/2	2,807.24	1/2	2,465.29
3/4		3/4		3/4	4,848.60	3/4	4,508.46	3/4	4,167.73	3/4	3,825.79	3/4	3,483.88	3/4	3,142.02	3/4	2,800.12	3/4	2,458.17
1		1		1	4,841.55	1	4,501.37	1	4,160.61	1	3,818.66	1	3,476.75	1	3,134.90	1	2,792.99	1	2,451.04
1/4		1/4		1/4	4,834.51	1/4	4,494.28	1/4	4,153.49	1/4	3,811.54	1/4	3,469.63	1/4	3,127.78	1/4	2,785.87	1/4	2,443.92
1/2		1/2		1/2	4,827.46	1/2	4,487.19	1/2	4,146.36	1/2	3,804.42	1/2	3,462.51	1/2	3,120.66	1/2	2,778.75	1/2	2,436.80
3/4		3/4		3/4	4,820.41	3/4	4,480.10	3/4	4,139.24	3/4	3,797.29	3/4	3,455.39	3/4	3,113.53	3/4	2,771.62	3/4	2,429.67
2		2		2	4,813.37	2	4,473.00	2	4,132.11	2	3,790.17	2	3,448.27	2	3,106.41	2	2,764.50	2	2,422.55
1/4		1/4		1/4	4,806.30	1/4	4,465.91	1/4	4,124.99	1/4	3,783.04	1/4	3,441.14	1/4	3,099.29	1/4	2,757.38	1/4	2,415.42
1/2		1/2		1/2	4,799.21	1/2	4,458.82	1/2	4,117.87	1/2	3,775.92	1/2	3,434.02	1/2	3,092.17	1/2	2,750.25	1/2	2,408.30
3/4		3/4		3/4	4,792.12	3/4	4,451.73	3/4	4,110.74	3/4	3,768.80	3/4	3,426.90	3/4	3,085.05	3/4	2,743.13	3/4	2,401.17
3		3		3	4,785.03	3	4,444.64	3	4,103.62	3	3,761.67	3	3,419.78	3	3,077.92	3	2,736.00	3	2,394.05
1/4		1/4		1/4	4,777.93	1/4	4,437.55	1/4	4,096.50	1/4	3,754.55	1/4	3,412.66	1/4	3,070.80	1/4	2,728.88	1/4	2,386.92
1/2		1/2		1/2	4,770.84	1/2	4,430.46	1/2	4,089.37	1/2	3,747.42	1/2	3,405.53	1/2	3,063.68	1/2	2,721.76	1/2	2,379.80
3/4		3/4		3/4	4,763.75	3/4	4,423.36	3/4	4,082.25	3/4	3,740.30	3/4	3,398.41	3/4	3,056.56	3/4	2,714.63	3/4	2,372.68
4		4		4	4,756.66	4	4,416.27	4	4,075.12	4	3,733.18	4	3,391.29	4	3,049.44	4	2,707.51	4	2,365.55
1/4		1/4		1/4	4,749.57	1/4	4,409.18	1/4	4,068.00	1/4	3,726.05	1/4	3,384.17	1/4	3,042.31	1/4	2,700.39	1/4	2,358.43
1/2		1/2		1/2	4,742.48	1/2	4,402.09	1/2	4,060.88	1/2	3,718.93	1/2	3,377.05	1/2	3,035.19	1/2	2,693.26	1/2	2,351.30
3/4		3/4		3/4	4,735.39	3/4	4,395.00	3/4	4,053.75	3/4	3,711.80	3/4	3,369.93	3/4	3,028.07	3/4	2,686.14	3/4	2,344.18
5		5		5	4,728.29	5	4,387.91	5	4,046.63	5	3,704.68	5	3,362.80	5	3,020.95	5	2,679.01	5	2,337.05
1/4		1/4		1/4	4,721.20	1/4	4,380.82	1/4	4,039.50	1/4	3,697.56	1/4	3,355.68	1/4	3,013.83	1/4	2,671.89	1/4	2,329.93
1/2		1/2		1/2	4,714.11	1/2	4,373.72	1/2	4,032.38	1/2	3,690.43	1/2	3,348.56	1/2	3,006.70	1/2	2,664.77	1/2	2,322.80
3/4		3/4		3/4	4,707.02	3/4	4,366.63	3/4	4,025.26	3/4	3,683.31	3/4	3,341.44	3/4	2,999.58	3/4	2,657.64	3/4	2,315.68
6		6	5,010.06	6	4,699.93	6	4,359.54	6	4,018.13	6	3,676.19	6	3,334.32	6	2,992.46	6	2,650.52	6	2,308.56
1/4		1/4	5,008.17	1/4	4,692.84	1/4	4,352.45	1/4	4,011.01	1/4	3,669.06	1/4	3,327.19	1/4	2,985.34	1/4	2,643.39	1/4	2,301.43
1/2		1/2	5,004.39	1/2	4,685.75	1/2	4,345.36	1/2	4,003.88	1/2	3,661.94	1/2	3,320.07	1/2	2,978.21	1/2	2,636.27	1/2	2,294.31
3/4		3/4	5,000.61	3/4	4,678.65	3/4	4,338.27	3/4	3,996.76	3/4	3,654.81	3/4	3,312.95	3/4	2,971.09	3/4	2,629.15	3/4	2,287.18
7		7	4,996.83	7	4,671.56	7	4,331.18	7	3,989.64	7	3,647.69	7	3,305.83	7	2,963.97	7	2,622.02	7	2,280.06
1/4		1/4	4,992.45	1/4	4,664.47	1/4	4,324.08	1/4	3,982.51	1/4	3,640.57	1/4	3,298.71	1/4	2,956.84	1/4	2,614.91	1/4	2,272.93
1/2		1/2	4,987.48	1/2	4,657.38	1/2	4,316.99	1/2	3,975.39	1/2	3,633.44	1/2	3,291.58	1/2	2,949.72	1/2	2,607.78	1/2	2,265.81
3/4		3/4	4,982.51	3/4	4,650.29	3/4	4,309.90	3/4	3,968.27	3/4	3,626.32	3/4	3,284.46	3/4	2,942.59	3/4	2,600.66	3/4	2,258.69
8		8	4,977.54	8	4,643.20	8	4,302.81	8	3,961.14	8	3,619.19	8	3,277.34	8	2,935.47	8	2,593.53	8	2,251.56
1/4		1/4	4,971.98	1/4	4,636.11	1/4	4,295.72	1/4	3,954.02	1/4	3,612.07	1/4	3,270.22	1/4	2,928.35	1/4	2,586.41	1/4	2,244.44
1/2		1/2	4,965.83	1/2	4,629.01	1/2	4,288.63	1/2	3,946.89	1/2	3,604.95	1/2	3,263.10	1/2	2,921.22	1/2	2,579.28	1/2	2,237.31
3/4		3/4	4,959.67	3/4	4,621.92	3/4	4,281.54	3/4	3,939.77	3/4	3,597.83	3/4	3,255.97	3/4	2,914.10	3/4	2,572.16	3/4	2,230.19
9		9	4,953.51	9	4,614.83	9	4,274.44	9	3,932.65	9	3,590.71	9	3,248.85	9	2,906.98	9	2,565.03	9	2,223.06
1/4		1/4	4,946.95	1/4	4,607.74	1/4	4,267.35	1/4	3,925.52	1/4	3,583.58	1/4	3,241.73	1/4	2,899.85	1/4	2,557.91	1/4	2,215.94
1/2		1/2	4,939.97	1/2	4,600.65	1/2	4,260.26	1/2	3,918.40	1/2	3,576.46	1/2	3,234.61	1/2	2,892.73	1/2	2,550.79	1/2	2,208.81
3/4		3/4	4,932.99	3/4	4,593.56	3/4	4,253.17	3/4	3,911.27	3/4	3,569.34	3/4	3,227.49	3/4	2,885.60	3/4	2,543.66	3/4	2,201.69
10		10	4,926.01	10	4,586.47	10	4,246.08	10	3,904.15	10	3,562.22	10	3,220.36	10	2,878.48	10	2,536.54	10	2,194.57
1/4		1/4	4,919.01	1/4	4,579.37	1/4	4,238.97	1/4	3,897.03	1/4	3,555.10	1/4	3,213.24	1/4	2,871.36	1/4	2,529.41	1/4	2,187.44
1/2		1/2	4,911.98	1/2	4,572.28	1/2	4,231.85	1/2	3,889.90	1/2	3,547.97	1/2	3,206.12	1/2	2,864.23	1/2	2,522.29	1/2	2,180.32
3/4		3/4	4,904.94	3/4	4,565.19	3/4	4,224.73	3/4	3,882.78	3/4	3,540.85	3/4	3,199.00	3/4	2,857.11	3/4	2,515.16	3/4	2,173.19
11		11	4,897.91	11	4,558.10	11	4,217.60	11	3,875.65	11	3,533.73	11	3,191.88	11	2,849.99	11	2,508.04	11	2,166.07
1/4		1/4	4,890.87	1/4	4,551.01	1/4	4,210.48	1/4	3,868.53	1/4	3,526.61	1/4	3,184.75	1/4	2,842.86	1/4	2,500.91	1/4	2,158.94
1/2		1/2	4,883.83	1/2	4,543.92	1/2	4,203.35	1/2	3,861.41	1/2	3,519.49	1/2	3,177.63	1/2	2,835.74	1/2	2,493.79	1/2	2,151.82
3/4		3/4	4,876.78	3/4	4,536.83	3/4	4,196.23	3/4	3,854.28	3/4	3,512.36	3/4	3,170.51	3/4	2,828.61	3/4	2,486.67	3/4	2,144.69

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.
 GAUGE POINT: (HERMETIC) LOCATED 11'-06" OFF CENTERLINE AND 43'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPX 426"

**1 STBD
ULLAGE TABLE
HERMETIC
GAUGE HEIGHT 16'-04 3/4"**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
0	2,137.57	0	1,795.60	0	1,453.63	0	1,111.66	0	769.98	0	428.62	0	118.16	0		0		0	
1/4	2,130.45	1/4	1,788.47	1/4	1,446.50	1/4	1,104.53	1/4	762.85	1/4	421.67	1/4	112.20	1/4	1/4		1/4	1/4	1/4
1/2	2,123.32	1/2	1,781.35	1/2	1,439.38	1/2	1,097.41	1/2	755.73	1/2	414.75	1/2	106.28	1/2	1/2		1/2	1/2	1/2
3/4	2,116.20	3/4	1,774.23	3/4	1,432.25	3/4	1,090.28	3/4	748.61	3/4	407.84	3/4	100.37	3/4	3/4		3/4	3/4	3/4
1	2,109.07	1	1,767.10	1	1,425.13	1	1,083.16	1	741.48	1	400.92	1	94.45	1	1		1	1	1
1/4	2,101.95	1/4	1,759.98	1/4	1,418.01	1/4	1,076.03	1/4	734.36	1/4	394.05	1/4	88.59	1/4	1/4		1/4	1/4	1/4
1/2	2,094.82	1/2	1,752.85	1/2	1,410.88	1/2	1,068.91	1/2	727.23	1/2	387.21	1/2	82.76	1/2	1/2		1/2	1/2	1/2
3/4	2,087.70	3/4	1,745.73	3/4	1,403.76	3/4	1,061.79	3/4	720.11	3/4	380.38	3/4	76.94	3/4	3/4		3/4	3/4	3/4
2	2,080.58	2	1,738.60	2	1,396.63	2	1,054.66	2	712.99	2	373.55	2	71.12	2	2		2	2	2
1/4	2,073.45	1/4	1,731.48	1/4	1,389.51	1/4	1,047.54	1/4	705.86	1/4	366.76	1/4	65.35	1/4	1/4		1/4	1/4	1/4
1/2	2,066.33	1/2	1,724.36	1/2	1,382.38	1/2	1,040.41	1/2	698.74	1/2	360.01	1/2	59.64	1/2	1/2		1/2	1/2	1/2
3/4	2,059.20	3/4	1,717.23	3/4	1,375.26	3/4	1,033.29	3/4	691.61	3/4	353.26	3/4	53.92	3/4	3/4		3/4	3/4	3/4
3	2,052.08	3	1,710.11	3	1,368.14	3	1,026.17	3	684.49	3	346.51	3	48.21	3	3		3	3	3
1/4	2,044.95	1/4	1,702.98	1/4	1,361.01	1/4	1,019.05	1/4	677.36	1/4	339.80	1/4	42.97	1/4	1/4		1/4	1/4	1/4
1/2	2,037.83	1/2	1,695.86	1/2	1,353.89	1/2	1,011.93	1/2	670.24	1/2	333.14	1/2	38.19	1/2	1/2		1/2	1/2	1/2
3/4	2,030.70	3/4	1,688.73	3/4	1,346.76	3/4	1,004.82	3/4	663.12	3/4	326.47	3/4	33.42	3/4	3/4		3/4	3/4	3/4
4	2,023.58	4	1,681.61	4	1,339.64	4	997.70	4	655.99	4	319.80	4	28.64	4	4		4	4	4
1/4	2,016.46	1/4	1,674.48	1/4	1,332.51	1/4	990.58	1/4	648.87	1/4	313.18	1/4	24.80	1/4	1/4		1/4	1/4	1/4
1/2	2,009.33	1/2	1,667.36	1/2	1,325.39	1/2	983.47	1/2	641.74	1/2	306.60	1/2	21.89	1/2	1/2		1/2	1/2	1/2
3/4	2,002.21	3/4	1,660.24	3/4	1,318.26	3/4	976.35	3/4	634.62	3/4	300.01	3/4	18.98	3/4	3/4		3/4	3/4	3/4
5	1,995.08	5	1,653.11	5	1,311.14	5	969.24	5	627.50	5	293.43	5		5	5		5	5	5
1/4	1,987.96	1/4	1,645.99	1/4	1,304.02	1/4	962.12	1/4	620.37	1/4	286.89	1/4		1/4	1/4		1/4	1/4	1/4
1/2	1,980.83	1/2	1,638.86	1/2	1,296.89	1/2	955.01	1/2	613.25	1/2	280.39	1/2		1/2	1/2		1/2	1/2	1/2
3/4	1,973.71	3/4	1,631.74	3/4	1,289.77	3/4	947.89	3/4	606.12	3/4	273.89	3/4		3/4	3/4		3/4	3/4	3/4
6	1,966.58	6	1,624.61	6	1,282.64	6	940.78	6	599.00	6	267.39	6		6	6		6	6	6
1/4	1,959.46	1/4	1,617.49	1/4	1,275.52	1/4	933.66	1/4	591.88	1/4	260.93	1/4		1/4	1/4		1/4	1/4	1/4
1/2	1,952.34	1/2	1,610.36	1/2	1,268.39	1/2	926.55	1/2	584.75	1/2	254.52	1/2		1/2	1/2		1/2	1/2	1/2
3/4	1,945.21	3/4	1,603.24	3/4	1,261.27	3/4	919.43	3/4	577.63	3/4	248.10	3/4		3/4	3/4		3/4	3/4	3/4
7	1,938.09	7	1,596.12	7	1,254.14	7	912.31	7	570.50	7	241.69	7		7	7		7	7	7
1/4	1,930.96	1/4	1,588.99	1/4	1,247.02	1/4	905.20	1/4	563.38	1/4	235.31	1/4		1/4	1/4		1/4	1/4	1/4
1/2	1,923.84	1/2	1,581.87	1/2	1,239.90	1/2	898.08	1/2	556.25	1/2	228.98	1/2		1/2	1/2		1/2	1/2	1/2
3/4	1,916.71	3/4	1,574.74	3/4	1,232.77	3/4	890.97	3/4	549.13	3/4	222.65	3/4		3/4	3/4		3/4	3/4	3/4
8	1,909.59	8	1,567.62	8	1,225.65	8	883.85	8	542.01	8	216.31	8		8	8		8	8	8
1/4	1,902.47	1/4	1,560.49	1/4	1,218.52	1/4	876.74	1/4	534.88	1/4	210.02	1/4		1/4	1/4		1/4	1/4	1/4
1/2	1,895.34	1/2	1,553.37	1/2	1,211.40	1/2	869.62	1/2	527.76	1/2	203.77	1/2		1/2	1/2		1/2	1/2	1/2
3/4	1,888.22	3/4	1,546.25	3/4	1,204.27	3/4	862.51	3/4	520.63	3/4	197.52	3/4		3/4	3/4		3/4	3/4	3/4
9	1,881.09	9	1,539.12	9	1,197.15	9	855.39	9	513.51	9	191.27	9		9	9		9	9	9
1/4	1,873.97	1/4	1,532.00	1/4	1,190.03	1/4	848.28	1/4	506.39	1/4	185.07	1/4		1/4	1/4		1/4	1/4	1/4
1/2	1,866.84	1/2	1,524.87	1/2	1,182.90	1/2	841.16	1/2	499.26	1/2	178.90	1/2		1/2	1/2		1/2	1/2	1/2
3/4	1,859.72	3/4	1,517.75	3/4	1,175.78	3/4	834.04	3/4	492.14	3/4	172.73	3/4		3/4	3/4		3/4	3/4	3/4
10	1,852.59	10	1,510.62	10	1,168.65	10	826.93	10	485.01	10	166.57	10		10	10		10	10	10
1/4	1,845.47	1/4	1,503.50	1/4	1,161.53	1/4	819.81	1/4	477.91	1/4	160.44	1/4		1/4	1/4		1/4	1/4	1/4
1/2	1,838.35	1/2	1,496.37	1/2	1,154.40	1/2	812.70	1/2	470.83	1/2	154.36	1/2		1/2	1/2		1/2	1/2	1/2
3/4	1,831.22	3/4	1,489.25	3/4	1,147.28	3/4	805.58	3/4	463.75	3/4	148.28	3/4		3/4	3/4		3/4	3/4	3/4
11	1,824.10	11	1,482.13	11	1,140.15	11	798.47	11	456.66	11	142.20	11		11	11		11	11	11
1/4	1,816.97	1/4	1,475.00	1/4	1,133.03	1/4	791.35	1/4	449.62	1/4	136.15	1/4		1/4	1/4		1/4	1/4	1/4
1/2	1,809.85	1/2	1,467.88	1/2	1,125.91	1/2	784.23	1/2	442.62	1/2	130.16	1/2		1/2	1/2		1/2	1/2	1/2
3/4	1,802.72	3/4	1,460.75	3/4	1,118.78	3/4	777.10	3/4	435.62	3/4	124.16	3/4		3/4	3/4		3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/08/2021 CL
CALCULATED: 12/10/2021 CL
PRINTED: 12/10/2021 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2021





BARGE "MPX 426"

2 PORT ULLAGE TABLE

HERMETIC GAUGE HEIGHT 16'-05"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.			
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0		0	4,948.39	0	4,606.73	0	4,264.42	0	3,920.76	0	3,577.09	0	3,233.42	0	2,889.72	0	2,545.95		
1/4		1/4		1/4	4,941.31	1/4	4,599.60	1/4	4,257.26	1/4	3,913.60	1/4	3,569.93	1/4	3,226.27	1/4	2,882.56	1/4	2,538.79		
1/2		1/2		1/2	4,934.23	1/2	4,592.47	1/2	4,250.10	1/2	3,906.44	1/2	3,562.77	1/2	3,219.11	1/2	2,875.40	1/2	2,531.63		
3/4		3/4		3/4	4,927.15	3/4	4,585.34	3/4	4,242.94	3/4	3,899.28	3/4	3,555.61	3/4	3,211.95	3/4	2,868.23	3/4	2,524.47		
1		1		1	4,920.07	1	4,578.22	1	4,235.78	1	3,892.12	1	3,548.45	1	3,204.79	1	2,861.07	1	2,517.31		
1/4		1/4		1/4	4,912.98	1/4	4,571.09	1/4	4,228.62	1/4	3,884.96	1/4	3,541.29	1/4	3,197.63	1/4	2,853.91	1/4	2,510.14		
1/2		1/2		1/2	4,905.90	1/2	4,563.96	1/2	4,221.46	1/2	3,877.80	1/2	3,534.13	1/2	3,190.47	1/2	2,846.75	1/2	2,502.98		
3/4		3/4		3/4	4,898.82	3/4	4,556.84	3/4	4,214.30	3/4	3,870.64	3/4	3,526.97	3/4	3,183.31	3/4	2,839.59	3/4	2,495.82		
2		2		2	4,891.74	2	4,549.71	2	4,207.14	2	3,863.48	2	3,519.81	2	3,176.15	2	2,832.42	2	2,488.66		
1/4		1/4		1/4	4,884.65	1/4	4,542.58	1/4	4,199.98	1/4	3,856.32	1/4	3,512.65	1/4	3,168.99	1/4	2,825.26	1/4	2,481.50		
1/2		1/2		1/2	4,877.55	1/2	4,535.46	1/2	4,192.82	1/2	3,849.16	1/2	3,505.49	1/2	3,161.83	1/2	2,818.10	1/2	2,474.33		
3/4		3/4		3/4	4,870.42	3/4	4,528.33	3/4	4,185.66	3/4	3,842.00	3/4	3,498.33	3/4	3,154.67	3/4	2,810.94	3/4	2,467.17		
3		3		3	4,863.30	3	4,521.20	3	4,178.51	3	3,834.84	3	3,491.17	3	3,147.51	3	2,803.78	3	2,460.01		
1/4		1/4		1/4	4,856.17	1/4	4,514.07	1/4	4,171.35	1/4	3,827.68	1/4	3,484.01	1/4	3,140.35	1/4	2,796.62	1/4	2,452.85		
1/2		1/2		1/2	4,849.04	1/2	4,506.95	1/2	4,164.19	1/2	3,820.52	1/2	3,476.85	1/2	3,133.19	1/2	2,789.45	1/2	2,445.69		
3/4		3/4		3/4	4,841.92	3/4	4,499.82	3/4	4,157.03	3/4	3,813.36	3/4	3,469.69	3/4	3,126.03	3/4	2,782.29	3/4	2,438.53		
4		4		4	4,834.79	4	4,492.69	4	4,149.87	4	3,806.20	4	3,462.54	4	3,118.87	4	2,775.13	4	2,431.36		
1/4		1/4		1/4	4,827.66	1/4	4,485.57	1/4	4,142.71	1/4	3,799.04	1/4	3,455.38	1/4	3,111.71	1/4	2,767.97	1/4	2,424.20		
1/2		1/2		1/2	4,820.54	1/2	4,478.44	1/2	4,135.55	1/2	3,791.88	1/2	3,448.22	1/2	3,104.55	1/2	2,760.81	1/2	2,417.04		
3/4		3/4		3/4	4,813.41	3/4	4,471.31	3/4	4,128.39	3/4	3,784.72	3/4	3,441.06	3/4	3,097.39	3/4	2,753.64	3/4	2,409.88		
5		5		5	4,806.28	5	4,464.19	5	4,121.23	5	3,777.56	5	3,433.90	5	3,090.23	5	2,746.48	5	2,402.72		
1/4		1/4		1/4	4,799.15	1/4	4,457.06	1/4	4,114.07	1/4	3,770.40	1/4	3,426.74	1/4	3,083.07	1/4	2,739.32	1/4	2,395.55		
1/2		1/2		1/2	4,792.03	1/2	4,449.93	1/2	4,106.91	1/2	3,763.24	1/2	3,419.58	1/2	3,075.91	1/2	2,732.16	1/2	2,388.39		
3/4		3/4		3/4	4,784.90	3/4	4,442.80	3/4	4,099.75	3/4	3,756.08	3/4	3,412.42	3/4	3,068.75	3/4	2,725.00	3/4	2,381.23		
6		6		6	4,777.77	6	4,435.68	6	4,092.59	6	3,748.92	6	3,405.26	6	3,061.59	6	2,717.84	6	2,374.07		
1/4		1/4	5,082.33	1/4	4,770.65	1/4	4,428.55	1/4	4,085.43	1/4	3,741.76	1/4	3,398.10	1/4	3,054.43	1/4	2,710.67	1/4	2,366.91		
1/2		1/2	5,080.43	1/2	4,763.52	1/2	4,421.42	1/2	4,078.27	1/2	3,734.60	1/2	3,390.94	1/2	3,047.28	1/2	2,703.51	1/2	2,359.75		
3/4		3/4	5,076.63	3/4	4,756.39	3/4	4,414.30	3/4	4,071.11	3/4	3,727.44	3/4	3,383.78	3/4	3,040.12	3/4	2,696.35	3/4	2,352.58		
7		7	5,072.83	7	4,749.27	7	4,407.17	7	4,063.95	7	3,720.28	7	3,376.62	7	3,032.95	7	2,689.19	7	2,345.42		
1/4		1/4	5,069.03	1/4	4,742.14	1/4	4,400.04	1/4	4,056.79	1/4	3,713.12	1/4	3,369.46	1/4	3,025.79	1/4	2,682.03	1/4	2,338.26		
1/2		1/2	5,064.63	1/2	4,735.01	1/2	4,392.92	1/2	4,049.63	1/2	3,705.97	1/2	3,362.30	1/2	3,018.63	1/2	2,674.86	1/2	2,331.10		
3/4		3/4	5,059.64	3/4	4,727.88	3/4	4,385.79	3/4	4,042.47	3/4	3,698.81	3/4	3,355.14	3/4	3,011.47	3/4	2,667.70	3/4	2,323.94		
8		8	5,054.65	8	4,720.76	8	4,378.66	8	4,035.31	8	3,691.65	8	3,347.98	8	3,004.31	8	2,660.54	8	2,316.77		
1/4		1/4	5,049.65	1/4	4,713.63	1/4	4,371.53	1/4	4,028.15	1/4	3,684.49	1/4	3,340.82	1/4	2,997.15	1/4	2,653.38	1/4	2,309.61		
1/2		1/2	5,044.06	1/2	4,706.50	1/2	4,364.41	1/2	4,020.99	1/2	3,677.33	1/2	3,333.66	1/2	2,989.98	1/2	2,646.22	1/2	2,302.45		
3/4		3/4	5,037.88	3/4	4,699.38	3/4	4,357.28	3/4	4,013.83	3/4	3,670.17	3/4	3,326.50	3/4	2,982.82	3/4	2,639.06	3/4	2,295.29		
9		9	5,031.69	9	4,692.25	9	4,350.15	9	4,006.67	9	3,663.01	9	3,319.34	9	2,975.66	9	2,631.89	9	2,288.13		
1/4		1/4	5,025.50	1/4	4,685.12	1/4	4,343.03	1/4	3,999.51	1/4	3,655.85	1/4	3,312.18	1/4	2,968.50	1/4	2,624.73	1/4	2,280.97		
1/2		1/2	5,018.90	1/2	4,678.00	1/2	4,335.90	1/2	3,992.35	1/2	3,648.69	1/2	3,305.02	1/2	2,961.34	1/2	2,617.57	1/2	2,273.80		
3/4		3/4	5,011.89	3/4	4,670.87	3/4	4,328.77	3/4	3,985.19	3/4	3,641.53	3/4	3,297.86	3/4	2,954.17	3/4	2,610.41	3/4	2,266.64		
10		10	5,004.88	10	4,663.74	10	4,321.65	10	3,978.03	10	3,634.37	10	3,290.70	10	2,947.01	10	2,603.25	10	2,259.48		
1/4		1/4	4,997.86	1/4	4,656.62	1/4	4,314.52	1/4	3,970.87	1/4	3,627.21	1/4	3,283.54	1/4	2,939.85	1/4	2,596.08	1/4	2,252.32		
1/2		1/2	4,990.82	1/2	4,649.49	1/2	4,307.38	1/2	3,963.71	1/2	3,620.05	1/2	3,276.38	1/2	2,932.69	1/2	2,588.92	1/2	2,245.16		
3/4		3/4	4,983.76	3/4	4,642.36	3/4	4,300.22	3/4	3,956.55	3/4	3,612.89	3/4	3,269.22	3/4	2,925.53	3/4	2,581.76	3/4	2,237.99		
11		11	4,976.69	11	4,635.23	11	4,293.06	11	3,949.39	11	3,605.73	11	3,262.06	11	2,918.37	11	2,574.60	11	2,230.83		
1/4		1/4	4,969.62	1/4	4,628.11	1/4	4,285.90	1/4	3,942.24	1/4	3,598.57	1/4	3,254.90	1/4	2,911.20	1/4	2,567.44	1/4	2,223.67		
1/2		1/2	4,962.55	1/2	4,620.98	1/2	4,278.74	1/2	3,935.08	1/2	3,591.41	1/2	3,247.74	1/2	2,904.04	1/2	2,560.28	1/2	2,216.51		
3/4		3/4	4,955.47	3/4	4,613.85	3/4	4,271.58	3/4	3,927.92	3/4	3,584.25	3/4	3,240.58	3/4	2,896.88	3/4	2,553.11	3/4	2,209.35		

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.

GAUGE POINT: (HERMETIC) LOCATED 11'-06" OFF CENTERLINE AND 42'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "MPX 426"

**2 PORT
ULLAGE TABLE
HERMETIC
GAUGE HEIGHT 16'-05"**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,202.19	0	1,858.42	0	1,514.65	0	1,170.89	0	840.06	0	497.89	0	154.14	0		0		0	
1/4	2,195.02	1/4	1,851.26	1/4	1,507.49	1/4	1,163.72	1/4	833.20	1/4	490.73	1/4	146.98	1/4		1/4		1/4	
1/2	2,187.86	1/2	1,844.10	1/2	1,500.33	1/2	1,156.56	1/2	826.33	1/2	483.57	1/2	139.82	1/2		1/2		1/2	
3/4	2,180.70	3/4	1,836.93	3/4	1,493.17	3/4	1,149.40	3/4	819.45	3/4	476.41	3/4	132.66	3/4		3/4		3/4	
1	2,173.54	1	1,829.77	1	1,486.01	1	1,142.24	1	812.57	1	469.25	1	125.50	1		1		1	
1/4	2,166.38	1/4	1,822.61	1/4	1,478.84	1/4	1,135.08	1/4	805.69	1/4	462.08	1/4	118.34	1/4		1/4		1/4	
1/2	2,159.22	1/2	1,815.45	1/2	1,471.68	1/2	1,128.06	1/2	798.67	1/2	454.92	1/2	111.18	1/2		1/2		1/2	
3/4	2,152.05	3/4	1,808.29	3/4	1,464.52	3/4	1,121.18	3/4	791.51	3/4	447.76	3/4	104.03	3/4		3/4		3/4	
2	2,144.89	2	1,801.13	2	1,457.36	2	1,114.30	2	784.35	2	440.60	2	96.88	2		2		2	
1/4	2,137.73	1/4	1,793.96	1/4	1,450.20	1/4	1,107.42	1/4	777.19	1/4	433.44	1/4	89.73	1/4		1/4		1/4	
1/2	2,130.57	1/2	1,786.80	1/2	1,443.04	1/2	1,100.55	1/2	770.03	1/2	426.28	1/2	82.59	1/2		1/2		1/2	
3/4	2,123.41	3/4	1,779.64	3/4	1,435.87	3/4	1,093.69	3/4	762.87	3/4	419.12	3/4	75.47	3/4		3/4		3/4	
3	2,116.24	3	1,772.48	3	1,428.71	3	1,086.83	3	755.71	3	411.95	3	68.34	3		3		3	
1/4	2,109.08	1/4	1,765.32	1/4	1,421.55	1/4	1,079.96	1/4	748.54	1/4	404.79	1/4	61.21	1/4		1/4		1/4	
1/2	2,101.92	1/2	1,758.15	1/2	1,414.39	1/2	1,073.11	1/2	741.38	1/2	397.63	1/2	54.52	1/2		1/2		1/2	
3/4	2,094.76	3/4	1,750.99	3/4	1,407.23	3/4	1,066.25	3/4	734.22	3/4	390.47	3/4	48.25	3/4		3/4		3/4	
4	2,087.60	4	1,743.83	4	1,400.06	4	1,059.40	4	727.06	4	383.31	4	41.99	4		4		4	
1/4	2,080.44	1/4	1,736.67	1/4	1,392.90	1/4	1,052.54	1/4	719.90	1/4	376.15	1/4	35.73	1/4		1/4		1/4	
1/2	2,073.27	1/2	1,729.51	1/2	1,385.74	1/2	1,045.69	1/2	712.74	1/2	368.98	1/2	30.35	1/2		1/2		1/2	
3/4	2,066.11	3/4	1,722.35	3/4	1,378.58	3/4	1,038.84	3/4	705.58	3/4	361.82	3/4	25.88	3/4		3/4		3/4	
5	2,058.95	5	1,715.18	5	1,371.42	5	1,031.98	5	698.41	5	354.66	5	21.40	5		5		5	
1/4	2,051.79	1/4	1,708.02	1/4	1,364.26	1/4	1,025.13	1/4	691.25	1/4	347.50	1/4		1/4		1/4		1/4	
1/2	2,044.63	1/2	1,700.86	1/2	1,357.09	1/2	1,018.28	1/2	684.09	1/2	340.34	1/2		1/2		1/2		1/2	
3/4	2,037.46	3/4	1,693.70	3/4	1,349.93	3/4	1,011.42	3/4	676.93	3/4	333.18	3/4		3/4		3/4		3/4	
6	2,030.30	6	1,686.54	6	1,342.77	6	1,004.57	6	669.77	6	326.02	6		6		6		6	
1/4	2,023.14	1/4	1,679.37	1/4	1,335.61	1/4	997.72	1/4	662.61	1/4	318.85	1/4		1/4		1/4		1/4	
1/2	2,015.98	1/2	1,672.21	1/2	1,328.45	1/2	990.86	1/2	655.44	1/2	311.69	1/2		1/2		1/2		1/2	
3/4	2,008.82	3/4	1,665.05	3/4	1,321.28	3/4	984.01	3/4	648.28	3/4	304.53	3/4		3/4		3/4		3/4	
7	2,001.66	7	1,657.89	7	1,314.12	7	977.15	7	641.12	7	297.37	7		7		7		7	
1/4	1,994.49	1/4	1,650.73	1/4	1,306.96	1/4	970.30	1/4	633.96	1/4	290.21	1/4		1/4		1/4		1/4	
1/2	1,987.33	1/2	1,643.57	1/2	1,299.80	1/2	963.45	1/2	626.80	1/2	283.05	1/2		1/2		1/2		1/2	
3/4	1,980.17	3/4	1,636.40	3/4	1,292.64	3/4	956.59	3/4	619.64	3/4	275.89	3/4		3/4		3/4		3/4	
8	1,973.01	8	1,629.24	8	1,285.48	8	949.74	8	612.48	8	268.72	8		8		8		8	
1/4	1,965.85	1/4	1,622.08	1/4	1,278.31	1/4	942.89	1/4	605.31	1/4	261.56	1/4		1/4		1/4		1/4	
1/2	1,958.68	1/2	1,614.92	1/2	1,271.15	1/2	936.03	1/2	598.15	1/2	254.40	1/2		1/2		1/2		1/2	
3/4	1,951.52	3/4	1,607.76	3/4	1,263.99	3/4	929.18	3/4	590.99	3/4	247.24	3/4		3/4		3/4		3/4	
9	1,944.36	9	1,600.59	9	1,256.83	9	922.33	9	583.83	9	240.08	9		9		9		9	
1/4	1,937.20	1/4	1,593.43	1/4	1,249.67	1/4	915.47	1/4	576.67	1/4	232.92	1/4		1/4		1/4		1/4	
1/2	1,930.04	1/2	1,586.27	1/2	1,242.50	1/2	908.62	1/2	569.51	1/2	225.75	1/2		1/2		1/2		1/2	
3/4	1,922.88	3/4	1,579.11	3/4	1,235.34	3/4	901.76	3/4	562.35	3/4	218.59	3/4		3/4		3/4		3/4	
10	1,915.71	10	1,571.95	10	1,228.18	10	894.91	10	555.18	10	211.43	10		10		10		10	
1/4	1,908.55	1/4	1,564.79	1/4	1,221.02	1/4	888.06	1/4	548.02	1/4	204.27	1/4		1/4		1/4		1/4	
1/2	1,901.39	1/2	1,557.62	1/2	1,213.86	1/2	881.20	1/2	540.86	1/2	197.11	1/2		1/2		1/2		1/2	
3/4	1,894.23	3/4	1,550.46	3/4	1,206.70	3/4	874.35	3/4	533.70	3/4	189.95	3/4		3/4		3/4		3/4	
11	1,887.07	11	1,543.30	11	1,199.53	11	867.50	11	526.54	11	182.79	11		11		11		11	
1/4	1,879.90	1/4	1,536.14	1/4	1,192.37	1/4	860.64	1/4	519.38	1/4	175.62	1/4		1/4		1/4		1/4	
1/2	1,872.74	1/2	1,528.98	1/2	1,185.21	1/2	853.79	1/2	512.21	1/2	168.46	1/2		1/2		1/2		1/2	
3/4	1,865.58	3/4	1,521.81	3/4	1,178.05	3/4	846.92	3/4	505.05	3/4	161.30	3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/08/2021 CL
CALCULATED: 12/10/2021 CL
PRINTED: 12/10/2021 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2021

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>





BARGE "MPX 426"

2 STBD ULLAGE TABLE

HERMETIC GAUGE HEIGHT 16'-05"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0		0	4,958.76	0	4,617.28	0	4,275.15	0	3,931.66	0	3,588.21	0	3,244.82	0	2,901.39	0	2,557.91
1/4		1/4		1/4	4,951.69	1/4	4,610.15	1/4	4,268.00	1/4	3,924.51	1/4	3,581.05	1/4	3,237.67	1/4	2,894.24	1/4	2,550.75
1/2		1/2		1/2	4,944.61	1/2	4,603.03	1/2	4,260.84	1/2	3,917.35	1/2	3,573.90	1/2	3,230.51	1/2	2,887.08	1/2	2,543.59
3/4		3/4		3/4	4,937.53	3/4	4,595.91	3/4	4,253.68	3/4	3,910.20	3/4	3,566.75	3/4	3,223.36	3/4	2,879.93	3/4	2,536.44
1		1		1	4,930.45	1	4,588.78	1	4,246.53	1	3,903.04	1	3,559.59	1	3,216.21	1	2,872.77	1	2,529.28
1/4		1/4		1/4	4,923.37	1/4	4,581.66	1/4	4,239.37	1/4	3,895.88	1/4	3,552.44	1/4	3,209.05	1/4	2,865.61	1/4	2,522.13
1/2		1/2		1/2	4,916.30	1/2	4,574.54	1/2	4,232.22	1/2	3,888.73	1/2	3,545.29	1/2	3,201.90	1/2	2,858.46	1/2	2,514.97
3/4		3/4		3/4	4,909.22	3/4	4,567.41	3/4	4,225.06	3/4	3,881.57	3/4	3,538.13	3/4	3,194.74	3/4	2,851.30	3/4	2,507.81
2		2		2	4,902.14	2	4,560.29	2	4,217.90	2	3,874.42	2	3,530.98	2	3,187.59	2	2,844.15	2	2,500.66
1/4		1/4		1/4	4,895.06	1/4	4,553.17	1/4	4,210.75	1/4	3,867.26	1/4	3,523.82	1/4	3,180.44	1/4	2,836.99	1/4	2,493.50
1/2		1/2		1/2	4,887.96	1/2	4,546.04	1/2	4,203.59	1/2	3,860.10	1/2	3,516.67	1/2	3,173.28	1/2	2,829.83	1/2	2,486.35
3/4		3/4		3/4	4,880.83	3/4	4,538.92	3/4	4,196.44	3/4	3,852.95	3/4	3,509.52	3/4	3,166.13	3/4	2,822.68	3/4	2,479.19
3		3		3	4,873.71	3	4,531.80	3	4,189.28	3	3,845.79	3	3,502.36	3	3,158.97	3	2,815.52	3	2,472.03
1/4		1/4		1/4	4,866.59	1/4	4,524.67	1/4	4,182.12	1/4	3,838.64	1/4	3,495.21	1/4	3,151.82	1/4	2,808.37	1/4	2,464.88
1/2		1/2		1/2	4,859.47	1/2	4,517.55	1/2	4,174.97	1/2	3,831.48	1/2	3,488.05	1/2	3,144.67	1/2	2,801.21	1/2	2,457.72
3/4		3/4		3/4	4,852.34	3/4	4,510.43	3/4	4,167.81	3/4	3,824.32	3/4	3,480.90	3/4	3,137.51	3/4	2,794.05	3/4	2,450.57
4		4		4	4,845.22	4	4,503.31	4	4,160.66	4	3,817.17	4	3,473.75	4	3,130.36	4	2,786.90	4	2,443.41
1/4		1/4		1/4	4,838.10	1/4	4,496.18	1/4	4,153.50	1/4	3,810.01	1/4	3,466.59	1/4	3,123.21	1/4	2,779.74	1/4	2,436.25
1/2		1/2		1/2	4,830.97	1/2	4,489.06	1/2	4,146.34	1/2	3,802.86	1/2	3,459.44	1/2	3,116.05	1/2	2,772.59	1/2	2,429.10
3/4		3/4		3/4	4,823.85	3/4	4,481.94	3/4	4,139.19	3/4	3,795.70	3/4	3,452.28	3/4	3,108.90	3/4	2,765.43	3/4	2,421.94
5		5		5	4,816.73	5	4,474.81	5	4,132.03	5	3,788.54	5	3,445.13	5	3,101.74	5	2,758.27	5	2,414.79
1/4		1/4		1/4	4,809.60	1/4	4,467.69	1/4	4,124.88	1/4	3,781.39	1/4	3,437.98	1/4	3,094.59	1/4	2,751.12	1/4	2,407.63
1/2		1/2		1/2	4,802.48	1/2	4,460.57	1/2	4,117.72	1/2	3,774.23	1/2	3,430.82	1/2	3,087.44	1/2	2,743.96	1/2	2,400.47
3/4		3/4		3/4	4,795.36	3/4	4,453.44	3/4	4,110.56	3/4	3,767.08	3/4	3,423.67	3/4	3,080.28	3/4	2,736.81	3/4	2,393.32
6		6		6	4,788.23	6	4,446.32	6	4,103.41	6	3,759.92	6	3,416.52	6	3,073.13	6	2,729.65	6	2,386.16
1/4		1/4	5,092.64	1/4	4,781.11	1/4	4,439.20	1/4	4,096.25	1/4	3,752.76	1/4	3,409.36	1/4	3,065.97	1/4	2,722.49	1/4	2,379.01
1/2		1/2	5,090.74	1/2	4,773.99	1/2	4,432.07	1/2	4,089.10	1/2	3,745.61	1/2	3,402.21	1/2	3,058.83	1/2	2,715.34	1/2	2,371.85
3/4		3/4	5,086.94	3/4	4,766.86	3/4	4,424.95	3/4	4,081.94	3/4	3,738.45	3/4	3,395.05	3/4	3,051.67	3/4	2,708.18	3/4	2,364.69
7		7	5,083.14	7	4,759.74	7	4,417.83	7	4,074.78	7	3,731.30	7	3,387.90	7	3,044.51	7	2,701.03	7	2,357.54
1/4		1/4	5,079.35	1/4	4,752.62	1/4	4,410.70	1/4	4,067.63	1/4	3,724.14	1/4	3,380.75	1/4	3,037.36	1/4	2,693.87	1/4	2,350.38
1/2		1/2	5,074.95	1/2	4,745.49	1/2	4,403.58	1/2	4,060.47	1/2	3,716.98	1/2	3,373.59	1/2	3,030.20	1/2	2,686.71	1/2	2,343.23
3/4		3/4	5,069.96	3/4	4,738.37	3/4	4,396.46	3/4	4,053.32	3/4	3,709.83	3/4	3,366.44	3/4	3,023.05	3/4	2,679.56	3/4	2,336.07
8		8	5,064.97	8	4,731.25	8	4,389.33	8	4,046.16	8	3,702.67	8	3,359.28	8	3,015.89	8	2,672.40	8	2,328.91
1/4		1/4	5,059.98	1/4	4,724.12	1/4	4,382.21	1/4	4,039.00	1/4	3,695.52	1/4	3,352.13	1/4	3,008.73	1/4	2,665.25	1/4	2,321.76
1/2		1/2	5,054.39	1/2	4,717.00	1/2	4,375.09	1/2	4,031.85	1/2	3,688.36	1/2	3,344.98	1/2	3,001.58	1/2	2,658.09	1/2	2,314.60
3/4		3/4	5,048.21	3/4	4,709.88	3/4	4,367.96	3/4	4,024.69	3/4	3,681.21	3/4	3,337.82	3/4	2,994.42	3/4	2,650.93	3/4	2,307.45
9		9	5,042.02	9	4,702.75	9	4,360.84	9	4,017.54	9	3,674.06	9	3,330.67	9	2,987.27	9	2,643.78	9	2,300.29
1/4		1/4	5,035.84	1/4	4,695.63	1/4	4,353.72	1/4	4,010.38	1/4	3,666.90	1/4	3,323.51	1/4	2,980.11	1/4	2,636.62	1/4	2,293.13
1/2		1/2	5,029.24	1/2	4,688.51	1/2	4,346.59	1/2	4,003.22	1/2	3,659.75	1/2	3,316.36	1/2	2,972.95	1/2	2,629.47	1/2	2,285.98
3/4		3/4	5,022.23	3/4	4,681.39	3/4	4,339.47	3/4	3,996.07	3/4	3,652.59	3/4	3,309.21	3/4	2,965.80	3/4	2,622.31	3/4	2,278.82
10		10	5,015.22	10	4,674.26	10	4,332.35	10	3,988.91	10	3,645.44	10	3,302.05	10	2,958.64	10	2,615.15	10	2,271.67
1/4		1/4	5,008.21	1/4	4,667.14	1/4	4,325.23	1/4	3,981.76	1/4	3,638.29	1/4	3,294.90	1/4	2,951.49	1/4	2,608.00	1/4	2,264.51
1/2		1/2	5,001.18	1/2	4,660.02	1/2	4,318.09	1/2	3,974.60	1/2	3,631.13	1/2	3,287.74	1/2	2,944.33	1/2	2,600.84	1/2	2,257.35
3/4		3/4	4,994.11	3/4	4,652.89	3/4	4,310.93	3/4	3,967.44	3/4	3,623.98	3/4	3,280.59	3/4	2,937.17	3/4	2,593.69	3/4	2,250.20
11		11	4,987.05	11	4,645.77	11	4,303.78	11	3,960.29	11	3,616.82	11	3,273.44	11	2,930.02	11	2,586.53	11	2,243.04
1/4		1/4	4,979.99	1/4	4,638.65	1/4	4,296.62	1/4	3,953.13	1/4	3,609.67	1/4	3,266.28	1/4	2,922.86	1/4	2,579.37	1/4	2,235.89
1/2		1/2	4,972.92	1/2	4,631.52	1/2	4,289.46	1/2	3,945.98	1/2	3,602.52	1/2	3,259.13	1/2	2,915.71	1/2	2,572.22	1/2	2,228.73
3/4		3/4	4,965.84	3/4	4,624.40	3/4	4,282.31	3/4	3,938.82	3/4	3,595.36	3/4	3,251.98	3/4	2,908.55	3/4	2,565.06	3/4	2,221.57

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.

GAUGE POINT: (HERMETIC) LOCATED 11'-06" OFF CENTERLINE AND 42'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092

Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPX 426"

2 STBD
ULLAGE TABLE
HERMETIC
GAUGE HEIGHT 16'-05"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,214.42	0	1,870.93	0	1,527.44	0	1,183.95	0	840.96	0	497.49	0	154.02	0		0		0	
1/4	2,207.26	1/4	1,863.77	1/4	1,520.29	1/4	1,176.80	1/4	833.80	1/4	490.34	1/4	146.86	1/4	1/4	1/4	1/4	1/4	
1/2	2,200.11	1/2	1,856.62	1/2	1,513.13	1/2	1,169.64	1/2	826.65	1/2	483.18	1/2	139.71	1/2	1/2	1/2	1/2	1/2	
3/4	2,192.95	3/4	1,849.46	3/4	1,505.97	3/4	1,162.49	3/4	819.50	3/4	476.02	3/4	132.55	3/4	3/4	3/4	3/4	3/4	
1	2,185.79	1	1,842.31	1	1,498.82	1	1,155.33	1	812.34	1	468.87	1	125.40	1	1	1	1	1	
1/4	2,178.64	1/4	1,835.15	1/4	1,491.66	1/4	1,148.17	1/4	805.19	1/4	461.71	1/4	118.24	1/4	1/4	1/4	1/4	1/4	
1/2	2,171.48	1/2	1,827.99	1/2	1,484.51	1/2	1,141.02	1/2	798.03	1/2	454.56	1/2	111.09	1/2	1/2	1/2	1/2	1/2	
3/4	2,164.33	3/4	1,820.84	3/4	1,477.35	3/4	1,133.86	3/4	790.88	3/4	447.40	3/4	103.95	3/4	3/4	3/4	3/4	3/4	
2	2,157.17	2	1,813.68	2	1,470.19	2	1,126.71	2	783.72	2	440.25	2	96.80	2	2	2	2	2	
1/4	2,150.01	1/4	1,806.53	1/4	1,463.04	1/4	1,119.55	1/4	776.56	1/4	433.09	1/4	89.66	1/4	1/4	1/4	1/4	1/4	
1/2	2,142.86	1/2	1,799.37	1/2	1,455.88	1/2	1,112.40	1/2	769.41	1/2	425.93	1/2	82.53	1/2	1/2	1/2	1/2	1/2	
3/4	2,135.70	3/4	1,792.21	3/4	1,448.73	3/4	1,105.25	3/4	762.25	3/4	418.78	3/4	75.41	3/4	3/4	3/4	3/4	3/4	
3	2,128.55	3	1,785.06	3	1,441.57	3	1,098.10	3	755.10	3	411.62	3	68.29	3	3	3	3	3	
1/4	2,121.39	1/4	1,777.90	1/4	1,434.41	1/4	1,090.95	1/4	747.94	1/4	404.47	1/4	61.17	1/4	1/4	1/4	1/4	1/4	
1/2	2,114.23	1/2	1,770.75	1/2	1,427.26	1/2	1,083.80	1/2	740.79	1/2	397.31	1/2	54.48	1/2	1/2	1/2	1/2	1/2	
3/4	2,107.08	3/4	1,763.59	3/4	1,420.10	3/4	1,076.66	3/4	733.63	3/4	390.16	3/4	48.22	3/4	3/4	3/4	3/4	3/4	
4	2,099.92	4	1,756.43	4	1,412.95	4	1,069.52	4	726.47	4	383.00	4	41.96	4	4	4	4	4	
1/4	2,092.77	1/4	1,749.28	1/4	1,405.79	1/4	1,062.38	1/4	719.32	1/4	375.84	1/4	35.70	1/4	1/4	1/4	1/4	1/4	
1/2	2,085.61	1/2	1,742.12	1/2	1,398.63	1/2	1,055.23	1/2	712.16	1/2	368.69	1/2	30.33	1/2	1/2	1/2	1/2	1/2	
3/4	2,078.45	3/4	1,734.97	3/4	1,391.48	3/4	1,048.09	3/4	705.01	3/4	361.53	3/4	25.86	3/4	3/4	3/4	3/4	3/4	
5	2,071.30	5	1,727.81	5	1,384.32	5	1,040.95	5	697.85	5	354.38	5	21.39	5	5	5	5	5	
1/4	2,064.14	1/4	1,720.65	1/4	1,377.17	1/4	1,033.81	1/4	690.70	1/4	347.22	1/4		1/4	1/4	1/4	1/4	1/4	
1/2	2,056.99	1/2	1,713.50	1/2	1,370.01	1/2	1,026.67	1/2	683.54	1/2	340.07	1/2		1/2	1/2	1/2	1/2	1/2	
3/4	2,049.83	3/4	1,706.34	3/4	1,362.85	3/4	1,019.52	3/4	676.38	3/4	332.91	3/4		3/4	3/4	3/4	3/4	3/4	
6	2,042.67	6	1,699.19	6	1,355.70	6	1,012.38	6	669.23	6	325.75	6	6	6	6	6	6	6	
1/4	2,035.52	1/4	1,692.03	1/4	1,348.54	1/4	1,005.24	1/4	662.07	1/4	318.60	1/4		1/4	1/4	1/4	1/4	1/4	
1/2	2,028.36	1/2	1,684.87	1/2	1,341.39	1/2	998.10	1/2	654.92	1/2	311.44	1/2		1/2	1/2	1/2	1/2	1/2	
3/4	2,021.21	3/4	1,677.72	3/4	1,334.23	3/4	990.96	3/4	647.76	3/4	304.29	3/4		3/4	3/4	3/4	3/4	3/4	
7	2,014.05	7	1,670.56	7	1,327.07	7	983.81	7	640.61	7	297.13	7	7	7	7	7	7	7	
1/4	2,006.89	1/4	1,663.41	1/4	1,319.92	1/4	976.67	1/4	633.45	1/4	289.98	1/4		1/4	1/4	1/4	1/4	1/4	
1/2	1,999.74	1/2	1,656.25	1/2	1,312.76	1/2	969.53	1/2	626.29	1/2	282.82	1/2		1/2	1/2	1/2	1/2	1/2	
3/4	1,992.58	3/4	1,649.09	3/4	1,305.61	3/4	962.39	3/4	619.14	3/4	275.66	3/4		3/4	3/4	3/4	3/4	3/4	
8	1,985.43	8	1,641.94	8	1,298.45	8	955.25	8	611.98	8	268.51	8	8	8	8	8	8	8	
1/4	1,978.27	1/4	1,634.78	1/4	1,291.29	1/4	948.10	1/4	604.83	1/4	261.35	1/4		1/4	1/4	1/4	1/4	1/4	
1/2	1,971.11	1/2	1,627.63	1/2	1,284.14	1/2	940.96	1/2	597.67	1/2	254.20	1/2		1/2	1/2	1/2	1/2	1/2	
3/4	1,963.96	3/4	1,620.47	3/4	1,276.98	3/4	933.82	3/4	590.52	3/4	247.04	3/4		3/4	3/4	3/4	3/4	3/4	
9	1,956.80	9	1,613.31	9	1,269.83	9	926.68	9	583.36	9	239.89	9	9	9	9	9	9	9	
1/4	1,949.65	1/4	1,606.16	1/4	1,262.67	1/4	919.54	1/4	576.20	1/4	232.73	1/4		1/4	1/4	1/4	1/4	1/4	
1/2	1,942.49	1/2	1,599.00	1/2	1,255.51	1/2	912.40	1/2	569.05	1/2	225.57	1/2		1/2	1/2	1/2	1/2	1/2	
3/4	1,935.33	3/4	1,591.85	3/4	1,248.36	3/4	905.25	3/4	561.89	3/4	218.42	3/4		3/4	3/4	3/4	3/4	3/4	
10	1,928.18	10	1,584.69	10	1,241.20	10	898.11	10	554.74	10	211.26	10	10	10	10	10	10	10	
1/4	1,921.02	1/4	1,577.53	1/4	1,234.05	1/4	890.97	1/4	547.58	1/4	204.11	1/4		1/4	1/4	1/4	1/4	1/4	
1/2	1,913.87	1/2	1,570.38	1/2	1,226.89	1/2	883.83	1/2	540.43	1/2	196.95	1/2		1/2	1/2	1/2	1/2	1/2	
3/4	1,906.71	3/4	1,563.22	3/4	1,219.73	3/4	876.69	3/4	533.27	3/4	189.80	3/4		3/4	3/4	3/4	3/4	3/4	
11	1,899.55	11	1,556.07	11	1,212.58	11	869.55	11	526.11	11	182.64	11	11	11	11	11	11	11	
1/4	1,892.40	1/4	1,548.91	1/4	1,205.42	1/4	862.40	1/4	518.96	1/4	175.48	1/4		1/4	1/4	1/4	1/4	1/4	
1/2	1,885.24	1/2	1,541.75	1/2	1,198.27	1/2	855.26	1/2	511.80	1/2	168.33	1/2		1/2	1/2	1/2	1/2	1/2	
3/4	1,878.09	3/4	1,534.60	3/4	1,191.11	3/4	848.11	3/4	504.65	3/4	161.17	3/4		3/4	3/4	3/4	3/4	3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/08/2021 CL
CALCULATED: 12/10/2021 CL
PRINTED: 12/10/2021 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2021

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPX 426"

3 PORT ULLAGE TABLE

HERMETIC GAUGE HEIGHT 16'-04 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0	0	0	0	4,305.78	0	4,097.21	0	3,888.26	0	3,678.52	0	3,469.04	0	3,206.75	0	2,865.33	0	2,523.79	
1/4	1/4	1/4	1/4	4,301.46	1/4	4,092.86	1/4	3,883.89	1/4	3,674.16	1/4	3,464.69	1/4	3,199.66	1/4	2,858.21	1/4	2,516.67	
1/2	1/2	1/2	1/2	4,297.14	1/2	4,088.51	1/2	3,879.52	1/2	3,669.79	1/2	3,460.33	1/2	3,192.56	1/2	2,851.10	1/2	2,509.56	
3/4	3/4	3/4	3/4	4,292.82	3/4	4,084.16	3/4	3,875.15	3/4	3,665.42	3/4	3,455.98	3/4	3,185.47	3/4	2,843.98	3/4	2,502.44	
1	1	1	1	4,288.50	1	4,079.81	1	3,870.78	1	3,661.05	1	3,451.63	1	3,178.38	1	2,838.87	1	2,495.32	
1/4	1/4	1/4	1/4	4,284.17	1/4	4,075.46	1/4	3,866.41	1/4	3,656.68	1/4	3,447.27	1/4	3,171.28	1/4	2,829.75	1/4	2,488.20	
1/2	1/2	1/2	1/2	4,279.85	1/2	4,071.11	1/2	3,862.04	1/2	3,652.31	1/2	3,442.92	1/2	3,164.19	1/2	2,822.64	1/2	2,481.09	
3/4	3/4	3/4	3/4	4,275.53	3/4	4,066.76	3/4	3,857.67	3/4	3,647.94	3/4	3,438.56	3/4	3,157.09	3/4	2,815.52	3/4	2,473.97	
2	2	2	2	4,271.21	2	4,062.41	2	3,853.30	2	3,643.57	2	3,434.21	2	3,150.00	2	2,808.41	2	2,466.86	
1/4	1/4	1/4	1/4	4,266.87	1/4	4,058.06	1/4	3,848.93	1/4	3,639.20	1/4	3,429.86	1/4	3,142.91	1/4	2,801.29	1/4	2,459.74	
1/2	1/2	1/2	1/2	4,262.52	1/2	4,053.71	1/2	3,844.56	1/2	3,634.83	1/2	3,425.50	1/2	3,135.81	1/2	2,794.18	1/2	2,452.62	
3/4	3/4	3/4	3/4	4,258.17	3/4	4,049.36	3/4	3,840.19	3/4	3,630.46	3/4	3,421.15	3/4	3,128.72	3/4	2,787.06	3/4	2,445.51	
3	3	3	3	4,253.82	3	4,045.01	3	3,835.82	3	3,626.09	3	3,416.80	3	3,121.62	3	2,779.94	3	2,438.39	
1/4	1/4	1/4	1/4	4,249.47	1/4	4,040.66	1/4	3,831.45	1/4	3,621.72	1/4	3,412.44	1/4	3,114.52	1/4	2,772.83	1/4	2,431.27	
1/2	1/2	1/2	1/2	4,245.12	1/2	4,036.31	1/2	3,827.08	1/2	3,617.35	1/2	3,408.09	1/2	3,107.41	1/2	2,765.71	1/2	2,424.16	
3/4	3/4	3/4	3/4	4,240.77	3/4	4,031.96	3/4	3,822.71	3/4	3,612.98	3/4	3,403.74	3/4	3,100.30	3/4	2,758.60	3/4	2,417.04	
4	4	4	4	4,236.42	4	4,027.61	4	3,818.35	4	3,608.61	4	3,399.38	4	3,093.18	4	2,751.48	4	2,409.92	
1/4	1/4	1/4	1/4	4,232.07	1/4	4,023.26	1/4	3,813.98	1/4	3,604.24	1/4	3,395.03	1/4	3,086.07	1/4	2,744.37	1/4	2,402.81	
1/2	1/2	1/2	1/2	4,227.72	1/2	4,018.91	1/2	3,809.61	1/2	3,599.88	1/2	3,390.68	1/2	3,078.96	1/2	2,737.25	1/2	2,395.69	
3/4	3/4	3/4	3/4	4,223.37	3/4	4,014.55	3/4	3,805.24	3/4	3,595.51	3/4	3,386.32	3/4	3,071.85	3/4	2,730.14	3/4	2,388.57	
5	5	5	5	4,219.02	5	4,010.20	5	3,800.87	5	3,591.14	5	3,381.97	5	3,064.74	5	2,723.02	5	2,381.46	
1/4	1/4	1/4	1/4	4,214.67	1/4	4,005.85	1/4	3,796.50	1/4	3,586.77	1/4	3,377.62	1/4	3,057.63	1/4	2,715.90	1/4	2,374.34	
1/2	1/2	1/2	1/2	4,210.32	1/2	4,001.50	1/2	3,792.13	1/2	3,582.40	1/2	3,373.29	1/2	3,050.52	1/2	2,708.79	1/2	2,367.22	
3/4	3/4	3/4	3/4	4,205.97	3/4	3,997.15	3/4	3,787.76	3/4	3,578.03	3/4	3,368.95	3/4	3,043.40	3/4	2,701.67	3/4	2,360.11	
6	6	4,384.68	6	4,201.62	6	3,992.80	6	3,783.39	6	3,573.66	6	3,364.62	6	3,036.29	6	2,694.56	6	2,352.99	
1/4	1/4	4,383.83	1/4	4,197.27	1/4	3,988.45	1/4	3,779.02	1/4	3,569.29	1/4	3,360.28	1/4	3,029.17	1/4	2,687.44	1/4	2,345.87	
1/2	1/2	4,382.12	1/2	4,192.92	1/2	3,984.10	1/2	3,774.65	1/2	3,564.92	1/2	3,355.95	1/2	3,022.04	1/2	2,680.33	1/2	2,338.76	
3/4	3/4	4,380.41	3/4	4,188.57	3/4	3,979.75	3/4	3,770.28	3/4	3,560.55	3/4	3,351.61	3/4	3,014.92	3/4	2,673.21	3/4	2,331.64	
7	7	4,378.71	7	4,184.22	7	3,975.40	7	3,765.91	7	3,556.18	7	3,347.28	7	3,007.79	7	2,666.10	7	2,324.53	
1/4	1/4	4,376.73	1/4	4,179.87	1/4	3,971.05	1/4	3,761.54	1/4	3,551.81	1/4	3,341.56	1/4	3,000.66	1/4	2,658.98	1/4	2,317.41	
1/2	1/2	4,374.49	1/2	4,175.52	1/2	3,966.70	1/2	3,757.17	1/2	3,547.44	1/2	3,334.46	1/2	2,993.54	1/2	2,651.87	1/2	2,310.29	
3/4	3/4	4,372.24	3/4	4,171.17	3/4	3,962.35	3/4	3,752.80	3/4	3,543.07	3/4	3,327.37	3/4	2,986.41	3/4	2,644.75	3/4	2,303.18	
8	8	4,370.00	8	4,166.82	8	3,958.00	8	3,748.44	8	3,538.70	8	3,320.27	8	2,979.28	8	2,637.63	8	2,296.06	
1/4	1/4	4,367.16	1/4	4,162.47	1/4	3,953.65	1/4	3,744.07	1/4	3,534.34	1/4	3,313.18	1/4	2,972.15	1/4	2,630.52	1/4	2,288.94	
1/2	1/2	4,363.73	1/2	4,158.11	1/2	3,949.30	1/2	3,739.70	1/2	3,529.99	1/2	3,306.08	1/2	2,965.03	1/2	2,623.40	1/2	2,281.83	
3/4	3/4	4,360.30	3/4	4,153.76	3/4	3,944.95	3/4	3,735.33	3/4	3,525.64	3/4	3,298.99	3/4	2,957.90	3/4	2,616.29	3/4	2,274.71	
9	9	4,356.87	9	4,149.41	9	3,940.60	9	3,730.96	9	3,521.28	9	3,291.89	9	2,950.77	9	2,609.17	9	2,267.59	
1/4	1/4	4,353.03	1/4	4,145.06	1/4	3,936.25	1/4	3,726.59	1/4	3,516.93	1/4	3,284.79	1/4	2,943.64	1/4	2,602.06	1/4	2,260.48	
1/2	1/2	4,348.77	1/2	4,140.71	1/2	3,931.90	1/2	3,722.22	1/2	3,512.58	1/2	3,277.70	1/2	2,936.52	1/2	2,594.94	1/2	2,253.36	
3/4	3/4	4,344.52	3/4	4,136.36	3/4	3,927.55	3/4	3,717.85	3/4	3,508.22	3/4	3,270.60	3/4	2,929.39	3/4	2,587.83	3/4	2,246.24	
10	10	4,340.26	10	4,132.01	10	3,923.20	10	3,713.48	10	3,503.87	10	3,263.51	10	2,922.26	10	2,580.71	10	2,239.13	
1/4	1/4	4,335.98	1/4	4,127.66	1/4	3,918.84	1/4	3,709.11	1/4	3,499.52	1/4	3,256.41	1/4	2,915.14	1/4	2,573.59	1/4	2,232.01	
1/2	1/2	4,331.67	1/2	4,123.31	1/2	3,914.47	1/2	3,704.74	1/2	3,495.16	1/2	3,249.32	1/2	2,908.02	1/2	2,566.48	1/2	2,224.89	
3/4	3/4	4,327.37	3/4	4,118.96	3/4	3,910.10	3/4	3,700.37	3/4	3,490.81	3/4	3,242.22	3/4	2,900.91	3/4	2,559.36	3/4	2,217.78	
11	11	4,323.06	11	4,114.61	11	3,905.73	11	3,696.00	11	3,486.45	11	3,235.13	11	2,893.79	11	2,552.25	11	2,210.66	
1/4	1/4	4,318.74	1/4	4,110.26	1/4	3,901.36	1/4	3,691.63	1/4	3,482.10	1/4	3,228.04	1/4	2,886.68	1/4	2,545.13	1/4	2,203.54	
1/2	1/2	4,314.42	1/2	4,105.91	1/2	3,896.99	1/2	3,687.26	1/2	3,477.75	1/2	3,220.94	1/2	2,879.56	1/2	2,538.02	1/2	2,196.43	
3/4	3/4	4,310.10	3/4	4,101.56	3/4	3,892.63	3/4	3,682.89	3/4	3,473.39	3/4	3,213.85	3/4	2,872.45	3/4	2,530.90	3/4	2,189.31	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.
 GAUGE POINT: (HERMETIC) LOCATED 11'-06" OFF CENTERLINE AND 42'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPX 426"

**3 PORT
ULLAGE TABLE
HERMETIC
GAUGE HEIGHT 16'-04 3/4"**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,182.20	0	1,840.60	0	1,499.01	0	1,157.42	0	828.92	0	488.34	0	146.32	0		0		0	
1/4	2,175.08	1/4	1,833.49	1/4	1,491.89	1/4	1,150.30	1/4	822.07	1/4	481.22	1/4	139.19	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,167.96	1/2	1,826.37	1/2	1,484.78	1/2	1,143.19	1/2	815.18	1/2	474.10	1/2	132.06	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,160.85	3/4	1,819.25	3/4	1,477.66	3/4	1,136.07	3/4	808.29	3/4	466.99	3/4	124.93	3/4	3/4	3/4	3/4	3/4	3/4
1	2,153.73	1	1,812.14	1	1,470.55	1	1,128.95	1	801.41	1	459.87	1	117.81	1	1	1	1	1	1
1/4	2,146.61	1/4	1,805.02	1/4	1,463.43	1/4	1,121.95	1/4	794.41	1/4	452.75	1/4	110.68	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,139.50	1/2	1,797.90	1/2	1,456.31	1/2	1,115.07	1/2	787.29	1/2	445.63	1/2	103.56	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,132.38	3/4	1,790.79	3/4	1,449.20	3/4	1,108.18	3/4	780.17	3/4	438.52	3/4	96.45	3/4	3/4	3/4	3/4	3/4	3/4
2	2,125.26	2	1,783.67	2	1,442.08	2	1,101.30	2	773.05	2	431.40	2	89.33	2	2	2	2	2	2
1/4	2,118.15	1/4	1,776.55	1/4	1,434.96	1/4	1,094.45	1/4	766.93	1/4	424.28	1/4	82.22	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,111.03	1/2	1,769.44	1/2	1,427.85	1/2	1,087.63	1/2	758.82	1/2	417.16	1/2	75.13	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,103.91	3/4	1,762.32	3/4	1,420.73	3/4	1,080.82	3/4	751.70	3/4	410.04	3/4	68.03	3/4	3/4	3/4	3/4	3/4	3/4
3	2,096.80	3	1,755.21	3	1,413.61	3	1,074.00	3	744.58	3	402.93	3	60.94	3	3	3	3	3	3
1/4	2,089.68	1/4	1,748.09	1/4	1,406.50	1/4	1,067.19	1/4	737.46	1/4	395.81	1/4	54.28	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,082.56	1/2	1,740.97	1/2	1,399.38	1/2	1,060.38	1/2	730.35	1/2	388.69	1/2	48.04	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,075.45	3/4	1,733.86	3/4	1,392.26	3/4	1,053.58	3/4	723.23	3/4	381.57	3/4	41.80	3/4	3/4	3/4	3/4	3/4	3/4
4	2,068.33	4	1,726.74	4	1,385.15	4	1,046.77	4	716.11	4	374.46	4	35.57	4	4	4	4	4	4
1/4	2,061.21	1/4	1,719.62	1/4	1,378.03	1/4	1,039.96	1/4	708.99	1/4	367.33	1/4	30.22	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,054.10	1/2	1,712.51	1/2	1,370.91	1/2	1,033.15	1/2	701.87	1/2	360.20	1/2	25.76	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,046.98	3/4	1,705.39	3/4	1,363.80	3/4	1,026.35	3/4	694.76	3/4	353.07	3/4	21.31	3/4	3/4	3/4	3/4	3/4	3/4
5	2,039.87	5	1,698.27	5	1,356.68	5	1,019.54	5	687.64	5	345.94	5	15.58	5	5	5	5	5	5
1/4	2,032.75	1/4	1,691.16	1/4	1,349.56	1/4	1,012.73	1/4	680.52	1/4	338.81	1/4	10.82	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,025.63	1/2	1,684.04	1/2	1,342.45	1/2	1,005.93	1/2	673.40	1/2	331.68	1/2	6.07	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,018.52	3/4	1,676.92	3/4	1,335.33	3/4	999.12	3/4	666.29	3/4	324.55	3/4	1.32	3/4	3/4	3/4	3/4	3/4	3/4
6	2,011.40	6	1,669.81	6	1,328.22	6	992.31	6	659.17	6	317.43	6	0.57	6	6	6	6	6	6
1/4	2,004.28	1/4	1,662.69	1/4	1,321.10	1/4	985.50	1/4	652.05	1/4	310.30	1/4	0.11	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,997.17	1/2	1,655.57	1/2	1,313.98	1/2	978.70	1/2	644.93	1/2	303.17	1/2	0.25	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,990.05	3/4	1,648.46	3/4	1,306.87	3/4	971.89	3/4	637.81	3/4	296.04	3/4	0.39	3/4	3/4	3/4	3/4	3/4	3/4
7	1,982.93	7	1,641.34	7	1,299.75	7	965.08	7	630.70	7	288.91	7	0.53	7	7	7	7	7	7
1/4	1,975.82	1/4	1,634.22	1/4	1,292.63	1/4	958.28	1/4	623.58	1/4	281.78	1/4	0.67	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,968.70	1/2	1,627.11	1/2	1,285.52	1/2	951.47	1/2	616.46	1/2	274.65	1/2	0.81	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,961.58	3/4	1,619.99	3/4	1,278.40	3/4	944.66	3/4	609.34	3/4	267.52	3/4	0.95	3/4	3/4	3/4	3/4	3/4	3/4
8	1,954.47	8	1,612.88	8	1,271.28	8	937.85	8	602.22	8	260.39	8	1.09	8	8	8	8	8	8
1/4	1,947.35	1/4	1,605.76	1/4	1,264.17	1/4	931.05	1/4	595.11	1/4	253.26	1/4	1.23	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,940.23	1/2	1,598.64	1/2	1,257.05	1/2	924.24	1/2	587.99	1/2	246.13	1/2	1.37	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,933.12	3/4	1,591.53	3/4	1,249.93	3/4	917.43	3/4	580.87	3/4	239.00	3/4	1.51	3/4	3/4	3/4	3/4	3/4	3/4
9	1,926.00	9	1,584.41	9	1,242.82	9	910.63	9	573.75	9	231.87	9	1.65	9	9	9	9	9	9
1/4	1,918.88	1/4	1,577.29	1/4	1,235.70	1/4	903.82	1/4	566.64	1/4	224.74	1/4	1.79	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,911.77	1/2	1,570.18	1/2	1,228.58	1/2	897.01	1/2	559.52	1/2	217.61	1/2	1.93	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,904.65	3/4	1,563.06	3/4	1,221.47	3/4	890.21	3/4	552.40	3/4	210.48	3/4	2.07	3/4	3/4	3/4	3/4	3/4	3/4
10	1,897.54	10	1,555.94	10	1,214.35	10	883.40	10	545.28	10	203.35	10	2.21	10	10	10	10	10	10
1/4	1,890.42	1/4	1,548.83	1/4	1,207.23	1/4	876.59	1/4	538.16	1/4	196.23	1/4	2.35	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,883.30	1/2	1,541.71	1/2	1,200.12	1/2	869.79	1/2	531.05	1/2	189.10	1/2	2.49	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,876.19	3/4	1,534.59	3/4	1,193.00	3/4	862.98	3/4	523.93	3/4	181.97	3/4	2.63	3/4	3/4	3/4	3/4	3/4	3/4
11	1,869.07	11	1,527.48	11	1,185.89	11	856.17	11	516.81	11	174.84	11	2.77	11	11	11	11	11	11
1/4	1,861.95	1/4	1,520.36	1/4	1,178.77	1/4	849.36	1/4	509.69	1/4	167.71	1/4	2.91	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,854.84	1/2	1,513.24	1/2	1,171.65	1/2	842.55	1/2	502.58	1/2	160.58	1/2	3.05	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,847.72	3/4	1,506.13	3/4	1,164.54	3/4	835.73	3/4	495.46	3/4	153.45	3/4	3.19	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/08/2021 CL
CALCULATED: 12/10/2021 CL
PRINTED: 12/10/2021 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2021



BARGE "MPX 426"

3 STBD

ULLAGE TABLE

HERMETIC

GAUGE HEIGHT 16'-04 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,187.14	0	1,845.68	0	1,504.21	0	1,162.75	0	821.79	0	480.34	0	138.88	0		0		0	
1/4	2,180.02	1/4	1,838.56	1/4	1,497.10	1/4	1,155.64	1/4	814.68	1/4	473.22	1/4	131.77	1/4	1/4	1/4		1/4	
1/2	2,172.91	1/2	1,831.45	1/2	1,489.99	1/2	1,148.52	1/2	807.56	1/2	466.11	1/2	124.66	1/2	1/2	1/2		1/2	
3/4	2,165.80	3/4	1,824.33	3/4	1,482.87	3/4	1,141.41	3/4	800.45	3/4	459.00	3/4	117.55	3/4	3/4	3/4		3/4	
1	2,158.68	1	1,817.22	1	1,475.76	1	1,134.30	1	793.33	1	451.88	1	110.44	1	1	1		1	
1/4	2,151.57	1/4	1,810.11	1/4	1,468.64	1/4	1,127.18	1/4	786.22	1/4	444.77	1/4	103.34	1/4	1/4	1/4		1/4	
1/2	2,144.46	1/2	1,802.99	1/2	1,461.53	1/2	1,120.07	1/2	779.11	1/2	437.65	1/2	96.23	1/2	1/2	1/2		1/2	
3/4	2,137.34	3/4	1,795.88	3/4	1,454.42	3/4	1,112.95	3/4	771.99	3/4	430.54	3/4	89.13	3/4	3/4	3/4		3/4	
2	2,130.23	2	1,788.77	2	1,447.30	2	1,105.84	2	764.88	2	423.43	2	82.04	2	2	2		2	
1/4	2,123.11	1/4	1,781.65	1/4	1,440.19	1/4	1,098.74	1/4	757.77	1/4	416.31	1/4	74.96	1/4	1/4	1/4		1/4	
1/2	2,116.00	1/2	1,774.54	1/2	1,433.08	1/2	1,091.63	1/2	750.65	1/2	409.20	1/2	67.89	1/2	1/2	1/2		1/2	
3/4	2,108.89	3/4	1,767.42	3/4	1,425.96	3/4	1,084.52	3/4	743.54	3/4	402.09	3/4	60.81	3/4	3/4	3/4		3/4	
3	2,101.77	3	1,760.31	3	1,418.85	3	1,077.42	3	736.43	3	394.97	3	54.16	3	3	3		3	
1/4	2,094.66	1/4	1,753.20	1/4	1,411.73	1/4	1,070.32	1/4	729.31	1/4	387.86	1/4	47.93	1/4	1/4	1/4		1/4	
1/2	2,087.55	1/2	1,746.08	1/2	1,404.62	1/2	1,063.22	1/2	722.20	1/2	380.75	1/2	41.71	1/2	1/2	1/2		1/2	
3/4	2,080.43	3/4	1,738.97	3/4	1,397.51	3/4	1,056.12	3/4	715.09	3/4	373.63	3/4	35.49	3/4	3/4	3/4		3/4	
4	2,073.32	4	1,731.86	4	1,390.39	4	1,049.02	4	707.97	4	366.52	4	30.15	4	4	4		4	
1/4	2,066.20	1/4	1,724.74	1/4	1,383.28	1/4	1,041.92	1/4	700.86	1/4	359.41	1/4	25.71	1/4	1/4	1/4		1/4	
1/2	2,059.09	1/2	1,717.63	1/2	1,376.17	1/2	1,034.82	1/2	693.74	1/2	352.29	1/2	21.26	1/2	1/2	1/2		1/2	
3/4	2,051.98	3/4	1,710.51	3/4	1,369.05	3/4	1,027.72	3/4	686.63	3/4	345.18	3/4		3/4	3/4	3/4		3/4	
5	2,044.86	5	1,703.40	5	1,361.94	5	1,020.62	5	679.52	5	338.06	5		5	5	5		5	
1/4	2,037.75	1/4	1,696.29	1/4	1,354.82	1/4	1,013.52	1/4	672.40	1/4	330.95	1/4		1/4	1/4	1/4		1/4	
1/2	2,030.64	1/2	1,689.17	1/2	1,347.71	1/2	1,006.42	1/2	665.29	1/2	323.84	1/2		1/2	1/2	1/2		1/2	
3/4	2,023.52	3/4	1,682.06	3/4	1,340.60	3/4	999.32	3/4	658.18	3/4	316.72	3/4		3/4	3/4	3/4		3/4	
6	2,016.41	6	1,674.95	6	1,333.48	6	992.22	6	651.06	6	309.61	6		6	6	6		6	
1/4	2,009.29	1/4	1,667.83	1/4	1,326.37	1/4	985.12	1/4	643.95	1/4	302.50	1/4		1/4	1/4	1/4		1/4	
1/2	2,002.18	1/2	1,660.72	1/2	1,319.26	1/2	978.02	1/2	636.84	1/2	295.38	1/2		1/2	1/2	1/2		1/2	
3/4	1,995.07	3/4	1,653.60	3/4	1,312.14	3/4	970.92	3/4	629.72	3/4	288.27	3/4		3/4	3/4	3/4		3/4	
7	1,987.95	7	1,646.49	7	1,305.03	7	963.82	7	622.61	7	281.16	7		7	7	7		7	
1/4	1,980.84	1/4	1,639.38	1/4	1,297.91	1/4	956.72	1/4	615.49	1/4	274.04	1/4		1/4	1/4	1/4		1/4	
1/2	1,973.72	1/2	1,632.26	1/2	1,290.80	1/2	949.62	1/2	608.38	1/2	266.93	1/2		1/2	1/2	1/2		1/2	
3/4	1,966.61	3/4	1,625.15	3/4	1,283.69	3/4	942.52	3/4	601.27	3/4	259.81	3/4		3/4	3/4	3/4		3/4	
8	1,959.50	8	1,618.03	8	1,276.57	8	935.42	8	594.15	8	252.70	8		8	8	8		8	
1/4	1,952.38	1/4	1,610.92	1/4	1,269.46	1/4	928.32	1/4	587.04	1/4	245.59	1/4		1/4	1/4	1/4		1/4	
1/2	1,945.27	1/2	1,603.81	1/2	1,262.34	1/2	921.22	1/2	579.93	1/2	238.47	1/2		1/2	1/2	1/2		1/2	
3/4	1,938.16	3/4	1,596.69	3/4	1,255.23	3/4	914.12	3/4	572.81	3/4	231.36	3/4		3/4	3/4	3/4		3/4	
9	1,931.04	9	1,589.58	9	1,248.12	9	907.02	9	565.70	9	224.25	9		9	9	9		9	
1/4	1,923.93	1/4	1,582.47	1/4	1,241.00	1/4	899.92	1/4	558.59	1/4	217.13	1/4		1/4	1/4	1/4		1/4	
1/2	1,916.81	1/2	1,575.35	1/2	1,233.89	1/2	892.82	1/2	551.47	1/2	210.02	1/2		1/2	1/2	1/2		1/2	
3/4	1,909.70	3/4	1,568.24	3/4	1,226.78	3/4	885.72	3/4	544.36	3/4	202.91	3/4		3/4	3/4	3/4		3/4	
10	1,902.59	10	1,561.12	10	1,219.66	10	878.62	10	537.25	10	195.79	10		10	10	10		10	
1/4	1,895.47	1/4	1,554.01	1/4	1,212.55	1/4	871.52	1/4	530.13	1/4	188.68	1/4		1/4	1/4	1/4		1/4	
1/2	1,888.36	1/2	1,546.90	1/2	1,205.43	1/2	864.42	1/2	523.02	1/2	181.57	1/2		1/2	1/2	1/2		1/2	
3/4	1,881.25	3/4	1,539.78	3/4	1,198.32	3/4	857.32	3/4	515.90	3/4	174.45	3/4		3/4	3/4	3/4		3/4	
11	1,874.13	11	1,532.67	11	1,191.21	11	850.22	11	508.79	11	167.34	11		11	11	11		11	
1/4	1,867.02	1/4	1,525.56	1/4	1,184.09	1/4	843.11	1/4	501.68	1/4	160.22	1/4		1/4	1/4	1/4		1/4	
1/2	1,859.90	1/2	1,518.44	1/2	1,176.98	1/2	836.01	1/2	494.56	1/2	153.11	1/2		1/2	1/2	1/2		1/2	
3/4	1,852.79	3/4	1,511.33	3/4	1,169.87	3/4	828.90	3/4	487.45	3/4	146.00	3/4		3/4	3/4	3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/08/2021 CL
CALCULATED: 12/10/2021 CL
PRINTED: 12/10/2021 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2021



BARGE "MPX 426"

PORT SLOP INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'-06 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	35	0	1,142	0	2,249	0	3,356	0	4,463	0	5,570	0		0		0		0	
1/4	58	1/4	1,165	1/4	2,272	1/4	3,379	1/4	4,486	1/4	5,593	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	81	1/2	1,188	1/2	2,295	1/2	3,402	1/2	4,509	1/2	5,605	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	104	3/4	1,211	3/4	2,318	3/4	3,425	3/4	4,532	3/4	5,632	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	127	1	1,234	1	2,341	1	3,448	1	4,555	1		1	1	1	1	1	1	1	1
1/4	150	1/4	1,257	1/4	2,364	1/4	3,471	1/4	4,578	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	173	1/2	1,280	1/2	2,387	1/2	3,494	1/2	4,601	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	196	3/4	1,303	3/4	2,410	3/4	3,517	3/4	4,625	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	219	2	1,326	2	2,433	2	3,540	2	4,648	2	2	2	2	2	2	2	2	2	2
1/4	242	1/4	1,349	1/4	2,456	1/4	3,564	1/4	4,671	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	265	1/2	1,372	1/2	2,479	1/2	3,587	1/2	4,694	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	288	3/4	1,395	3/4	2,503	3/4	3,610	3/4	4,717	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	311	3	1,419	3	2,526	3	3,633	3	4,740	3	3	3	3	3	3	3	3	3	3
1/4	334	1/4	1,442	1/4	2,549	1/4	3,656	1/4	4,763	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	358	1/2	1,465	1/2	2,572	1/2	3,679	1/2	4,786	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	381	3/4	1,488	3/4	2,595	3/4	3,702	3/4	4,809	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	404	4	1,511	4	2,618	4	3,725	4	4,832	4	4	4	4	4	4	4	4	4	4
1/4	427	1/4	1,534	1/4	2,641	1/4	3,748	1/4	4,855	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	450	1/2	1,557	1/2	2,664	1/2	3,771	1/2	4,878	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	473	3/4	1,580	3/4	2,687	3/4	3,794	3/4	4,901	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	496	5	1,603	5	2,710	5	3,817	5	4,924	5	5	5	5	5	5	5	5	5	5
1/4	519	1/4	1,626	1/4	2,733	1/4	3,840	1/4	4,947	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	542	1/2	1,649	1/2	2,756	1/2	3,863	1/2	4,971	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	565	3/4	1,672	3/4	2,779	3/4	3,886	3/4	4,994	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	588	6	1,695	6	2,802	6	3,910	6	5,017	6	6	6	6	6	6	6	6	6	6
1/4	611	1/4	1,718	1/4	2,825	1/4	3,933	1/4	5,040	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	634	1/2	1,741	1/2	2,849	1/2	3,956	1/2	5,063	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	657	3/4	1,764	3/4	2,872	3/4	3,979	3/4	5,086	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	680	7	1,788	7	2,895	7	4,002	7	5,109	7	7	7	7	7	7	7	7	7	7
1/4	703	1/4	1,811	1/4	2,918	1/4	4,025	1/4	5,132	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	727	1/2	1,834	1/2	2,941	1/2	4,048	1/2	5,155	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	750	3/4	1,857	3/4	2,964	3/4	4,071	3/4	5,178	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	773	8	1,880	8	2,987	8	4,094	8	5,201	8	8	8	8	8	8	8	8	8	8
1/4	796	1/4	1,903	1/4	3,010	1/4	4,117	1/4	5,224	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	819	1/2	1,926	1/2	3,033	1/2	4,140	1/2	5,247	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	842	3/4	1,949	3/4	3,056	3/4	4,163	3/4	5,270	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	865	9	1,972	9	3,079	9	4,186	9	5,293	9	9	9	9	9	9	9	9	9	9
1/4	888	1/4	1,995	1/4	3,102	1/4	4,209	1/4	5,317	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	911	1/2	2,018	1/2	3,125	1/2	4,232	1/2	5,340	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	934	3/4	2,041	3/4	3,148	3/4	4,256	3/4	5,363	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	957	10	2,064	10	3,171	10	4,279	10	5,386	10	10	10	10	10	10	10	10	10	10
1/4	980	1/4	2,087	1/4	3,195	1/4	4,302	1/4	5,409	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,003	1/2	2,110	1/2	3,218	1/2	4,325	1/2	5,432	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,026	3/4	2,134	3/4	3,241	3/4	4,348	3/4	5,455	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	1,049	11	2,157	11	3,264	11	4,371	11	5,478	11	11	11	11	11	11	11	11	11	11
1/4	1,073	1/4	2,180	1/4	3,287	1/4	4,394	1/4	5,501	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,096	1/2	2,203	1/2	3,310	1/2	4,417	1/2	5,524	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,119	3/4	2,226	3/4	3,333	3/4	4,440	3/4	5,547	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO 2" DIAMETER "HERMETIC" VALVE.

STRAPPED: 12/08/2021 CL
 CALCULATED: 12/10/2021 CL
 PRINTED: 12/10/2021 SW

CANCELS AND SUPERCEDES
 ALL PRIOR TO 12/2021

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPX 426"

STBD SLOP INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'-06 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	35	0	1,141	0	2,248	0	3,355	0	4,461	0	5,568	0		0		0		0	
1/4	58	1/4	1,164	1/4	2,271	1/4	3,378	1/4	4,485	1/4	5,591	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	81	1/2	1,187	1/2	2,294	1/2	3,401	1/2	4,508	1/2	5,603	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	104	3/4	1,210	3/4	2,317	3/4	3,424	3/4	4,531	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	127	1	1,234	1	2,340	1	3,447	1	4,554	1		1	1	1	1	1	1	1	1
1/4	150	1/4	1,257	1/4	2,363	1/4	3,470	1/4	4,577	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	173	1/2	1,280	1/2	2,386	1/2	3,493	1/2	4,600	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	196	3/4	1,303	3/4	2,409	3/4	3,516	3/4	4,623	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	219	2	1,326	2	2,432	2	3,539	2	4,646	2		2	2	2	2	2	2	2	2
1/4	242	1/4	1,349	1/4	2,456	1/4	3,562	1/4	4,669	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	265	1/2	1,372	1/2	2,479	1/2	3,585	1/2	4,692	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	288	3/4	1,395	3/4	2,502	3/4	3,608	3/4	4,715	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	311	3	1,418	3	2,525	3	3,631	3	4,738	3		3	3	3	3	3	3	3	3
1/4	334	1/4	1,441	1/4	2,548	1/4	3,654	1/4	4,761	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	357	1/2	1,464	1/2	2,571	1/2	3,678	1/2	4,784	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	380	3/4	1,487	3/4	2,594	3/4	3,701	3/4	4,807	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	403	4	1,510	4	2,617	4	3,724	4	4,830	4		4	4	4	4	4	4	4	4
1/4	427	1/4	1,533	1/4	2,640	1/4	3,747	1/4	4,853	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	450	1/2	1,556	1/2	2,663	1/2	3,770	1/2	4,876	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	473	3/4	1,579	3/4	2,686	3/4	3,793	3/4	4,900	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	496	5	1,602	5	2,709	5	3,816	5	4,923	5		5	5	5	5	5	5	5	5
1/4	519	1/4	1,625	1/4	2,732	1/4	3,839	1/4	4,946	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	542	1/2	1,649	1/2	2,755	1/2	3,862	1/2	4,969	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	565	3/4	1,672	3/4	2,778	3/4	3,885	3/4	4,992	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	588	6	1,695	6	2,801	6	3,908	6	5,015	6		6	6	6	6	6	6	6	6
1/4	611	1/4	1,718	1/4	2,824	1/4	3,931	1/4	5,038	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	634	1/2	1,741	1/2	2,848	1/2	3,954	1/2	5,061	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	657	3/4	1,764	3/4	2,871	3/4	3,977	3/4	5,084	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	680	7	1,787	7	2,894	7	4,000	7	5,107	7		7	7	7	7	7	7	7	7
1/4	703	1/4	1,810	1/4	2,917	1/4	4,023	1/4	5,130	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	726	1/2	1,833	1/2	2,940	1/2	4,046	1/2	5,153	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	749	3/4	1,856	3/4	2,963	3/4	4,070	3/4	5,176	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	772	8	1,879	8	2,986	8	4,093	8	5,199	8		8	8	8	8	8	8	8	8
1/4	795	1/4	1,902	1/4	3,009	1/4	4,116	1/4	5,222	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	819	1/2	1,925	1/2	3,032	1/2	4,139	1/2	5,245	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	842	3/4	1,948	3/4	3,055	3/4	4,162	3/4	5,268	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	865	9	1,971	9	3,078	9	4,185	9	5,292	9		9	9	9	9	9	9	9	9
1/4	888	1/4	1,994	1/4	3,101	1/4	4,208	1/4	5,315	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	911	1/2	2,017	1/2	3,124	1/2	4,231	1/2	5,338	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	934	3/4	2,041	3/4	3,147	3/4	4,254	3/4	5,361	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	957	10	2,064	10	3,170	10	4,277	10	5,384	10		10	10	10	10	10	10	10	10
1/4	980	1/4	2,087	1/4	3,193	1/4	4,300	1/4	5,407	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,003	1/2	2,110	1/2	3,216	1/2	4,323	1/2	5,430	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,026	3/4	2,133	3/4	3,239	3/4	4,346	3/4	5,453	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	1,049	11	2,156	11	3,263	11	4,369	11	5,476	11		11	11	11	11	11	11	11	11
1/4	1,072	1/4	2,179	1/4	3,286	1/4	4,392	1/4	5,499	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,095	1/2	2,202	1/2	3,309	1/2	4,415	1/2	5,522	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,118	3/4	2,225	3/4	3,332	3/4	4,438	3/4	5,545	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO 2" DIAMETER "HERMETIC" VALVE.

STRAPPED: 12/08/2021 CL
 CALCULATED: 12/10/2021 CL
 PRINTED: 12/10/2021 SW

CANCELS AND SUPERCEDES
 ALL PRIOR TO 12/2021

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MPX 426"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 4'-05 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	101	0	259	0	416	0	517	0		0		0		0		0	
1/4	1	1/4	104	1/4	262	1/4	419	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1	1/2	107	1/2	265	1/2	422	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2	3/4	110	3/4	269	3/4	425	3/4		3/4		3/4		3/4		3/4		3/4	
1	3	1	113	1	272	1	428	1	1	1	1	1	1	1	1	1	1	1	1
1/4	4	1/4	116	1/4	276	1/4	430	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5	1/2	119	1/2	279	1/2	433	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	6	3/4	122	3/4	282	3/4	436	3/4		3/4		3/4		3/4		3/4		3/4	
2	7	2	125	2	286	2	439	2	2	2	2	2	2	2	2	2	2	2	2
1/4	9	1/4	129	1/4	289	1/4	442	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	10	1/2	132	1/2	293	1/2	444	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	12	3/4	135	3/4	296	3/4	447	3/4		3/4		3/4		3/4		3/4		3/4	
3	13	3	138	3	300	3	450	3	3	3	3	3	3	3	3	3	3	3	3
1/4	15	1/4	141	1/4	303	1/4	453	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	17	1/2	144	1/2	306	1/2	455	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	19	3/4	148	3/4	310	3/4	458	3/4		3/4		3/4		3/4		3/4		3/4	
4	21	4	151	4	313	4	460	4	4	4	4	4	4	4	4	4	4	4	4
1/4	23	1/4	154	1/4	316	1/4	463	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	25	1/2	157	1/2	320	1/2	465	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	27	3/4	161	3/4	323	3/4	468	3/4		3/4		3/4		3/4		3/4		3/4	
5	29	5	164	5	327	5	470	5	5	5	5	5	5	5	5	5	5	5	5
1/4	31	1/4	167	1/4	330	1/4	473	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	33	1/2	170	1/2	333	1/2	475	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	35	3/4	174	3/4	337	3/4	477	3/4		3/4		3/4		3/4		3/4		3/4	
6	37	6	177	6	340	6	480	6	6	6	6	6	6	6	6	6	6	6	6
1/4	40	1/4	180	1/4	343	1/4	482	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	184	1/2	347	1/2	484	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	44	3/4	187	3/4	350	3/4	486	3/4		3/4		3/4		3/4		3/4		3/4	
7	47	7	190	7	353	7	488	7	7	7	7	7	7	7	7	7	7	7	7
1/4	49	1/4	194	1/4	356	1/4	490	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	52	1/2	197	1/2	360	1/2	492	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	54	3/4	201	3/4	363	3/4	494	3/4		3/4		3/4		3/4		3/4		3/4	
8	57	8	204	8	366	8	496	8	8	8	8	8	8	8	8	8	8	8	8
1/4	59	1/4	207	1/4	369	1/4	498	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	62	1/2	211	1/2	373	1/2	500	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	64	3/4	214	3/4	376	3/4	502	3/4		3/4		3/4		3/4		3/4		3/4	
9	67	9	217	9	379	9	504	9	9	9	9	9	9	9	9	9	9	9	9
1/4	70	1/4	221	1/4	382	1/4	505	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	73	1/2	224	1/2	385	1/2	507	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	75	3/4	228	3/4	388	3/4	508	3/4		3/4		3/4		3/4		3/4		3/4	
10	78	10	231	10	392	10	510	10	10	10	10	10	10	10	10	10	10	10	10
1/4	81	1/4	235	1/4	395	1/4	511	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	84	1/2	238	1/2	398	1/2	512	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	87	3/4	241	3/4	401	3/4	513	3/4		3/4		3/4		3/4		3/4		3/4	
11	89	11	245	11	404	11	514	11	11	11	11	11	11	11	11	11	11	11	11
1/4	92	1/4	248	1/4	407	1/4	515	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	95	1/2	252	1/2	410	1/2	516	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	98	3/4	255	3/4	413	3/4	516	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 2" STANDPIPE

STRAPPED: 12/08/2021 CL
CALCULATED: 12/10/2021 CL
PRINTED: 12/10/2021 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2021

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>