



BARGE: MPX 601
HULL No. JEFFBOAT 14-2901

FUEL TANK PORT
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 3' 2 1/4"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.
0	0	6	1,450	0	2,914	6	4,364	0	5,828	6	7,285	0		6		0	
1/8	30	1/8	1,481	1/8	2,944	1/8	4,395	1/8	5,859	1/8	7,315	1/8		1/8		1/8	
1/4	60	1/4	1,511	1/4	2,974	1/4	4,425	1/4	5,889	1/4	7,345	1/4		1/4		1/4	
3/8	90	3/8	1,542	3/8	3,004	3/8	4,456	3/8	5,920	3/8	7,375	3/8		3/8		3/8	
1/2	120	1/2	1,572	1/2	3,034	1/2	4,486	1/2	5,950	1/2	7,405	1/2		1/2		1/2	
5/8	150	5/8	1,603	5/8	3,064	5/8	4,517	5/8	5,981	5/8	7,435	5/8		5/8		5/8	
3/4	180	3/4	1,633	3/4	3,095	3/4	4,547	3/4	6,011	3/4	7,465	3/4		3/4		3/4	
7/8	210	7/8	1,664	7/8	3,125	7/8	4,578	7/8	6,042	7/8	7,495	7/8		7/8		7/8	
1	241	7	1,694	1	3,155	7	4,608	1	6,072	7	7,525	1		7		1	
1/8	271	1/8	1,725	1/8	3,185	1/8	4,639	1/8	6,103	1/8	7,556	1/8		1/8		1/8	
1/4	301	1/4	1,755	1/4	3,215	1/4	4,669	1/4	6,133	1/4	7,586	1/4		1/4		1/4	
3/8	331	3/8	1,786	3/8	3,245	3/8	4,700	3/8	6,164	3/8	7,616	3/8		3/8		3/8	
1/2	361	1/2	1,816	1/2	3,275	1/2	4,730	1/2	6,194	1/2	7,646	1/2		1/2		1/2	
5/8	391	5/8	1,847	5/8	3,305	5/8	4,761	5/8	6,225	5/8	7,676	5/8		5/8		5/8	
3/4	421	3/4	1,877	3/4	3,335	3/4	4,791	3/4	6,255	3/4	7,706	3/4		3/4		3/4	
7/8	451	7/8	1,908	7/8	3,365	7/8	4,822	7/8	6,286	7/8	7,736	7/8		7/8		7/8	
2	481	8	1,938	2	3,395	8	4,852	2	6,316	8	7,766	2		8		2	
1/8	511	1/8	1,969	1/8	3,425	1/8	4,883	1/8	6,347	1/8	7,796	1/8		1/8		1/8	
1/4	541	1/4	1,999	1/4	3,455	1/4	4,913	1/4	6,377	1/4	7,826	1/4		1/4		1/4	
3/8	571	3/8	2,030	3/8	3,485	3/8	4,944	3/8	6,408	3/8	7,856	3/8		3/8		3/8	
1/2	601	1/2	2,060	1/2	3,516	1/2	4,974	1/2	6,438	1/2	7,886	1/2		1/2		1/2	
5/8	631	5/8	2,091	5/8	3,546	5/8	5,005	5/8	6,469	5/8	7,916	5/8		5/8		5/8	
3/4	661	3/4	2,121	3/4	3,576	3/4	5,035	3/4	6,499	3/4	7,946	3/4		3/4		3/4	
7/8	692	7/8	2,152	7/8	3,606	7/8	5,066	7/8	6,530	7/8	7,977	7/8		7/8		7/8	
3	722	9	2,182	3	3,636	9	5,096	3	6,560	9	8,007	3		9		3	
1/8	752	1/8	2,213	1/8	3,666	1/8	5,127	1/8	6,591	1/8	8,037	1/8		1/8		1/8	
1/4	782	1/4	2,243	1/4	3,696	1/4	5,157	1/4	6,621	1/4		1/4		1/4		1/4	
3/8	812	3/8	2,274	3/8	3,726	3/8	5,188	3/8	6,652	3/8		3/8		3/8		3/8	
1/2	842	1/2	2,304	1/2	3,756	1/2	5,218	1/2	6,682	1/2		1/2		1/2		1/2	
5/8	872	5/8	2,335	5/8	3,786	5/8	5,249	5/8	6,713	5/8		5/8		5/8		5/8	
3/4	902	3/4	2,365	3/4	3,816	3/4	5,279	3/4	6,743	3/4		3/4		3/4		3/4	
7/8	932	7/8	2,396	7/8	3,846	7/8	5,310	7/8	6,774	7/8		7/8		7/8		7/8	
4	962	10	2,426	4	3,876	10	5,340	4	6,804	10		4		10		4	
1/8	993	1/8	2,457	1/8	3,907	1/8	5,371	1/8	6,834	1/8		1/8		1/8		1/8	
1/4	1,023	1/4	2,487	1/4	3,937	1/4	5,401	1/4	6,864	1/4		1/4		1/4		1/4	
3/8	1,054	3/8	2,518	3/8	3,968	3/8	5,432	3/8	6,894	3/8		3/8		3/8		3/8	
1/2	1,084	1/2	2,548	1/2	3,998	1/2	5,462	1/2	6,924	1/2		1/2		1/2		1/2	
5/8	1,115	5/8	2,579	5/8	4,029	5/8	5,493	5/8	6,954	5/8		5/8		5/8		5/8	
3/4	1,145	3/4	2,609	3/4	4,059	3/4	5,523	3/4	6,984	3/4		3/4		3/4		3/4	
7/8	1,176	7/8	2,640	7/8	4,090	7/8	5,554	7/8	7,014	7/8		7/8		7/8		7/8	
5	1,206	11	2,670	5	4,120	11	5,584	5	7,044	11		5		11		5	
1/8	1,237	1/8	2,701	1/8	4,151	1/8	5,615	1/8	7,074	1/8		1/8		1/8		1/8	
1/4	1,267	1/4	2,731	1/4	4,181	1/4	5,645	1/4	7,105	1/4		1/4		1/4		1/4	
3/8	1,298	3/8	2,762	3/8	4,212	3/8	5,676	3/8	7,135	3/8		3/8		3/8		3/8	
1/2	1,328	1/2	2,792	1/2	4,242	1/2	5,706	1/2	7,165	1/2		1/2		1/2		1/2	
5/8	1,359	5/8	2,823	5/8	4,273	5/8	5,737	5/8	7,195	5/8		5/8		5/8		5/8	
3/4	1,389	3/4	2,853	3/4	4,303	3/4	5,767	3/4	7,225	3/4		3/4		3/4		3/4	
7/8	1,420	7/8	2,884	7/8	4,334	7/8	5,798	7/8	7,255	7/8		7/8		7/8		7/8	

NOTE: GAUGE POINT: TO TOP LIP OF MANWAY OPPOSITE HINGE

DATE STRAPPED: 6/22/2015 BY: JMF
DATE COMPUTED: 6/24/2015 BY: WHF
DATE ISSUED: 6/24/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK



BARGE: MPX 601
HULL No. JEFFBOAT 14-2901

FUEL TANK STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 3' 2"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.
0	0	6	1,453	0	2,919	6	4,372	0	5,838	6	7,297	0		6		0	
1/8	30	1/8	1,483	1/8	2,949	1/8	4,402	1/8	5,868	1/8	7,327	1/8		1/8		1/8	
1/4	60	1/4	1,514	1/4	2,979	1/4	4,433	1/4	5,899	1/4	7,357	1/4		1/4		1/4	
3/8	90	3/8	1,544	3/8	3,009	3/8	4,463	3/8	5,930	3/8	7,387	3/8		3/8		3/8	
1/2	120	1/2	1,575	1/2	3,039	1/2	4,494	1/2	5,960	1/2	7,417	1/2		1/2		1/2	
5/8	151	5/8	1,605	5/8	3,070	5/8	4,524	5/8	5,991	5/8	7,448	5/8		5/8		5/8	
3/4	181	3/4	1,636	3/4	3,100	3/4	4,555	3/4	6,021	3/4	7,478	3/4		3/4		3/4	
7/8	211	7/8	1,666	7/8	3,130	7/8	4,585	7/8	6,052	7/8	7,508	7/8		7/8		7/8	
1	241	7	1,697	1	3,160	7	4,616	1	6,082	7	7,538	1		7		1	
1/8	271	1/8	1,728	1/8	3,190	1/8	4,646	1/8	6,113	1/8	7,568	1/8		1/8		1/8	
1/4	301	1/4	1,758	1/4	3,220	1/4	4,677	1/4	6,143	1/4	7,598	1/4		1/4		1/4	
3/8	331	3/8	1,789	3/8	3,250	3/8	4,708	3/8	6,174	3/8	7,628	3/8		3/8		3/8	
1/2	361	1/2	1,819	1/2	3,280	1/2	4,738	1/2	6,204	1/2	7,658	1/2		1/2		1/2	
5/8	392	5/8	1,850	5/8	3,310	5/8	4,769	5/8	6,235	5/8	7,688	5/8		5/8		5/8	
3/4	422	3/4	1,880	3/4	3,341	3/4	4,799	3/4	6,266	3/4	7,719	3/4		3/4		3/4	
7/8	452	7/8	1,911	7/8	3,371	7/8	4,830	7/8	6,296	7/8	7,749	7/8		7/8		7/8	
2	482	8	1,941	2	3,401	8	4,860	2	6,327	8	7,779	2		8		2	
1/8	512	1/8	1,972	1/8	3,431	1/8	4,891	1/8	6,357	1/8	7,809	1/8		1/8		1/8	
1/4	542	1/4	2,002	1/4	3,461	1/4	4,921	1/4	6,388	1/4	7,839	1/4		1/4		1/4	
3/8	572	3/8	2,033	3/8	3,491	3/8	4,952	3/8	6,418	3/8	7,869	3/8		3/8		3/8	
1/2	602	1/2	2,064	1/2	3,521	1/2	4,983	1/2	6,449	1/2	7,899	1/2		1/2		1/2	
5/8	632	5/8	2,094	5/8	3,551	5/8	5,013	5/8	6,479	5/8	7,929	5/8		5/8		5/8	
3/4	663	3/4	2,125	3/4	3,582	3/4	5,044	3/4	6,510	3/4	7,960	3/4		3/4		3/4	
7/8	693	7/8	2,155	7/8	3,612	7/8	5,074	7/8	6,541	7/8	7,990	7/8		7/8		7/8	
3	723	9	2,186	3	3,642	9	5,105	3	6,571	9	8,020	3		9		3	
1/8	753	1/8	2,216	1/8	3,672	1/8	5,135	1/8	6,602	1/8		1/8		1/8		1/8	
1/4	783	1/4	2,247	1/4	3,702	1/4	5,166	1/4	6,632	1/4		1/4		1/4		1/4	
3/8	813	3/8	2,277	3/8	3,732	3/8	5,196	3/8	6,663	3/8		3/8		3/8		3/8	
1/2	843	1/2	2,308	1/2	3,762	1/2	5,227	1/2	6,693	1/2		1/2		1/2		1/2	
5/8	873	5/8	2,339	5/8	3,792	5/8	5,257	5/8	6,724	5/8		5/8		5/8		5/8	
3/4	904	3/4	2,369	3/4	3,822	3/4	5,288	3/4	6,754	3/4		3/4		3/4		3/4	
7/8	934	7/8	2,400	7/8	3,853	7/8	5,319	7/8	6,785	7/8		7/8		7/8		7/8	
4	964	10	2,430	4	3,883	10	5,349	4	6,815	10		4		10		4	
1/8	994	1/8	2,461	1/8	3,913	1/8	5,380	1/8	6,845	1/8		1/8		1/8		1/8	
1/4	1,025	1/4	2,491	1/4	3,944	1/4	5,410	1/4	6,875	1/4		1/4		1/4		1/4	
3/8	1,055	3/8	2,522	3/8	3,974	3/8	5,441	3/8	6,905	3/8		3/8		3/8		3/8	
1/2	1,086	1/2	2,552	1/2	4,005	1/2	5,471	1/2	6,936	1/2		1/2		1/2		1/2	
5/8	1,117	5/8	2,583	5/8	4,035	5/8	5,502	5/8	6,966	5/8		5/8		5/8		5/8	
3/4	1,147	3/4	2,613	3/4	4,066	3/4	5,532	3/4	6,996	3/4		3/4		3/4		3/4	
7/8	1,178	7/8	2,644	7/8	4,097	7/8	5,563	7/8	7,026	7/8		7/8		7/8		7/8	
5	1,208	11	2,675	5	4,127	11	5,593	5	7,056	11		5		11		5	
1/8	1,239	1/8	2,705	1/8	4,158	1/8	5,624	1/8	7,086	1/8		1/8		1/8		1/8	
1/4	1,269	1/4	2,736	1/4	4,188	1/4	5,655	1/4	7,116	1/4		1/4		1/4		1/4	
3/8	1,300	3/8	2,766	3/8	4,219	3/8	5,685	3/8	7,146	3/8		3/8		3/8		3/8	
1/2	1,330	1/2	2,797	1/2	4,249	1/2	5,716	1/2	7,176	1/2		1/2		1/2		1/2	
5/8	1,361	5/8	2,827	5/8	4,280	5/8	5,746	5/8	7,207	5/8		5/8		5/8		5/8	
3/4	1,391	3/4	2,858	3/4	4,310	3/4	5,777	3/4	7,237	3/4		3/4		3/4		3/4	
7/8	1,422	7/8	2,888	7/8	4,341	7/8	5,807	7/8	7,267	7/8		7/8		7/8		7/8	

NOTE: GAUGE POINT: TO TOP LIP OF MANWAY OPPOSITE HING

DATE STRAPPED: 6/22/2015 BY: JMF
DATE COMPUTED: 6/24/2015 BY: WHF
DATE ISSUED: 6/24/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

INTERTEK



BARGE: MPX 601
HULL No. JEFFBOAT 14-2901

FUEL TANK PORT
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 3' 2 1/4"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.
0		6	7,826	0	6,377	6	4,913	0	3,455	6	1,999	0	541	6		0	
1/8		1/8	7,796	1/8	6,347	1/8	4,883	1/8	3,425	1/8	1,969	1/8	511	1/8		1/8	
1/4		1/4	7,766	1/4	6,316	1/4	4,852	1/4	3,395	1/4	1,938	1/4	481	1/4		1/4	
3/8		3/8	7,736	3/8	6,286	3/8	4,822	3/8	3,365	3/8	1,908	3/8	451	3/8		3/8	
1/2		1/2	7,706	1/2	6,255	1/2	4,791	1/2	3,335	1/2	1,877	1/2	421	1/2		1/2	
5/8		5/8	7,676	5/8	6,225	5/8	4,761	5/8	3,305	5/8	1,847	5/8	391	5/8		5/8	
3/4		3/4	7,646	3/4	6,194	3/4	4,730	3/4	3,275	3/4	1,816	3/4	361	3/4		3/4	
7/8		7/8	7,616	7/8	6,164	7/8	4,700	7/8	3,245	7/8	1,786	7/8	331	7/8		7/8	
1		7	7,586	1	6,133	7	4,669	1	3,215	7	1,755	1	301	7		1	
1/8		1/8	7,556	1/8	6,103	1/8	4,639	1/8	3,185	1/8	1,725	1/8	271	1/8		1/8	
1/4		1/4	7,525	1/4	6,072	1/4	4,608	1/4	3,155	1/4	1,694	1/4	241	1/4		1/4	
3/8		3/8	7,495	3/8	6,042	3/8	4,578	3/8	3,125	3/8	1,664	3/8	210	3/8		3/8	
1/2		1/2	7,465	1/2	6,011	1/2	4,547	1/2	3,095	1/2	1,633	1/2	180	1/2		1/2	
5/8		5/8	7,435	5/8	5,981	5/8	4,517	5/8	3,064	5/8	1,603	5/8	150	5/8		5/8	
3/4		3/4	7,405	3/4	5,950	3/4	4,486	3/4	3,034	3/4	1,572	3/4	120	3/4		3/4	
7/8		7/8	7,375	7/8	5,920	7/8	4,456	7/8	3,004	7/8	1,542	7/8	90	7/8		7/8	
2		8	7,345	2	5,889	8	4,425	2	2,974	8	1,511	2	60	8		2	
1/8		1/8	7,315	1/8	5,859	1/8	4,395	1/8	2,944	1/8	1,481	1/8	30	1/8		1/8	
1/4		1/4	7,285	1/4	5,828	1/4	4,364	1/4	2,914	1/4	1,450	1/4	0	1/4		1/4	
3/8		3/8	7,255	3/8	5,798	3/8	4,334	3/8	2,884	3/8	1,420	3/8		3/8		3/8	
1/2		1/2	7,225	1/2	5,767	1/2	4,303	1/2	2,853	1/2	1,389	1/2		1/2		1/2	
5/8		5/8	7,195	5/8	5,737	5/8	4,273	5/8	2,823	5/8	1,359	5/8		5/8		5/8	
3/4		3/4	7,165	3/4	5,706	3/4	4,242	3/4	2,792	3/4	1,328	3/4		3/4		3/4	
7/8		7/8	7,135	7/8	5,676	7/8	4,212	7/8	2,762	7/8	1,298	7/8		7/8		7/8	
3		9	7,105	3	5,645	9	4,181	3	2,731	9	1,267	3		9		3	
1/8		1/8	7,074	1/8	5,615	1/8	4,151	1/8	2,701	1/8	1,237	1/8		1/8		1/8	
1/4		1/4	7,044	1/4	5,584	1/4	4,120	1/4	2,670	1/4	1,206	1/4		1/4		1/4	
3/8		3/8	7,014	3/8	5,554	3/8	4,090	3/8	2,640	3/8	1,176	3/8		3/8		3/8	
1/2		1/2	6,984	1/2	5,523	1/2	4,059	1/2	2,609	1/2	1,145	1/2		1/2		1/2	
5/8		5/8	6,954	5/8	5,493	5/8	4,029	5/8	2,579	5/8	1,115	5/8		5/8		5/8	
3/4		3/4	6,924	3/4	5,462	3/4	3,998	3/4	2,548	3/4	1,084	3/4		3/4		3/4	
7/8		7/8	6,894	7/8	5,432	7/8	3,968	7/8	2,518	7/8	1,054	7/8		7/8		7/8	
4		10	6,864	4	5,401	10	3,937	4	2,487	10	1,023	4		10		4	
1/8		1/8	6,834	1/8	5,371	1/8	3,907	1/8	2,457	1/8	993	1/8		1/8		1/8	
1/4		1/4	6,804	1/4	5,340	1/4	3,876	1/4	2,426	1/4	962	1/4		1/4		1/4	
3/8		3/8	6,774	3/8	5,310	3/8	3,846	3/8	2,396	3/8	932	3/8		3/8		3/8	
1/2		1/2	6,743	1/2	5,279	1/2	3,816	1/2	2,365	1/2	902	1/2		1/2		1/2	
5/8		5/8	6,713	5/8	5,249	5/8	3,786	5/8	2,335	5/8	872	5/8		5/8		5/8	
3/4		3/4	6,682	3/4	5,218	3/4	3,756	3/4	2,304	3/4	842	3/4		3/4		3/4	
7/8		7/8	6,652	7/8	5,188	7/8	3,726	7/8	2,274	7/8	812	7/8		7/8		7/8	
5		11	6,621	5	5,157	11	3,696	5	2,243	11	782	5		11		5	
1/8		1/8	6,591	1/8	5,127	1/8	3,666	1/8	2,213	1/8	752	1/8		1/8		1/8	
1/4	8,007	1/4	6,560	1/4	5,096	1/4	3,636	1/4	2,182	1/4	722	1/4		1/4		1/4	
3/8	7,977	3/8	6,530	3/8	5,066	3/8	3,606	3/8	2,152	3/8	692	3/8		3/8		3/8	
1/2	7,946	1/2	6,499	1/2	5,035	1/2	3,576	1/2	2,121	1/2	661	1/2		1/2		1/2	
5/8	7,916	5/8	6,469	5/8	5,005	5/8	3,546	5/8	2,091	5/8	631	5/8		5/8		5/8	
3/4	7,886	3/4	6,438	3/4	4,974	3/4	3,516	3/4	2,060	3/4	601	3/4		3/4		3/4	
7/8	7,856	7/8	6,408	7/8	4,944	7/8	3,485	7/8	2,030	7/8	571	7/8		7/8		7/8	

NOTE: GAUGE POINT: TO TOP LIP OF MANWAY OPPOSITE HING

DATE STRAPPED: 6/22/2015 BY: JMF
DATE COMPUTED: 6/24/2015 BY: WHF
DATE ISSUED: 6/24/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

INTERTEK





BARGE: MPX 601

HULL No. JEFFBOAT 14-2901

FUEL TANK STBD

ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 3' 2"

0 FT.		0 FT.		1 FT.		1 FT.		2 FT.		2 FT.		3 FT.		3 FT.		4 FT.	
0		6	7,779	0	6,327	6	4,860	0	3,401	6	1,941	0	482	6		0	
1/8		1/8	7,749	1/8	6,296	1/8	4,830	1/8	3,371	1/8	1,911	1/8	452	1/8		1/8	
1/4		1/4	7,719	1/4	6,266	1/4	4,799	1/4	3,341	1/4	1,880	1/4	422	1/4		1/4	
3/8		3/8	7,688	3/8	6,235	3/8	4,769	3/8	3,310	3/8	1,850	3/8	392	3/8		3/8	
1/2		1/2	7,658	1/2	6,204	1/2	4,738	1/2	3,280	1/2	1,819	1/2	361	1/2		1/2	
5/8		5/8	7,628	5/8	6,174	5/8	4,708	5/8	3,250	5/8	1,789	5/8	331	5/8		5/8	
3/4		3/4	7,598	3/4	6,143	3/4	4,677	3/4	3,220	3/4	1,758	3/4	301	3/4		3/4	
7/8		7/8	7,568	7/8	6,113	7/8	4,646	7/8	3,190	7/8	1,728	7/8	271	7/8		7/8	
1		7	7,538	1	6,082	7	4,616	1	3,160	7	1,697	1	241	7		1	
1/8		1/8	7,508	1/8	6,052	1/8	4,585	1/8	3,130	1/8	1,666	1/8	211	1/8		1/8	
1/4		1/4	7,478	1/4	6,021	1/4	4,555	1/4	3,100	1/4	1,636	1/4	181	1/4		1/4	
3/8		3/8	7,448	3/8	5,991	3/8	4,524	3/8	3,070	3/8	1,605	3/8	151	3/8		3/8	
1/2		1/2	7,417	1/2	5,960	1/2	4,494	1/2	3,039	1/2	1,575	1/2	120	1/2		1/2	
5/8		5/8	7,387	5/8	5,930	5/8	4,463	5/8	3,009	5/8	1,544	5/8	90	5/8		5/8	
3/4		3/4	7,357	3/4	5,899	3/4	4,433	3/4	2,979	3/4	1,514	3/4	60	3/4		3/4	
7/8		7/8	7,327	7/8	5,868	7/8	4,402	7/8	2,949	7/8	1,483	7/8	30	7/8		7/8	
2		8	7,297	2	5,838	8	4,372	2	2,919	8	1,453	2	<u>0</u>	8		2	
1/8		1/8	7,267	1/8	5,807	1/8	4,341	1/8	2,888	1/8	1,422	1/8		1/8		1/8	
1/4		1/4	7,237	1/4	5,777	1/4	4,310	1/4	2,858	1/4	1,391	1/4		1/4		1/4	
3/8		3/8	7,207	3/8	5,746	3/8	4,280	3/8	2,827	3/8	1,361	3/8		3/8		3/8	
1/2		1/2	7,176	1/2	5,716	1/2	4,249	1/2	2,797	1/2	1,330	1/2		1/2		1/2	
5/8		5/8	7,146	5/8	5,685	5/8	4,219	5/8	2,766	5/8	1,300	5/8		5/8		5/8	
3/4		3/4	7,116	3/4	5,655	3/4	4,188	3/4	2,736	3/4	1,269	3/4		3/4		3/4	
7/8		7/8	7,086	7/8	5,624	7/8	4,158	7/8	2,705	7/8	1,239	7/8		7/8		7/8	
3		9	7,056	3	5,593	9	4,127	3	2,675	9	1,208	3		9		3	
1/8		1/8	7,026	1/8	5,563	1/8	4,097	1/8	2,644	1/8	1,178	1/8		1/8		1/8	
1/4		1/4	6,996	1/4	5,532	1/4	4,066	1/4	2,613	1/4	1,147	1/4		1/4		1/4	
3/8		3/8	6,966	3/8	5,502	3/8	4,035	3/8	2,583	3/8	1,117	3/8		3/8		3/8	
1/2		1/2	6,936	1/2	5,471	1/2	4,005	1/2	2,552	1/2	1,086	1/2		1/2		1/2	
5/8		5/8	6,905	5/8	5,441	5/8	3,974	5/8	2,522	5/8	1,055	5/8		5/8		5/8	
3/4		3/4	6,875	3/4	5,410	3/4	3,944	3/4	2,491	3/4	1,025	3/4		3/4		3/4	
7/8		7/8	6,845	7/8	5,380	7/8	3,913	7/8	2,461	7/8	994	7/8		7/8		7/8	
4		10	6,815	4	5,349	10	3,883	4	2,430	10	964	4		10		4	
1/8		1/8	6,785	1/8	5,319	1/8	3,853	1/8	2,400	1/8	934	1/8		1/8		1/8	
1/4		1/4	6,754	1/4	5,288	1/4	3,822	1/4	2,369	1/4	904	1/4		1/4		1/4	
3/8		3/8	6,724	3/8	5,257	3/8	3,792	3/8	2,339	3/8	873	3/8		3/8		3/8	
1/2		1/2	6,693	1/2	5,227	1/2	3,762	1/2	2,308	1/2	843	1/2		1/2		1/2	
5/8		5/8	6,663	5/8	5,196	5/8	3,732	5/8	2,277	5/8	813	5/8		5/8		5/8	
3/4		3/4	6,632	3/4	5,166	3/4	3,702	3/4	2,247	3/4	783	3/4		3/4		3/4	
7/8		7/8	6,602	7/8	5,135	7/8	3,672	7/8	2,216	7/8	753	7/8		7/8		7/8	
5	8,020	11	6,571	5	5,105	11	3,642	5	2,186	11	723	5		11		5	
1/8	7,990	1/8	6,541	1/8	5,074	1/8	3,612	1/8	2,155	1/8	693	1/8		1/8		1/8	
1/4	7,960	1/4	6,510	1/4	5,044	1/4	3,582	1/4	2,125	1/4	663	1/4		1/4		1/4	
3/8	7,929	3/8	6,479	3/8	5,013	3/8	3,551	3/8	2,094	3/8	632	3/8		3/8		3/8	
1/2	7,899	1/2	6,449	1/2	4,983	1/2	3,521	1/2	2,064	1/2	602	1/2		1/2		1/2	
5/8	7,869	5/8	6,418	5/8	4,952	5/8	3,491	5/8	2,033	5/8	572	5/8		5/8		5/8	
3/4	7,839	3/4	6,388	3/4	4,921	3/4	3,461	3/4	2,002	3/4	542	3/4		3/4		3/4	
7/8	7,809	7/8	6,357	7/8	4,891	7/8	3,431	7/8	1,972	7/8	512	7/8		7/8		7/8	

NOTE: GAUGE POINT: TO TOP LIP OF MANWAY OPPOSITE HING

DATE STRAPPED: 6/22/2015 BY: JMF THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES!
DATE COMPUTED: 6/24/2015 BY: WH OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

DATE ISSUED: 6/24/2015

INTERTEK